

Generic is Decimal Bore Size for Cones and Decimal Outside Diameter for Cups
Family is First Part Number in Series



TIMKEN, BOWER, TYSON, HYATT & FINE All Use The Same Bearing Number - Call for Bower & Fine prices.



Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"	Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"
5BC	Cone	441792	\$9.60	1.114		.309	363D*	Cup	442821	\$80.30	3.543	90	1.656
6	Cup	441856	10.71	1.750		.375	363DC*	Cup	442822	234.77	3.543	90	1.656
6CE	Cup	4418561	22.54	1.934		.750	365	Cone	442825	43.04	1.968	50	.875
4A	Cone	4417904	32.38	.750		.468	365A	Cone	442826	40.14	1.625		.875
4CB	Cone	4417906	33.46	.812		.476	365DA*	Cone	442827	260.50	1.750		2.953
6CE	Cup	4418561	22.54	1.934		.750	365DE*	Cone	442828	289.11	1.750		3.500
12CB	Cone	4418721	65.64	1.000		.439	365S	Cone	442829	38.26	1.937		.875
13C	Cup	441873	16.67	1.938		.453	366	Cone	442830	37.89	1.968	50	.875
14	Cup	4418734	607.77	2.122		.637	366DE*	Cone	442831	301.49	1.875		3.500
14C	Cup	4418735	17.04	2.247		.673	NA366	Cone	442832	72.19	1.968	50	.986
14CE	Cup	4418736	667.44	2.061		.375	367	Cone	442835	41.44	1.771	40	.875
14XS	Cup	4418737	47.06	2.247		.673	367DA*	Cone	442836	318.96	1.937		2.953
36X	Cup	441893	23.55	2.531		.515	367DE*	Cone	442837	245.49	1.937		3.500
38A	Cup	441894	36.94	2.750		.920	368	Cone	442944	33.76	2.000		.875
38AW	Cup	4418941	330.19	2.750		.920	368A	Cone	442946	28.12	2.000		.875
40	Cone	441895	67.07	1.186		.609	368DA*	Cone	442947	316.39	2.000		2.953
233	Cup	441970	345.32	2.440	62	.513	368DE*	Cone	442948	267.36	2.000		3.500
242	Cup	441974	71.18	2.440	62	.630	368S	Cone	442949	38.99	2.031		.875
243	Cup	4419741	608.85	2.440	62	.669	368W	Cone	442950	381.46	2.000		.875
246X	Cone	4419744	374.07	.875		.748	369A	Cone	442960	39.15	1.875		.875
248X	Cone	4419745	316.86	.811		.748	369AS	Cone	442961	63.89	1.875		.875
312	Cup	4419782	738.99	2.859		.937	369S	Cone	442962	37.70	1.875		.875
314	Cup	4419784	406.81	3.149	80	.826	370A	Cone	442970	34.80	2.000		.875
332	Cup	442048	17.37	3.149	80	.701	372	Cup	443008	35.84	3.937	100	.859
332A	Cup	441984	28.98	3.149	80	.826	372A	Cup	443009	30.71	3.812		.750
332B	Cup	441985	62.33	3.149	80	.701	372XD*	Cup	443011	1011.82	3.937	100	1.562
332US	Cup	441986	173.08	3.149	80	.701	373	Cup	443012	795.02	3.937	100	.984
0332US	Cup	447155	163.35	3.375		.701	374	Cup	443013	21.95	3.671		.593
333	Cup	441988	54.33	3.149	80	.826	375	Cone	443015	53.27	2.000		.875
333A	Cup	441989	59.78	3.149	80	.826	375D*	Cone	443016	446.56	2.000		2.094
334	Cone	441990	155.09	1.187		.882	375S	Cone	443018	108.98	2.000		.875
335	Cone	442112	78.92	1.375		.882	376	Cone	443020	120.42	1.771	45	.875
335S	Cone	442114	108.12	1.312		.882	376X	Cone	443024	417.86	1.771	45	.875
336	Cone	442120	42.54	1.625		.882	377	Cone	443025	52.86	2.062		.875
337	Cone	442121	50.61	1.500		.882	377S	Cone	443027	645.64	2.031		.875
337S	Cone	442122	160.82	1.500		.932	377TD*	Cone	443028	342.53	2.054		2.094
337X	Cone	442125	126.11	1.593		.932	378DE*	Cone	443030	246.90	1.937		2.094
338	Cone	442127	1002.17	1.000		.882	378DW*	Cone	443031	512.55	1.937		2.657
339	Cone	442129	43.75	1.378	35	.882	382	Cup	443072	22.32	3.875		.701
339X	Cone	442131	162.59	1.378	35	.882	382A	Cup	443136	14.43	3.812		.625
342	Cone	442133	46.80	1.625		.882	382B	Cup	443137	68.58	3.812		.701
342A	Cone	442240	39.04	1.625	1.180		382S	Cup	443140	21.87	3.812		.798
342S	Cone	442304	42.56	1.688		.882	382X	Cup	443141	243.42	3.812		1.079
342SW	Cone	442305	982.55	1.688		.882	383	Cup	443145	31.49	3.937	100	.826
343	Cone	442306	1002.17	1.375		.882	383A	Cup	443150	26.15	3.937	100	.701
344	Cone	442368	43.56	1.574	40	.882	383X	Cup	443151	119.32	3.937	100	.875
344A	Cone	442370	43.12	1.574	40	.882	384D*	Cup	443160	121.31	3.937	100	1.687
346	Cone	442373	85.04	1.250		.882	384DRB*	Cup	443162	220.64	4.125		1.562
347	Cone	442375	1002.17	1.500		.882	384ED*	Cup	443163	107.51	3.937	100	1.562
350	Cone	442381	53.57	1.574	40	.854	384SW	Cup	443165	157.69	4.125		.875
350A	Cone	442390	53.35	1.574	40	.854	385	Cone	443320	38.93	2.165	55	.864
352	Cup	442400	27.16	3.548		.848	385A	Cone	443321	40.53	2.000		.864
352X	Cup	442433	702.26	3.543	90	.858	385AS	Cone	443323	138.46	2.000		.864
353	Cup	442435	57.18	3.543	90	.905	385AX	Cone	443324	58.55	2.000		.864
353D*	Cup	442436	127.56	3.548		1.750	385SD*	Cone	443328	211.43	1.531		3.000
354	Cup	442440	23.77	3.346	88	.748	385X	Cone	443329	41.89	2.165	55	.864
354A	Cup	442496	18.21	3.346	88	.687	NA385	Cone	443330	94.17	2.165	55	1.033
354B	Cup	4424965	87.22	3.346	88	.685	386A	Cone	443341	33.83	1.875		.864
354X	Cup	442497	121.37	3.346	88	.687	386AX	Cone	443343	232.06	1.875		.864
355	Cone	442560	37.72	1.750		.854	386DA*	Cone	443344	517.15	1.937		3.368
355A	Cone	442561	44.18	1.750		.854	387	Cone	443400	33.70	2.250		.864
355X	Cone	442580	47.88	1.750		.854	387A	Cone	443420	24.53	2.250		.864
356	Cone	442590	982.55	1.187		.854	387AS	Cone	443410	25.02	2.250		.864
357	Cone	442600	72.52	1.574	40	.854	387S	Cone	443412	38.69	2.250		.864
NA357	Cone	442602	118.58	1.574	40	1.002	388A	Cone	4434191	36.16	2.265		.864
358	Cone	442624	45.72	1.771	45	.854	388DA*	Cone	443421	333.52	2.186		3.125
358A	Cone	442625	122.39	1.771	45	.854	388DE*	Cone	443422	302.42	2.187		3.750
358D*	Cone	442626	508.59	1.687		2.062	388TD*	Cone	443423	295.32	2.265		2.094
358X	Cone	442627	223.17	1.771	45	.854	389	Cone	443425	74.01	2.188		.864
359A	Cone	442686	82.01	1.812		.854	389A	Cone	443426	44.79	2.125		.864
359S	Cone	442688	38.60	1.812		.854	389AS	Cone	443427	101.61	2.125		.864
359T	Cone	442689	392.95	1.812		.854	389AW	Cone	4434275	494.94	2.125		.864
359TD*	Cone	442690	268.85	1.802		2.062	389S	Cone	443429	60.04	2.188		1.03
362	Cup	442752	20.65	3.543	90	.625	390	Cone	443430	44.94	2.250		.866
362A	Cup	442816	16.89	3.500		.650	390A	Cone	443431	35.86	2.500		.866
362AC	Cup	4428162	688.51	3.740	95	.650	392	Cone	443435	40.14	2.437		.866
362B	Cup	4428163	67.02	3.543	90	.625	393	Cup	443440	727.59	4.330	110	1.063
362X	Cup	4428164	152.62	3.543	90	.787	393A	Cup	443441	91.59	4.437		.625
362XD*	Cup	4428165	398.31	3.543	90	1.966							
363	Cup	442820	23.08	3.543	90	.787							

Continued on next page


*Double Cone or Cup

Qty Disc: 5% for 2, 20% for 5, 25.6% for 10, 30% for 25, 31% for 50, 33% for 100.

Generic is Decimal Bore Size for Cones and Decimal Outside Diameter for Cups

Family is First Part Number in Series

TIMKEN, BOWER, TYSON, HYATT & FINE All Use The Same Bearing Number - Call for Bower & Fine prices.



TIMKEN®


Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"	Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"
393AS	Cup	443442	\$44.64	4.375		.741	455	Cone	443978	\$54.89	2.000		1.154
393C	Cup	443443	713.34	4.468		.806	455S	Cone	443980	56.86	2.000		1.154
394	Cup	443445	44.21	4.330	110	.866	NA455	Cone	443984	116.12	2.000		1.283
394A	Cup	443456	20.24	4.330	110	.741	456	Cone	443990	53.83	2.125		1.154
394AB	Cup	443457	59.86	4.330	110	.741	NA456SW	Cone	443992	151.54	2.000		1.471
394ARB	Cup	443458	190.17	4.330	110	.741	458	Cone	443994	130.00	1.750		1.154
394AS	Cup	443459	25.87	4.330	110	.741	458S	Cone	443995	131.88	1.771	45	1.154
394CS	Cup	443460	35.69	4.468		.741	460	Cone	444000	68.23	1.750		1.154
394D	Cup	443461	132.81	4.330	110	1.812	461	Cone	444005	123.54	1.687		1.154
395	Cone	443520	33.50	2.500		.866	462	Cone	444032	40.14	2.250		1.154
395A	Cone	443521	43.73	2.625		.866	462A	Cone	444096	53.12	2.250		1.154
395CS	Cone	443522	50.93	2.625		.923	462W	Cone	4440961	657.69	2.250		1.151
395LA	Cone	443523	56.90	2.500		.866	463	Cone	444097	167.20	1.875		1.154
395S	Cone	443524	41.96	2.625		.866	464A	Cone	4440972	166.88	1.625		1.154
395TD*	Cone	443525	349.52	2.557		2.187	465	Cone	4440973	61.31	1.968	50	1.154
396	Cone	443540	74.27	1.968	50	.866	466	Cone	444098	102.36	2.165	55	1.154
396S	Cone	443542	174.79	2.558		.866	466S	Cone	4440981	84.76	2.187		1.154
397	Cone	443560	44.49	2.362	60	.866	467	Cone	4440982	54.61	1.875		1.154
397W	Cone	443561	310.09	2.362	60	.866	468	Cone	444099	61.18	2.062		1.154
NA397	Cone	443562	125.66	2.362	60	1.033	469	Cone	444100	45.50	2.250		1.154
398	Cone	443570	110.82	2.000		.866	469S	Cone	444104	249.80	2.250		1.154
399	Cone	443580	270.17	2.559	65	.866	472	Cup	444108	39.51	4.724	120	.954
399A	Cone	443600	40.77	2.687		.866	472A	Cup	4441081	45.85	4.724	120	.923
399AS	Cone	443605	43.82	2.687		.866	472B	Cup	4441082	111.21	4.724	120	.954
399D*	Cone	443615	313.58	2.437		2.187	472DC*	Cup	4441083	149.25	4.724	120	2.125
K426894	Cup	AB6330	658.62	4.897		2.312	472DC*	Cup	4441084	441.78	4.724	120	2.125
412	Cup	443660	151.87	3.250		1.187	472X	Cup	4441086	71.31	4.875		.968
412A	Cup	443665	212.06	3.250		.937	473	Cup	444109	112.22	4.724	124	1.141
413X	Cup	443675	328.87	3.543	90	.866	473XS	Cup	4441091	123.75	4.724	124	1.070
414	Cup	443712	25.65	3.484		.875	474	Cup	444110	858.61	5.118	130	1.220
414A	Cup	443715	127.49	3.484		.875	475	Cone	444111	80.95	2.165	55	1.142
414X	Cup	443717	80.95	3.500		.875	476	Cone	444112	96.72	2.362		1.142
414XA	Cup	443719	429.04	3.543	90	.875	NA476	Cone	444113	133.83	2.362		1.283
415	Cone	443750	61.25	1.500		1.145	477	Cone	444118	99.88	2.500		1.142
416	Cone	443760	171.81	1.181		1.145	478	Cone	444288	99.14	2.559	65	1.142
417	Cone	443770	144.06	1.375		1.145	478S	Cone	444289	915.44	2.625		1.142
418	Cone	443840	58.20	1.500		1.145	478W	Cone	4442895	836.68	2.559	65	1.142
419	Cone	443842	50.63	1.625		1.145	478XA	Cone	444290	173.54	2.558		1.142
420	Cone	443845	54.83	1.574	40	1.145	479	Cone	444300	81.12	2.625		1.142
422	Cone	443846	151.56	1.562		1.145	480	Cone	444310	90.49	2.687		1.142
432	Cup	443849	32.94	3.750		.875	482	Cone	444320	69.58	2.750		1.142
432A	Cup	443850	39.69	3.750		.875	482A	Cone	444321	232.78	2.750		1.142
432AB	Cup	443851	149.42	3.625		.875	NA482	Cone	444325	137.42	2.750		1.283
432B	Cup	443852	93.67	3.750		.875	483	Cone	444330	89.56	2.500		1.142
432D*	Cup	443853	122.00	3.750		2.000	NA483SW	Cone	444331	117.59	2.755	70	1.471
432X	Cup	443855	56.73	3.750		1.031	484	Cone	444340	102.51	2.755	70	1.142
435	Cone	443857	111.75	1.750		1.177	NA484	Cone	444341	151.74	2.755	70	1.283
435S	Cone	443858	137.98	1.771		1.177	NA484SW	Cone	444342	580.05	2.755	70	1.283
NA435SW	Cone	443859	150.96	1.750		1.408	485T	Cone	444347	405.28	2.844		1.142
436	Cone	443860	60.62	1.812		1.177	NA485SW	Cone	444348	436.89	2.755	70	1.471
438	Cone	443863	46.13	1.750		1.177	487TD*	Cone	444349	439.40	2.837		2.659
NA438	Cone	443865	103.36	1.750		1.221	492A	Cup	444350	41.70	5.250		.875
NA438SW	Cone	443866	227.15	1.750		1.221	493	Cup	444352	29.02	5.375		.875
439	Cone	443867	98.97	1.625		1.177	493A	Cup	444355	858.61	5.315	135	.875
NA439SW	Cone	443868	166.08	1.750		1.315	493B	Cup	444357	199.77	5.375		.875
440	Cone	443869	78.33	1.500		1.177	493D*	Cup	444359	150.53	5.375		2.125
443	Cone	443873	85.10	1.250		1.177	493DC*	Cup	444361	387.50	5.375		2.125
443W	Cone	443874	317.47	1.250		1.177	493S	Cup	444363	236.47	5.375		1.160
444	Cone	443875	89.88	1.500		1.177	493X	Cup	444365	875.78	5.511	140	.875
447	Cone	4438765	96.48	1.625		1.177	495	Cone	444393	65.92	3.250		1.172
449	Cone	443878	86.19	1.375		1.177	495A	Cone	444416	70.31	3.000		1.172
K35666	Cup	4609385	491.33	5.000	127	2.562	495AA	Cone	444418	276.01	2.625		1.172
452	Cup	443881	50.67	4.250		1.063	495AS	Cone	444420	213.64	3.062		1.172
452A	Cup	443882	70.31	4.250		1.063	495AX	Cone	444480	63.61	3.000		1.172
452B	Cup	443883	207.90	4.250		1.125	495S	Cone	444484	116.61	2.812		1.172
452D*	Cup	443884	130.52	4.250		2.125	NA495A	Cone	444490	146.96	3.000		1.377
453	Cup	443886	47.41	4.250		1.063	496	Cone	444544	50.78	3.187		1.172
453A	Cup	443904	32.79	4.250		.875	496AS	Cone	444550	576.59	3.216		1.172
453AS	Cup	443905	325.12	4.250		.875	497	Cone	444608	51.41	3.375		1.172
453B	Cup	443910	122.50	4.250		.875	497A	Cone	444610	68.80	3.375		1.172
453DW*	Cup	443915	899.50	4.500		2.187	NA497SW	Cone	444614	208.27	3.375		1.440
453E	Cup	443920	64.34	4.125		1.062	498	Cone	444630	73.68	3.312		1.172
453X	Cup	443968	25.02	4.125		.968	520X	Cup	444700	93.37	3.937	100	1.062
453XB	Cup	443969	224.12	4.250		.968	522	Cup	444736	30.11	4.000		1.062
454	Cup	443970	43.36	4.330	110	1.063	522A	Cup	444738	702.26	3.938		1.250
							522B	Cup	444740	261.41	4.000		1.062
							522X	Cup	444742	488.32	3.984		1.062

Qty Disc: 5% for 2, 20% for 5, 25.6% for 10, 30% for 25, 31% for 50, 33% for 100.
 Sizes can be mixed for discount.

Continued on next page

Generic is Decimal Bore Size for Cones and Decimal Outside Diameter for Cups
Family is First Part Number in Series

TIMKEN, BOWER, TYSON, HYATT & FINE All Use The Same Bearing Number - Call for Bower & Fine prices.



Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"	Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"
525	Cone	444760	\$76.63	1.500		1.420	572	Cup	445632	\$34.43	5.511	140	1.125
526	Cone	444770	72.78	1.625		1.420	572A	Cup	445634	187.01	5.511	140	1.125
527	Cone	444780	65.68	1.750		1.420	572AB	Cup	445636	436.76	5.511	140	1.125
528	Cone	444800	56.36	1.875		1.420	572B	Cup	445638	171.03	5.511	140	1.125
528A	Cone	444802	79.59	1.875		1.420	572D*	Cup	445640	218.83	5.511	140	2.625
529	Cone	444864	55.89	2.000		1.420	572DC*	Cup	445642	398.07	5.511	140	2.625
529A	Cone	444866	209.16	1.968	50	1.420	572X	Cup	445646	41.87	5.500		1.125
529X	Cone	444868	61.68	2.000		1.420	574	Cup	445670	410.08	5.511	140	1.125
532	Cup	444900	87.35	4.375		1.312	575	Cone	445696	77.66	3.000		1.421
532A	Cup	444928	53.81	4.375		1.187	575S	Cone	445700	668.16	3.000		1.421
532B	Cup	444930	330.77	4.375		1.187	576	Cone	445730	86.31	2.875		1.421
532X	Cup	444932	47.75	4.250		1.125	577	Cone	445740	113.02	2.937		1.421
533A	Cup	444940	476.65	4.062		1.187	578	Cone	445750	130.56	3.149	80	1.421
533D*	Cup	444942	212.49	4.375		2.500	578X	Cone	445756	345.24	3.149	80	1.421
533X	Cup	444946	727.59	4.330	110	1.187	579TD*	Cone	445758	421.54	3.351		3.154
535	Cone	444955	135.52	1.750		1.455	580	Cone	445760	55.58	3.250		1.421
536	Cone	444960	81.56	1.875		1.455	580W	Cone	445770	639.72	3.250		1.421
537	Cone	444965	87.12	2.000		1.455	NA580	Cone	445780	155.54	3.250		1.627
537X	Cone	444966	619.78	2.000		1.455	NA580SW	Cone	445785	249.34	3.250		1.815
538	Cone	444970	202.86	2.164		1.455	581	Cone	445800	74.16	3.187		1.421
539	Cone	444975	69.75	2.125		1.455	582	Cone	445824	66.14	3.250		1.421
539A	Cone	444976	87.20	2.125		1.455	590A	Cone	445845	194.37	3.000		1.430
NA539	Cone	444979	121.98	2.125		1.565	592	Cup	445870	70.38	6.000		1.312
540	Cone	444981	124.36	2.062		1.455	592A	Cup	445888	42.02	6.000		1.187
543	Cone	444984	100.52	1.574	40	1.455	592D*	Cup	445896	228.56	6.000		2.500
552	Cup	444990	63.24	4.875		1.312	592DC*	Cup	445898	641.77	6.000		2.500
552A	Cup	444992	43.84	4.875		1.187	592S	Cup	445900	204.25	6.000		1.562
552B	Cup	444998	171.72	4.875		1.187	592XE	Cup	445902	81.62	5.812		1.031
552D*	Cup	445000	168.78	4.875		2.500	592XS	Cup	445910	89.17	5.812		1.031
552DC*	Cup	445002	317.10	4.875		2.500	593	Cone	445952	82.34	3.500		1.430
552S	Cup	445004	858.61	4.875		1.062	593A	Cone	445972	98.30	3.500		1.430
553A	Cup	445010	858.61	4.921	125	1.187	593X	Cup	445985	74.07	5.905	150	1.063
553SB	Cup	445018	513.78	5.115		1.187	NA593	Cone	445990	204.31	3.500		1.627
553X	Cup	445056	48.21	4.812		1.187	594	Cone	446016	79.57	3.750		1.430
554	Cone	445070	111.51	2.437		1.444	594A	Cone	446040	64.30	3.750		1.430
555	Cone	445080	120.90	2.000		1.444	594W	Cone	446052	463.02	3.750		1.430
555S	Cone	445082	75.48	2.250		1.444	J594X	Cone	446054	662.32	3.740	95	1.430
557	Cone	445090	241.45	2.165	55	1.444	595	Cone	446060	114.21	3.250		1.430
557A	Cone	445095	262.86	2.375		1.444	595A	Cone	446062	184.63	3.125		1.430
557S	Cone	445100	66.85	2.125		1.444	596	Cone	446070	111.10	3.375		1.430
558	Cone	445120	83.70	2.375		1.444	596S	Cone	446073	212.36	3.437		1.430
558A	Cone	445248	177.67	2.375		1.444	NA596SW	Cone	446075	242.46	3.500		1.815
558S	Cone	445248.1	256.91	2.361		1.444	597	Cone	446077	179.07	3.687		1.430
NA558	Cone	445249	138.70	2.375		1.565	598	Cone	446080	75.98	3.625		1.430
NA558SW	Cone	445249.1	214.39	2.375		1.565	598A	Cone	446144	67.17	3.625		1.430
559	Cone	445250	73.38	2.500		1.444	598W	Cone	446150	568.04	3.625		1.430
559A	Cone	445252	312.52	2.500		1.444	612	Cup	446208	43.71	4.750		1.250
560	Cone	445258	62.07	2.625		1.444	612A	Cup	446210	875.78	4.726		1.250
560S	Cone	445260	140.32	2.687		1.444	612B	Cup	446212	166.73	4.750		1.250
562	Cup	445270	185.56	5.120		1.125	612S	Cup	446214	875.78	4.750		1.250
562X	Cup	445274	370.80	5.118	130	1.141	612X	Cup	446218	858.61	4.750		1.250
563	Cup	445376	43.10	5.000	127	1.125	613B	Cup	446220	144.19	4.750		1.375
563A	Cup	445378	858.61	4.875		1.125	613S	Cup	446222	704.19	4.500		1.187
563B	Cup	445380	134.00	5.000	127	1.125	614X	Cup	446230	482.96	4.527	115	1.240
563D*	Cup	445382	175.64	5.000	127	2.562	615	Cone	446235	141.44	1.750		1.625
563DC*	Cup	445384	347.21	5.000	127	2.562	619	Cone	446240	100.42	2.000		1.625
563X	Cup	445386	858.61	5.000	127	1.125	621	Cone	446250	75.91	2.125		1.625
564	Cup	445400	280.53	5.187		1.437	622A	Cone	446255	412.20	2.165	55	1.625
565	Cone	445410	109.54	2.500		1.424	622X	Cone	446257	523.84	2.165	55	1.625
565S	Cone	445412	690.02	2.500		1.424	623	Cone	446272	73.06	2.250		1.625
566	Cone	445440	84.63	2.750		1.424	624	Cone	446290	194.78	2.125		1.625
566S	Cone	445450	129.22	2.750		1.424	632	Cup	446336	54.54	5.375		1.250
566X	Cone	445470	874.29	2.750		1.424	632A	Cup	446336.1	357.72	5.375		1.562
567A	Cone	445510	78.44	2.812		1.424	632B	Cup	446336.3	163.68	5.375		1.250
567S	Cone	445520	122.39	2.812		1.424	632D*	Cup	446336.4	216.19	5.375		3.000
567X	Cone	445540	392.95	2.875		1.424	633	Cup	446338	60.30	5.125		1.250
567	Cone	445504	68.67	2.875		1.424	633X	Cup	446339	858.61	5.118	130	1.250
NA567	Cone	445542	227.22	2.875		1.596	634W	Cup	446340	858.61	5.375		1.406
568	Cone	445550	80.32	2.906		1.424	635	Cone	446342	289.20	2.250		1.625
568S	Cone	445560	174.30	2.557		1.424	636	Cone	446343	106.93	2.125		1.625
NA569	Cone	445570	168.63	2.625		1.596	637	Cone	446344	259.51	2.375		1.625
570	Cone	445600	103.25	2.687		1.424	639	Cone	446350	101.45	2.500		1.625
							641	Cone	446355	82.70	2.625		1.625
							642	Cone	446356	136.81	2.687		1.625
							643	Cone	446464	91.48	2.750		1.625
							NA643	Cone	446468	165.47	2.750		1.877
							NA643SW	Cone	446469	476.93	2.750		1.877
							644	Cone	446528	96.48	2.812		1.625
							645	Cone	446530	97.58	2.812		1.625


Qty Disc: 5% for 2 pkgs., 20% for 5 pkgs., 25.6% for 10 pkgs., 30% for 25 pkgs., 31% for 50 pkgs., 33% for 100 pkgs.

*Double Cone or Cup

Sizes can be mixed for discount.

Generic is Decimal Bore Size for Cones and Decimal Outside Diameter for Cups
Family is First Part Number in Series

TIMKEN, BOWER, TYSON, HYATT & FINE All Use The Same Bearing Number - Call for Bower & Fine prices.



TIMKEN®

Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"	Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"
652	Cup	446592	\$76.41	6.000		1.250	775	Cone	447023	\$410.70	3.500		1.890
652A	Cup	446594	118.00	5.875		1.250	776	Cone	447024	222.11	3.750		1.890
652B	Cup	446596	215.41	6.000		1.250	NA776	Cone	4470251	309.38	3.750		2.065
653	Cup	446656	42.78	5.750		1.250	778	Cone	447027	259.25	3.625		1.890
653X	Cup	4466562	412.28	5.905	150	1.250	779	Cone	447028	312.19	3.875		1.890
654D*	Cup	4466563	350.45	6.000		3.000	780	Cone	447030	179.12	4.000		1.890
655	Cone	446658	137.94	2.750		1.625	782	Cone	447031	186.99	4.125		1.890
657	Cone	446663	144.64	2.875		1.625	NA782	Cone	4470317	312.75	4.125		2.065
658	Cone	446664	216.10	2.937		1.625	783	Cone	447032	317.92	3.937	100	1.890
659	Cone	446666	148.02	3.000		1.625	786	Cone	447033	195.47	4.125		1.890
NA659	Cone	446670	309.64	3.000		1.877	787	Cone	4470335	306.20	4.125		1.890
661	Cone	446676	139.52	3.125		1.625	792	Cup	447034	180.18	8.125		1.375
663	Cone	446720	76.13	3.250		1.625	795	Cone	4470355	276.70	4.750		1.875
663A	Cone	4467201	262.60	3.250		1.625	797	Cone	4470361	333.39	5.118	130	1.875
664	Cone	446722	250.27	3.312		1.625	NA798	Cone	4470372	430.38	5.000	127	2.127
665	Cone	446723	104.59	3.375		1.625	799	Cone	447038	296.38	5.062		1.875
665A	Cone	446724	90.94	3.375		1.625	799A	Cone	4470385	517.20	5.125		1.875
665X	Cone	446725	578.81	3.346	85	1.625	832	Cup	447043	125.37	6.625		1.625
672	Cup	446784	65.90	6.625		1.187	832B	Cup	4470432	562.83	6.625		1.625
672B	Cup	446788	249.90	6.625		1.187	835	Cone	4470445	350.93	2.750		2.219
672D*	Cup	446790	314.70	6.625		2.750	837	Cone	447045	386.29	3.000		2.219
677	Cone	446800	205.50	3.375		1.625	841	Cone	447046	258.21	3.375		2.219
679	Cone	446820	175.90	3.500		1.625	842	Cone	447047	262.49	3.250		2.219
681	Cone	446830	162.94	3.625		1.625	843	Cone	447048	355.34	3.000		2.219
681A	Cone	446848	126.28	3.625		1.625	850	Cone	447049	257.78	3.500		2.219
683	Cone	446852	139.30	3.750		1.625	854	Cup	447050	166.23	7.500		1.750
683XA	Cone	446856	215.21	3.750		1.625	854B	Cup	4470501	422.34	7.500		1.750
685	Cone	446860	145.94	3.875		1.625	855	Cone	447051	292.03	3.500		2.265
687	Cone	446880	111.06	4.000		1.625	857	Cone	4470513	474.40	3.625		2.265
688TD*	Cone	446890	561.77	3.945		3.750	861	Cone	4470519	290.67	4.000		2.265
NA691	Cone	446900	240.17	4.000		1.815	NA861	Cone	4470528	676.55	4.000		2.502
740	Cone	446910	146.48	3.187		1.837	864	Cone	4470532	289.40	3.750		2.265
742	Cup	446912	61.03	5.909		1.437	866	Cone	4470534	483.54	3.875		2.265
742A	Cup	446913	875.78	5.905	150	1.437	869	Cone	4470538	603.23	3.437		2.265
742B	Cup	446914	250.06	5.909		1.437	892	Cup	447054	262.60	9.000		1.750
742D*	Cup	446915	358.91	6.125		3.375	892B	Cup	4470542	1006.93	9.000		1.750
742V	Cup	446917	337.56	5.909		1.437	896	Cone	447056	1037.75	5.375		2.250
742X	Cup	446918	393.51	5.909		1.437	898	Cone	447057	471.76	5.500		2.250
743	Cup	446920	137.12	5.905	150	1.378	930	Cup	4470595	869.72	8.125		2.125
744	Cone	446930	147.59	2.875		1.837	932	Cup	447060	260.46	8.375		2.125
745A	Cone	446942	164.32	2.750		1.837	932B	Cup	447061	833.11	8.375		2.125
745S	Cone	446944	276.38	2.500		1.837	936	Cone	447066	435.58	4.250		2.625
746A	Cup	451742	660.59	5.875		1.375	938	Cone	447070	353.00	4.500		2.625
748	Cone	446960	242.90	3.149	80	1.837	NA938	Cone	447082	694.48	4.500		2.815
748S	Cone	446962	168.22	3.000		1.837	941	Cone	447089	534.13	4.000		2.625
749	Cone	446976	106.93	3.347		1.837	943	Cone	447097	867.47	3.875		2.625
749A	Cone	446978	137.44	3.250		1.837	1120NI	Cup	447170	223.04	1.750		.562
749S	Cone	446980	174.84	3.347		1.837	1130NI	Cup	447180	211.88	1.750		.562
NA749	Cone	446983	202.52	3.250		2.002	1220	Cup	447220	24.48	2.250		.687
750	Cone	446987	222.11	3.125		1.837	1280	Cone	447230	36.20	.875		.875
750A	Cone	446988	168.93	3.250		1.837	1328	Cup	447232	15.81	2.062		.562
752	Cup	446990	78.51	6.375		1.500	1328B	Cup	447234	87.57	2.062		.562
752A	Cup	4469901	244.95	6.299	160	1.500	1329	Cup	447240	16.20	2.125		.562
752AA	Cup	4469902	199.43	6.375		1.500	1351	Cone	447270	301.94	.750		.944
752B	Cup	4469903	209.37	6.375		1.500	1380	Cone	447296	28.61	.875		.794
752D*	Cup	4469904	419.35	6.375		3.375	1380V	Cone	447300	206.02	.875		.794
753	Cup	446991	232.75	6.625		1.500	1530	Cup	447310	382.24	1.802		.625
753A	Cup	4469911	581.60	6.625		1.937	1551	Cone	447320	406.70	.812		1.024
753X	Cup	4469912	163.07	6.299	160	1.496	1620	Cup	447330	43.02	2.625		.625
755	Cone	446993	160.35	3.000		1.900	1674	Cone	447340	106.17	1.245		.812
756A	Cone	446997	134.13	3.125		1.900	1680	Cone	447350	88.87	1.312		.812
757	Cone	446998	165.67	3.250		1.900	1729	Cup	447360	13.24	2.240		.625
758	Cone	447000	137.03	3.375		1.900	1729B	Cup	447365	80.15	2.240		.625
759	Cone	447010	150.76	3.500		1.900	1729X	Cup	447367	16.96	2.240		.625
NA759	Cone	4470101	249.80	3.500		2.065	1730	Cup	447370	23.27	2.125		.625
NA759SW	Cone	4470102	390.81	3.500		2.065	1738X	Cup	447375	619.88	2.250		.691
760	Cone	447012	158.25	3.562		1.900	1751	Cone	447400	137.42	.937		.956
762	Cone	447016	192.98	2.875		1.900	1755	Cone	447405	36.12	.875		.781
766	Cone	447018	158.07	3.500		1.900	1774	Cone	447410	126.35	.748	19	.781
772	Cup	447020	126.82	7.125		1.500	1775	Cone	447415	46.65	.750		.781
772B	Cup	4470202	320.65	7.125		1.500	1778	Cone	447420	982.16	.812		.781
773D*	Cup	4470211	547.50	7.086	180	3.375	1779	Cone	447424	26.21	.937		.781
774D*	Cup	4470221	475.33	7.125		3.375	1780	Cone	447430	48.32	1.000		.781

Qty Disc: 5% for 2, 20% for 5, 25.6% for 10, 30% for 25, 31% for 50, 33% for 100.
Sizes can be mixed for discount.
*Double Cone or Cup

Generic is Decimal Bore Size for Cones and Decimal Outside Diameter for Cups

Family is First Part Number in Series

TIMKEN, BOWER, TYSON, HYATT & FINE All Use The Same Bearing Number - Call for Bower & Fine prices.



Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"	Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"
1920	Cup	447455	\$52.68	2.240		.625							
1922	Cup	447460	12.89	2.250		.625							
1929	Cup	447470	23.66	2.375		.593	2788A	Cone	448580	\$30.60	1.500		1.010
1930	Cup	447475	20.11	2.240		.625	2789	Cone	448640	27.12	1.562		1.010
1931	Cup	447488	19.85	2.375		.625	2790	Cone	448704	27.99	1.312		1.010
1931B	Cup	447490	54.46	2.375		.625	2793	Cone	448768	26.52	1.375		1.010
1932	Cup	447495	17.11	2.312		.593	2794	Cone	448832	30.06	1.436		1.010
1932B	Cup	447500	96.76	2.312		.593	2796	Cone	448896	27.36	1.375		1.010
1975	Cone	447520	38.45	.875		.762	2820	Cup	449024	22.80	2.875		.687
1985	Cone	447534	29.72	1.125		.762	2875	Cone	449047	80.82	1.250		.937
1986	Cone	4475345	69.14	1.000		.762	2876	Cone	449052	125.70	1.312		.937
1987	Cone	447537	27.70	1.062		.762	2877	Cone	449061	123.34	1.375		.937
1988	Cone	447538	39.62	1.125		.762	2878	Cone	449088	51.60	1.375		.937
1994X	Cone	447539	28.79	1.000		.762	2879	Cone	449152	80.52	1.250		.937
1997X	Cone	447540	33.83	1.062		.762	2880	Cone	449161	159.11	1.390		.937
A2031	Cone	447549	168.04	.312		.424	2924	Cup	449172	22.97	3.346	85	.812
A2037	Cone	447550	43.93	.375		.424	2924B	Cup	449175	135.04	3.346	85	.812
A2043	Cone	4475515	189.63	.437		.565	2925	Cup	449180	125.18	3.437		.875
A2047	Cone	4475523	36.38	.472	12	.424	2973	Cone	449190	355.01	1.687		1.008
A2120D*	Cup	4475540	79.46	1.200		.837	2975	Cone	449201	377.46	1.750		1.008
A2126B	Cup	4475546	142.44	1.259	32	.312	2984	Cone	449226	41.89	1.812		1.008
A2126	Cup	4475542	19.83	1.259	32	.312	3120	Cup	449280	24.42	2.859		.937
A2127	Cup	447555	194.32	1.259	32	.375	3120B	Cup	449282	67.07	2.849		.937
K103256	Cup	AB1105	464.25	1.500		1.062	3120S	Cup	449285	55.28	2.834	72	.937
2320	Cup	4475582	608.88	2.240		.812	3126	Cup	449290	65.06	2.836		.937
2330	Cup	4475583	673.35	2.240		.812	3129	Cup	449295	45.81	3.000		.937
2380	Cone	4475596	151.54	.875		.975	3130	Cup	449301	84.09	2.859		.937
2381	Cone	4475599	105.50	.937		.975	3187	Cone	449318	116.42	1.187		1.181
2382	Cone	4475603	154.40	1.000		.975	3188	Cone	449321	42.76	1.250		1.181
2420	Cup	4475619	26.54	2.687		.687	3188S	Cone	449325	397.36	1.250		1.181
2473	Cone	4475626	116.72	1.000		.937	3189	Cone	449330	89.15	1.000		1.181
2473X	Cone	4475628	586.34	1.000		.937	3190	Cone	449335	112.70	1.250		1.181
2474	Cone	4475629	71.72	1.125		.937	3191	Cone	449337	77.04	1.187		1.181
2474X	Cone	447563	437.28	1.125		.937	3192	Cone	449340	45.37	1.125		1.181
2475	Cone	4475631	55.30	1.250		.937	3193	Cone	449344	50.69	1.250		1.181
2520	Cup	447565	23.90	2.615		.812	3196	Cone	449380	40.96	1.312		1.181
2523	Cup	447680	18.99	2.750		.750	3197	Cone	449391	110.62	1.312		1.181
2523B	Cup	4476801	67.13	2.750		.750	3198	Cone	449427	51.80	1.125		1.181
2523D*	Cup	4476802	163.68	2.750		2.250	3199	Cone	449467	155.63	1.250		1.181
2523S	Cup	4476803	177.28	2.750		.750	3320	Cup	449472	23.36	3.156		.937
2525	Cup	447682	41.87	2.835		.750	3320B	Cup	4494721	81.66	3.156		.937
2526X	Cup	447683	60.43	2.834	72	.750	3321	Cup	449473	702.26	3.052		.937
2558	Cone	447688	45.09	1.187		.998	3324	Cup	449474	59.97	3.156		.843
2559	Cone	447690	65.83	1.187		.998	3325	Cup	449475	32.05	3.149	80	.937
2560X	Cone	447700	300.56	1.181	30	.998	3328	Cup	449476	30.24	3.312		.937
2561X	Cone	447710	861.81	1.189		.973	3329	Cup	449477	53.51	3.218		.937
2578	Cone	447720	42.07	1.125		.998	3329B	Cup	449478	127.69	3.218		.937
2580	Cone	447744	32.59	1.250		.998	3331	Cup	449479	29.89	3.156		.937
2581	Cone	447808	45.85	1.312		.998	3339	Cup	449480	32.85	3.151		.937
2582	Cone	447820	38.45	1.250		.998	3360	Cone	449482	982.55	1.375		1.509
2585	Cone	447872	35.94	1.312		.998	3360A	Cone	449483	974.42	1.375		1.509
2586	Cone	447880	1003.14	1.181	30	.998	3378	Cone	449501	130.24	1.436		1.196
2620	Cup	447946	30.02	2.484		.750	3379	Cone	449536	42.26	1.375		1.196
2630	Cup	447950	43.15	2.484		.750	3381	Cone	449543	46.89	1.500		1.196
2631	Cup	448000	18.23	2.615		.750	3382	Cone	449561	41.44	1.500		1.196
2631B	Cup	448003	59.48	2.615		.750	3382T^A	Cone	449600	316.32	1.562		1.196
2633X	Cup	448005	234.87	2.440	62	.750	3383	Cone	449664	41.35	1.625		1.196
2682	Cone	448006	100.70	1.030		1.001	3384	Cone	449672	111.10	1.625		1.196
2684	Cone	448020	73.34	.875		1.001	3386	Cone	449681	47.45	1.562		1.196
2685	Cone	448030	138.72	.937		1.001	3387	Cone	449690	56.01	1.500		1.196
2687	Cone	448040	42.07	1.000		1.001	3420	Cup	449728	22.49	3.125		.937
2688	Cone	448080	44.90	1.062		1.001	3420B	Cup	449731	70.87	3.125		.937
2689	Cone	448200	36.14	1.125		1.001	3422	Cup	449734	29.87	3.156		.937
2690	Cone	448230	37.37	1.156		1.001	3423D*	Cup	449737	325.97	3.250		2.187
2691	Cone	448240	45.33	1.156		1.001	3426	Cup	449744	702.26	3.123		.937
2720	Cup	448256	11.40	3.000		.750	3431	Cup	449747	688.51	3.250		.937
2720B	Cup	448270	782.13	3.000		.750	3474	Cone	449751	73.92	1.187		1.172
2726	Cup	448295	74.23	2.875		.750	3476	Cone	449754	52.73	1.250		1.172
2729	Cup	448320	14.21	3.000		.750	3476SW	Cone	449761	170.86	1.250		1.172
2729X	Cup	448330	38.84	3.000		.750	3476X	Cone	449764	306.09	1.250		1.172
2731	Cup	448340	209.96	3.125		.750	3477	Cone	449770	1002.17	1.312		1.172
2733	Cup	448360	361.26	2.963		.750	3478	Cone	449780	50.20	1.375		1.172
2734	Cup	448370	702.26	3.125		.812	3479	Cone	449791	48.66	1.437		1.172
2735X	Cup	448384	18.45	2.875		.750	3480	Cone	449800	86.81	1.378	35	1.172
2736	Cup	448390	105.28	2.937		.750	3482	Cone	449812	101.69	1.375		1.172
2774X	Cone	448421	448.47	1.625		1.010	3490	Cone	449830	41.14	1.500		1.172
2776	Cone	448448	26.47	1.500		1.010	3520	Cup	449845	26.73	3.312		.937
2777	Cone	448492	36.03	1.500		1.010	3521	Cup	449851	688.51	3.397		.937
2780	Cone	448512	26.17	1.436		1.010	3525	Cup	449856	18.92	3.437		.937
2783	Cone	448530	982.55	1.250		1.010	3525B	Cup	449858	85.80	3.437		.937
2785	Cone	448560	28.63	1.312		1.010	3526	Cup	449870	30.56	3.437		.937
2786	Cone	448568	38.71	1.375		1.010	3530	Cup	449881	702.26	3.312		.937
2788	Cone	448576	23.85	1.500		1.010	3576	Cone	449912	91.68	1.625		1.216
							3577	Cone	449917	50.28	1.625		1.216

Qty Disc: 5% for 2, 20% for 5, 25.6 % for 10, 30% for 25, 31% for 50, 33% for 100.
 Sizes can be mixed for discount.

Continued on next page

Generic is Decimal Bore Size for Cones and Decimal Outside Diameter for Cups
Family is First Part Number in Series



TIMKEN, BOWER, TYSON, HYATT & FINE All Use The Same Bearing Number - Call for Bower & Fine prices.


Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"
3578	Cone	449920	\$48.53	1.750		1.216
3578A	Cone	449984	63.35	1.750		1.216
3579	Cone	449992	49.40	1.687		1.216
3580	Cone	450003	53.20	1.500		1.216
3581	Cone	450012	982.55	1.375		1.216
3583	Cone	450032	124.44	1.500		1.216
3585	Cone	450048	38.86	1.625		1.216
3586	Cone	450053	49.57	1.781		1.216
JRM3535	C/C/S	449882	131.91	1.378	35	.739
JS3510	Cup	449840	56.88	2.755	70	.748
JS3549A	Cone	449893	143.80	1.378	35	.925
3620	Cup	450067	31.94	2.437		.937
3620B	Cup	450074	105.61	2.437		.937
3659	Cone	450096	63.32	.937		1.197
3660	Cone	450098	165.60	.812		1.197
3720	Cup	450112	14.53	3.671		.937
3720B	Cup	450124	81.92	3.671		.937
3726	Cup	450176	32.29	3.750		.937
3727	Cup	450187	35.62	3.687		.937
3729D*	Cup	450192	107.06	3.671		2.062
3730	Cup	450220	27.36	3.671		.937
3732	Cup	450291	33.63	3.875		.937
3733	Cup	450313	95.57	3.938		.937
3735	Cup	450332	202.11	3.938		.937
3767	Cone	450368	43.80	2.062		1.193
3767A	Cone	450378	77.02	2.062		1.193
3774	Cone	450405	119.84	1.562		1.193
3775	Cone	450432	46.82	2.000		1.193
3776	Cone	450495	44.18	1.771	45	1.193
3777	Cone	450530	55.50	1.812		1.193
3778	Cone	450545	41.65	1.875		1.193
3779	Cone	450560	45.70	1.875		1.193
3780	Cone	450624	35.71	2.000		1.193
NA3780	Cone	450729	98.58	2.000		1.283
3781	Cone	450747	53.92	1.937		1.193
3782	Cone	450752	31.17	1.750		1.193
3783	Cone	450788	54.72	1.750		1.193
3784	Cone	450816	46.54	2.000		1.193
3795	Cone	450880	52.81	2.000		1.193
3820	Cup	450944	13.41	3.375		.937
3820B	Cup	450955	124.23	3.375		.937
3820W	Cup	450959	264.05	3.375		.937
3821	Cup	450963	30.41	3.375		.937
3822RB	Cup	450972	93.45	3.468		.937
3872	Cone	450981	45.94	1.375		1.187
3872A	Cone	450988	345.99	1.375		1.187
3875	Cone	450989	52.47	1.500		1.187
3876	Cone	451001	40.16	1.500		1.187
3877	Cone	451008	34.67	1.625		1.187
3878	Cone	451022	59.58	1.437		1.187
3878A	Cone	451029	127.10	1.437		1.187
3879	Cone	451036	72.52	1.574	40	1.187
3880	Cone	451057	41.94	1.625		1.187
3919RB	Cup	451061	544.88	4.437		.968
3920	Cup	451072	17.99	4.437		.937
3920B	Cup	451073	106.56	4.437		.937
3921XA	Cup	451099	158.79	4.330	110	.937
3925	Cup	451136	32.85	4.437		.937
3926	Cup	451141	40.62	4.437		1.062
3927AS	Cup	451145	37.85	4.330	110	.906
3927X	Cone	451149	52.73	4.330	110	.937
3975	Cone	451156	58.18	2.000		1.183
3977	Cone	451157	79.00	2.362	60	1.183
3977X	Cone	451158	955.48	2.361		1.102
3979	Cone	451160	41.94	2.250		1.183
3980	Cone	451170	55.89	2.375		1.183
3981	Cone	451182	93.62	2.312		1.183
3982	Cone	451200	34.71	2.500		1.183
3982X	Cone	451231	143.69	2.500		1.183
3984	Cone	451264	36.07	2.625		1.183
3994	Cone	451265	41.11	2.625		1.183
A4044	Cone	451267	78.77	.437		.432
A4049	Cone	451268	37.80	.499		.432
A4050	Cone	451269	28.70	.500		.432
A4051	Cone	451271	100.07	.500		.565
A4059	Cone	451272	24.46	.590	15	.432
A4138	Cup	4512729	11.05	1.377	35	.343
A4138B	Cup	451273	34.11	1.377	35	.343
A4138D*	Cup	451274	53.22	1.377	35	.812
K24299	Cup	457391	330.51	1.750		1.002

Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"
4320	Cup	451275	\$63.78	3.484		1.312
4328	Cup	451276	702.26	3.545		1.312
4335	Cup	4512765	37.11	3.562		1.312
4367	Cone	451280	226.70	1.562		1.590
4368	Cone	451281	1002.17	1.375		1.590
4370	Cone	451282	118.99	1.750		1.590
4375	Cone	451283	169.41	1.500		1.590
4388	Cone	451284	89.73	1.625		1.590
4395	Cone	451290	94.86	1.656		1.590
4520	Cup	451320	238.70	3.984		1.312
4535	Cup	451325	45.89	4.125		1.312
4536	Cup	451331	103.57	4.375		1.281
4550T	Cone	451340	727.76	2.125		1.831
4559	Cone	451350	208.99	1.771	45	1.581
4580	Cone	451355	92.39	2.000		1.581
4595	Cone	451360	86.66	2.125		1.581
JW4510	Cup	451301	74.68	3.740	95	.787
JW4549	Cone	451335	69.90	1.771	45	1.043
A5069	Cone	451380	35.40	.687		.437
A5144	Cup	451385	16.24	1.438		.312
JW5010	Cup	451365	34.04	4.133	105	.866
JW5049	Cone	451375	74.51	1.968	50	1.141
5520	Cup	451445	155.05	4.734		1.437
5521	Cup	451450	251.66	5.118	130	1.437
5535	Cup	451462	57.81	4.812		1.437
5557	Cone	4514644	236.99	2.687		2.035
5565	Cone	4514657	145.42	2.000		1.723
5566	Cone	451466	140.66	2.187		1.723
5577	Cone	451467	160.67	2.125		1.723
5578	Cone	4514673	153.86	2.125		1.723
5582	Cone	4514686	113.28	2.375		1.723
5583	Cone	451469	96.48	2.375		1.723
5584	Cone	451470	90.68	2.500		1.723
5595	Cone	451474	90.23	2.593		1.723
JW5510	Cup	451440	52.71	4.527	115	.925
JW5549	Cone	451463	101.19	2.165	55	1.220
5720	Cup	451476	312.19	5.596		1.375
5722	Cup	451478	443.99	5.515		1.875
5735	Cup	451480	56.56	5.343		1.375
5757T	Cone	451488	366.28	3.187		2.065
5760	Cone	451490	104.24	3.000		1.815
5795	Cone	451506	149.29	3.062		1.815
JW6010	Cup	451515	88.48	4.921	125	1.023
JW6049	Cone	451517	165.02	2.362	60	1.318
A6062	Cone	451519	31.06	.625		.439
A6067	Cone	451520	29.65	.669	17	.439
A6075	Cone	451584	24.66	.750		.439
A6157	Cup	451648	13.43	1.574	40	.375
A6157A	Cup	451652	667.44	1.574	40	.375
A6157B	Cup	451686	45.46	1.574	40	.375
A6162	Cup	451712	15.92	1.625		.343
6220	Cup	451713	79.93	5.000	127	1.625
6277	Cone	451714	236.60	1.750		2.062
6279	Cone	4517147	205.68	2.000		2.062
6280	Cone	451715	174.66	2.125		2.062
6320	Cup	451716	64.58	5.344		1.750
6321	Cup	451717	111.60	5.187		1.750
6375	Cone	4517184	240.35	2.250		2.205
6376	Cone	4517187	231.52	2.375		2.205
6379	Cone	451720	116.10	2.562		2.205
6381	Cone	4517207	218.74	2.164		2.205
6382	Cone	451721	176.61	2.500		2.205
6386	Cone	4517216	153.84	2.625		2.205
6389	Cone	4517234	164.78	2.625		2.205
6391	Cone	4517235	394.85	2.361		2.205
6420	Cup	451724	87.81	5.875		1.750
6420B	Cup	4517244	641.68	5.875		1.750
6454	Cone	451725	292.81	2.750		2.135
6455	Cone	4517253	368.94	2.250		2.135
6460	Cone	4517257	269.76	2.875		2.135
6461	Cone	451726	169.95	3.000		2.135
6461A	Cone	451728	157.32	3.000		2.135
6464	Cone	4517283	283.23	2.557		2.135
6466	Cone	4517285	236.95	3.000		2.135
6484	Cone	4517287	557.23	2.750		2.135

Qty Disc: 5% for 2, 20% for 5, 25.6 % for 10, 30% for 25, 31% for 50, 33% for 100.
Sizes can be mixed. *Double Cone or Cup *T Suffix means Tapered I.D.

Generic is Decimal Bore Size for Cones and Decimal Outside Diameter for Cups
Family is First Part Number in Series

TIMKEN, BOWER, TYSON, HYATT & FINE All Use The Same Bearing Number - Call for Bower & Fine prices.



Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"	Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"
6521	Cup	451729	\$858.61	6.312		1.750	05075	Cone	451968	\$23.81	.750		.566
6525X	Cup	4517295	338.77	6.299	160	1.750	05075X	Cone	451981	141.72	.750		.566
6535	Cup	451730	90.36	6.375		1.687	NA05075	Cone	451993	82.38	.750		.627
6535B	Cup	4517302	611.34	6.375		1.687	NA05076SW	Cone	452021	68.17	.750		.690
6535W	Cup	4517303	384.04	6.375		1.687	05079	Cone	452032	23.64	.787	20	.566
6536	Cup	451731	159.00	6.375		1.687	05175	Cup	452044	13.91	1.750		.450
6536V	Cup	4517313	724.65	6.375		1.687	05180D*	Cup	452067	410.81	1.810	46	.992
6559C	Cone	4517331	271.70	3.250		2.169	05185	Cup	452096	10.73	1.850	47	.437
6575	Cone	4517334	240.69	3.000		2.169	05185A	Cup	4520963	608.88	1.849		.437
6576	Cone	4517336	237.77	3.000		2.169	05185B	Cup	4520965	39.73	1.850	47	.437
6580	Cone	451734	160.04	3.500		2.169	05185D*	Cup	4520967	53.77	1.850	47	.992
JF7010	Cup	451737	75.48	5.118	130	1.378	05185S	Cup	4520968	12.59	1.850	47	.437
JF7049	Cup	4517385	233.51	5.118	130	1.692	05186	Cup	452097	42.58	1.850	47	.472
JF7049A	Cone	451739	157.45	2.755	70	1.653	K104605	Cup	AB1125	242.51	2.250		1.312
JP7010	Cup	4517375	206.63	4.330	110	.610	K39214	Cup	4609709	277.11	2.500		1.312
JP7049	Cone	4517405	323.81	2.755	70	.787	07000LA	Cone	452288	25.78	1.000		.561
JW7010	Cup	451738	75.33	5.118	130	1.063	07079	Cone	452099	26.19	.787	20	.561
JW7049	Cone	451741	182.64	2.755	70	1.397	07087	Cone	452100	21.15	.875		.561
JP8010	Cup	4517455	180.29	4.921	125	.689	07087X	Cone	452104	18.56	.875		.561
JP8010B	Cup	4517457	498.68	4.921	125	.689	07093	Cone	452107	23.31	.937		.561
JP8049	Cone	451747	320.28	3.149	80	.885	07096	Cone	452108	177.11	.990		.561
JW8010	Cup	451746	153.70	6.299	160	1.220	07097	Cone	452110	20.31	.984		.561
JW8049	Cone	451748	434.60	3.149	80	1.614	07098	Cone	452160	20.78	.983		.561
8520	Cup	451777	691.49	12.875		1.437	07098W	Cone	452165	313.01	.983		.561
9120	Cup	451819	1053.75	6.250		1.375	07100	Cone	452224	15.70	1.000		.561
9121	Cup	451820	114.67	6.000		1.250	07100D*	Cone	452234	370.39	1.000		1.437
9180	Cone	451823	549.42	2.437		1.812	07100S	Cone	452244	21.00	1.000		.561
9185	Cone	451825	269.76	2.687		1.812	07100SA	Cone	452254	22.80	1.000		.561
9220	Cup	451826	119.90	6.375		1.250	07100W	Cone	452264	365.42	1.000		.561
9220D*	Cup	451827	776.73	6.375		2.781	07101DW*	Cone	452294	488.93	1.000		1.437
9221B	Cup	451828	561.86	6.375		1.187	07196	Cup	452352	7.48	1.968	50	.375
9275	Cone	451829	583.14	2.375		1.812	07196B	Cup	452362	46.11	1.968	50	.375
9278	Cone	451830	458.82	2.687		1.812	07196D*	Cup	452372	93.71	1.968	50	1.000
9285	Cone	451831	297.68	3.000		1.812	07204	Cup	452416	11.14	2.047	52	.500
9320	Cup	451833	231.93	7.000		1.375	07204B	Cup	4524162	43.08	2.047	52	.500
9320D*	Cup	451834	661.39	7.000		2.937	07205	Cup	4524164	33.18	2.047	52	.500
9321	Cup	451835	137.03	6.750		1.250	07210X	Cup	452418	9.47	2.000		.500
9321B	Cup	451836	388.99	6.750		1.250	08118	Cone	452419	40.49	1.187		.593
9378	Cone	451839	465.62	3.000		2.000	08118DA*	Cone	4524193	240.09	1.187		2.375
NA9378	Cone	4518401	605.05	3.000		2.158	08118DE*	Cone	4524195	131.26	1.187		2.750
9380	Cone	451841	303.58	3.000		1.812	08125	Cone	452420	30.02	1.250		.593
9386H	Cone	451852	424.52	3.312		1.812	08125DA*	Cone	452426	237.84	1.250		2.375
JF9549	Cone	451853	246.75	3.740	95	1.811	08125DE*	Cone	452427	179.42	1.250		2.750
00050	Cone	451856	38.54	.500		.554	08125W	Cone	452428	144.49	1.250		.593
00150	Cup	451858	20.46	1.500		.437	NA08125	Cone	452429	114.37	1.250		.643
00152	Cup	451859	44.96	1.500		.533	08231	Cup	452440	12.70	2.312		.421
00152X	Cup	451860	119.75	1.437		.437	08231B	Cup	452443	53.27	2.312		.421
02419	Cup	451862	82.47	2.637		.629	08231D*	Cup	452447	79.24	2.312		.968
02420	Cup	451740	16.74	2.687		.687	08237	Cup	452456	200.75	2.314		.421
02420B	Cup	451864	72.30	2.687		.687	09062	Cone	452466	26.99	.625		.848
02421	Cup	451865	35.51	2.687		.687	09067	Cone	452480	14.94	.750		.750
02473	Cone	451866	40.83	1.000		.875	09070	Cone	452491	93.93	.695		.848
02473X	Cone	451867	68.84	1.101		.807	09074	Cone	452544	17.71	.750		.848
02474	Cone	451760	30.32	1.125		.875	09075	Cone	452565	97.89	.748	19	.879
02474W	Cone	451870	29.56	1.125		.875	09076	Cone	452580	217.55	.748	19	.879
02475	Cone	451871	29.56	1.250		.875	09078	Cone	452608	20.98	.750		.848
02475W	Cone	451873	222.35	1.250		.875	09081	Cone	452672	21.35	.812		.848
02476	Cone	451874	36.10	1.250		.875	09081S	Cone	452682	159.05	.812		.848
7502477	Cone	451876	268.96	1.187		.875	09194	Cup	452736	9.60	1.938		.687
02820	Cup	451776	10.01	2.875		.687	09194S	Cup	452746	41.91	2.082		.578
02823D*	Cup	451879	86.62	3.000		1.500	09195	Cup	452800	7.05	1.938		.562
02830	Cup	451880	54.50	2.875		.687	09195AB	Cup	452810	66.18	1.938		.562
02831	Cup	451881	191.71	3.187		.687	09196	Cup	452864	8.50	1.938		.687
02872	Cone	449046	23.05	1.125		.875	09199	Cup	452865	237.25	1.938		1.072
02875	Cone	451885	30.13	1.250		.875	09201	Cup	452866	43.21	2.000		.687
02876	Cone	451890	30.34	1.250		.875	09207	Cup	452867	221.92	2.079		.558
02877	Cone	451895	28.87	1.375		.875	JP10010	Cup	452868	85.41	5.708		.689
02878	Cone	451904	31.64	1.375		.875	JP10044	Cone	452873	443.51	3.740	95	.885
03062	Cone	451917	27.60	.625		.578	JP10049	Cone	452875	145.47	3.937	100	.885
NA03063SW	Cone	451921	84.65	.625		.721	11157	Cone	452896	59.37	1.574	40	.684
03066X	Cone	451926	204.66	.669	17	.578	11157X	Cone	452898	1029.03	1.574	40	.684
03157X	Cup	451930	168.26	1.574	40	.437	11162	Cone	452901	53.16	1.625		.684
03162	Cup	451935	15.16	1.625		.437	11163	Cone	452905	80.80	1.625		.684
K24429	Cup	457397	255.01	2.000		1.355	11300	Cup	452912	49.20	3.000		.562
05062	Cone	451942	26.32	.625		.566	11300B	Cup	452915	44.21	3.000		.563
05066	Cone	451946	36.59	.669	17	.566	11315	Cup	452920	27.29	3.149	80	.562
05068	Cone	451953	46.07	.687		.566	11520	Cup	452928	10.01	1.687		.375
							11590	Cone	452992	24.53	.625		.562

Generic is Decimal Bore Size for Cones and Decimal Outside Diameter for Cups
Family is First Part Number in Series

TIMKEN, BOWER, TYSON, HYATT & FINE All Use The Same Bearing Number - Call for Bower & Fine prices.



Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"
LM11910	Cup	453184	\$4.74	1.781		.475
LM11919	Cup	453248	90.16	2.078		.575
LM11949	Cone	453312	8.80	.750		.655
LM11900LA	Cone	453180	19.18	.750		.655
12168	Cone	453325	49.76	1.687		.675
12175	Cone	453327	37.16	1.750		.675
12303	Cup	453330	19.44	3.031	77	.468
JP12049	Cone	4533221	197.91	4.724	120	1.417
12520	Cup	453440	10.86	1.938		.625
12580	Cone	453504	24.68	.812		.781
NA12581SW	Cone	453537	152.41	.812		.955
K38958	Cup	4609705	496.22	3.000		1.843
M12610	Cup	453568	5.71	1.968	50	.550
M12648	Cone	453581	26.84	.875		.720
M12648A	Cone	453589	29.72	.875		.720
M12649	Cone	453632	11.64	.843		.720
M12600LA	Cone	453560	21.69	.843		.720
LM12710	Cup	453640	4.54	1.781		.475
LM12711	Cup	453642	4.91	1.811	46	.475
LM12748F	Cone	453648	15.81	.843		.655
LM12749	Cone	453650	10.53	.865		.655
JP13010	Cup	453700	157.32	7.283		.826
JP13049	Cone	453710	336.95	5.118	130	1.063
13175	Cone	453745	53.35	1.750		.687
13176D*	Cone	453746	296.60	1.750		1.250
13181	Cone	453747	88.56	1.812		.687
13318	Cup	453749	22.56	3.187		.562
13620	Cup	453760	15.79	2.717		.593
13621	Cup	453824	14.51	2.717		.593
13621D*	Cup	453834	76.69	2.717		1.500
13624	Cup	453861	94.04	2.754		.709
13677SD*	Cone	453877	229.66	1.156		3.375
13678SD*	Cone	453888	305.38	1.156+		2.875
13682	Cone	453919	34.58	1.437		.750
13685	Cone	454016	26.69	1.500		.750
13685A	Cone	454026	204.34	1.500		.750
13600LA	Cone	453755	33.20	1.500		.750
13685W	Cone	454027	288.60	1.500		.750
13686	Cone	454144	31.90	1.500	1.031	
13687	Cone	454208	24.57	1.500	.750	
NA13687	Cone	454218	125.44	1.500		.908
13830	Cup	454222	16.33	2.500		.375
13835D*	Cup	454230	306.57	2.500	1.250	
13836	Cup	454233	19.46	2.562		.375
13836B	Cup	454236	112.44	2.562		.375
13889	Cone	454239	43.71	1.500		.468
13890	Cone	454245	100.05	1.515		.468
JP14049	Cone	4542502	340.87	5.511	140	1.063
14116	Cone	454253	24.35	1.190		.771
14116W	Cone	454255	228.97	1.190		.771
14117A	Cone	454260	22.95	1.181		.771
14118	Cone	454262	36.46	1.181		.756
14118A	Cone	454264	44.88	1.181		.771
14119A	Cone	454267	29.48	1.190		.771
14120	Cone	454269	33.80	1.190	1.052	
14120A	Cone	454270	1078.97	1.181	1.052	
14121	Cone	454271	190.10	1.190	1.052	
14123A	Cone	454272	32.83	1.250	1.052	
14123AA	Cone	454273	64.86	1.250	1.052	
14124	Cone	454336	24.09	1.250	.771	
14125A	Cone	454400	20.46	1.250	.771	
14130	Cone	454464	22.62	1.312	.771	
14130X	Cone	454474	117.22	1.312	.771	
14131	Cone	454491	23.73	1.312	.771	
14131A	Cone	454493	74.59	1.312	.771	
14132T	Cone	454528	49.01	1.312	.771	
14136A	Cone	454592	33.80	1.375	1.052	
14136AA	Cone	454596	43.54	1.375	1.052	
14137A	Cone	454720	21.13	1.375	.771	
14138A	Cone	454784	23.18	1.375	.771	
NA14138	Cone	454799	127.32	1.375	.908	
14139	Cone	454801	24.09	1.377	35	.771
14139X	Cone	454810	154.07	1.387	.771	
14272	Cup	454821	607.77	2.717		.562
14273	Cup	454832	34.17	2.717		.667


Continued in next column

Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"
14274	Cup	454848	\$11.72	2.717		.625
14274A	Cup	454858	70.05	2.717		.625
14274S	Cup	454868	97.39	2.965		.625
14275A	Cup	454878	619.88	2.750		.625
14276	Cup	454912	8.09	2.717		.625
14276B	Cup	454914	56.53	2.717		.625
14276D*	Cup	454916	75.85	2.717		1.500
14277	Cup	454917	46.87	2.717		.725
14282	Cup	454918	608.85	2.834	72	.591
14283	Cup	454920	21.30	2.838		.725
14284	Cup	454930	619.88	2.834	72	.725
14299	Cup	454941	702.26	3.062		.625
14525	Cup	454958	27.92	2.687		.625
14585	Cone	454968	152.19	1.375		.812
15100	Cone	454976	22.00	1.000		.812
15100S	Cone	454986	211.06	1.000		.812
15100SR	Cone	455030	192.12	1.000		.875
15101	Cone	455040	17.11	1.000		.812
15102	Cone	455070	23.12	1.000		.812
15103	Cone	455080	36.59	1.029		.812
15103S	Cone	455104	26.73	1.030		.785
15106	Cone	455168	22.62	1.062		.812
15112	Cone	455232	22.02	1.125		.812
15113	Cone	455296	21.35	1.125		.812
15116	Cone	455360	21.71	1.185		.812
15117	Cone	455424	17.45	1.180		.812
15117X	Cone	455429	234.48	1.181	30	.812
NA15117SW	Cone	455439	101.58	1.181	30	1.002
15118	Cone	455488	17.84	1.189		.812
NA15118SW	Cone	455498	252.18	1.811	46	1.001
15119	Cone	455552	21.97	1.189		.812
15120	Cone	455616	21.15	1.189		.812
15120A	Cone	455626	77.08	1.188		.812
15121T	Cone	455640	136.10	1.218		.750
15123	Cone	455680	18.04	1.250		.750
15125	Cone	455700	21.87	1.250		.812
15126	Cone	455744	18.56	1.250		.812
15243	Cup	455808	13.93	2.437		.562
15244	Cup	455830	18.04	2.440	62	.625
15245	Cup	455872	6.68	2.441		.562
15249	Cup	455890	673.35	2.500		.625
15250	Cup	455936	11.35	2.500		.625
15250B	Cup	455946	44.38	2.500		.625
15250RB	Cup	455959	69.66	2.500B		.625
15250X	Cup	456000	10.29	2.500		.625
15251D*	Cup	456025	110.06	2.500		1.437
K33867	Cup	460572	386.07	3.500		1.937
T70125	Cup	463604	296.53	3.500		1.937
15385	Cone	456038	37.85	.875		.890
15520	Cup	456064	11.68	2.250		.531
15520B	Cup	456074	90.16	2.250		.531
15520RB	Cup	456075	76.11	2.250		.531
15522A	Cup	456090	112.89	2.343		.593
15523	Cup	456101	13.30	2.375		.625
15523RB	Cup	456102	250.75	2.375		.625
15574A	Cone	456114	982.55	.937		.734
15575T	Cone	456120	49.31	.937		.687
15578	Cone	456128	24.33	1.000		.687
15579A	Cone	456179	397.36	1.030		.734
15579X	Cone	456189	333.19	1.023	26	.687
15580	Cone	456240	23.01	1.062		.687
15590	Cone	4562409	22.62	1.125		.687
JP16010	Cup	456241	233.55	8.661	220	.905
JP16049	Cone	4562414	429.74	6.299	160	1.811
16131	Cone	4562417	1003.14	1.312		.812
16137	Cone	4562419	41.01	1.375		.812
16143	Cone	456242	45.09	1.437		.812
16150	Cone	456244	31.92	1.500		.812
16150A	Cone	4562446	168.95	1.500		.850
16151	Cone	4562448	982.55	1.500		.812
16282	Cup	456245	18.34	2.834	72	.560
16283	Cup	456246	34.24	2.844		.750
16284	Cup	456247	18.02	2.844		.625
16284B	Cup	4562474	147.50	2.844		.625
16522	Cup	4562478	740.31	2.687		.687
16929	Cup	456251	64.32	2.952	75	.562
16986	Cone	456252	135.80	1.692	43	.781

Qty Disc: 5% for 2, 20% for 5, 25.6% for 10, 30% for 25, 31% for 50, 33% for 100.
Sizes can be mixed for discount. *Double Cone or Cup

Generic is Decimal Bore Size for Cones and Decimal Outside Diameter for Cups
Family is First Part Number in Series

TIMKEN, BOWER, TYSON, HYATT & FINE All Use The Same Bearing Number - Call for Bower & Fine prices.




TIMKEN®

Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D.	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"	Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D.	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"
17098	Cone	456253	\$37.59	.983		.652	22720	Cup	457180	\$25.65	3.250		.812
NA17098	Cone	4562535	207.95	.983		.783	22721	Cup	457184	90.03	3.250		.812
17116D*	Cone	456254	278.26	1.187		1.375	22778	Cone	457186	103.08	1.625		1.062
17118	Cone	456256	27.12	1.180		.652	22780	Cone	457188	47.21	1.687		1.062
17118S	Cone	456258	142.33	1.181	30	.652	23092	Cone	457196	40.16	.937		.845
17119	Cone	456270	43.97	1.187		.652	23100	Cone	457216	28.96	1.000		.845
17244	Cup	456320	19.14	2.440	62	.562	23250X	Cup	457260	359.77	2.500		.578
17244A	Cup	456330	48.79	2.440	62	.562	23256	Cup	457280	17.26	2.562		.625
17244B	Cup	456340	50.74	2.440	62	.562	23256B	Cup	457288	89.54	2.562		.625
17245D*	Cup	456355	95.70	2.440	62	1.427	23420	Cup	457300	33.15	2.687		.875
17520	Cup	456384	15.55	1.687		.531	23491	Cone	457310	84.78	1.250		1.062
17520B	Cup	456394	73.27	1.687		.531	23620	Cup	457327	28.38	2.875		.875
17580	Cone	456448	39.10	.625		.656	23621	Cup	457336	84.54	2.875		.875
17830	Cup	456460	29.72	3.125		.625	23685	Cone	457339	322.92	1.250		1.062
17831	Cup	456465	19.72	3.149	80	.593	23690	Cone	457344	81.73	1.375		1.062
17884	Cone	456475	241.04	1.750		1.321	23691	Cone	457347	101.30	1.378		1.062
17886	Cone	456480	982.55	1.692	43	.812	23720	Cup	457350	179.90	2.875		.875
17887	Cone	456485	53.10	1.780		.812	23790	Cone	457355	234.05	1.375		1.062
17888	Cone	456490	85.90	1.750		1.234	24118	Cone	457375	97.00	1.187		.747
18200	Cone	456501	50.82	2.000		.719	24261	Cup	457385	145.05	2.615		.625
18204X	Cone	456505	85.23	2.047	52	.719	24720	Cup	457408	15.38	3.000		.687
18337	Cup	456508	25.74	3.375		.500	24720D*	Cup	457418	94.47	3.000		1.562
18337B	Cup	456509	143.17	3.375		.500	24721	Cup	457440	26.19	3.000		.812
18352	Cup	456511	756.07	3.500		.750	24722	Cup	457450	84.26	3.000		.687
18520	Cup	456512	14.86	2.875		.500	NA24775SW	Cone	457460	279.01	1.500		1.158
18587	Cone	456530	45.29	1.562		.687	NA24776SW	Cone	457465	98.97	1.500		1.158
18590	Cone	456576	30.06	1.625		.687	24780	Cone	457472	29.61	1.625		.906
18620	Cup	456640	16.52	3.125		.531	24781	Cone	457480	85.26	1.625		.906
18620B	Cup	456650	85.21	3.125		.531	K78175	Cup	4638905	555.11	4.250		2.250
18620D*	Cup	456660	70.61	3.125		1.312	25518	Cup	457530	601.07	3.228	82	.752
18685	Cone	456704	35.49	1.750		.687	25519	Cup	457536	61.68	3.250		.750
NA18685	Cone	456730	220.45	1.750		.814	25520	Cup	457600	11.46	3.265		.750
18690	Cone	456768	32.22	1.812		.687	25520D*	Cup	457620	117.93	3.265		1.875
18720	Cup	456832	17.45	3.346	85	.531	25521	Cup	457664	17.30	3.270		.750
18720B	Cup	456842	186.30	3.346	85	.531	25521B	Cup	457665	119.12	3.270		.750
18721	Cup	456870	762.80	3.280		.531	25522	Cup	457728	19.88	3.270		.752
18723	Cup	456883	689.61	3.500		.656	25523	Cup	457792	13.32	3.265		.875
18724	Cup	456890	54.35	3.500		.531	25524	Cup	457801	702.26	3.265		.750
18780	Cone	456896	88.85	1.812		.687	25526	Cup	457826	51.62	3.346	85	.750
18790	Cone	456960	28.94	2.000		.687	25527	Cup	457830	69.49	3.346	85	.875
19137DA*	Cone	456964	347.60	1.375		2.531	25528	Cup	457836	59.99	3.625		.750
19137DE*	Cone	456965	268.03	1.375		3.000	25530RB	Cup	457841	716.86	3.312		.750
19138	Cone	456966	41.83	1.377	35	.650	CN25540	Cup	457850	233.66	3.562		.812
19138A	Cone	456968	982.55	1.377	35	.650	25570	Cone	457870	44.40	1.437		1.000
19138X	Cone	456969	596.74	1.378		.650	25572	Cone	457877	37.29	1.500		1.000
19143	Cone	456970	59.95	1.437		.650	25576	Cone	457914	38.13	1.687		1.000
19143DA*	Cone	456972	314.35	1.437		2.531	25577	Cone	457920	29.63	1.688		1.000
19143DE*	Cone	456973	237.97	1.437		3.000	25578	Cone	457984	33.35	1.687		1.000
19145D*	Cone	456975	226.96	1.437		1.500	25580	Cone	458048	22.67	1.750		1.000
19150	Cone	456980	34.67	1.500		.650	25581	Cone	458080	31.60	1.750		1.000
19153X	Cone	456986	475.07	1.515		.650	25582	Cone	458099	39.06	1.750		1.000
19268	Cup	456990	44.96	2.687		.468	25583	Cone	458112	151.05	1.750		1.412
19268B	Cup	456991	82.83	2.687		.468	25584	Cone	458176	31.10	1.771	45	1.000
19268X	Cup	456992	131.62	2.687		.631	25590	Cone	458304	21.39	1.796		1.000
19269	Cup	456994	127.21	2.687		.631	25592	Cone	458326	41.52	1.812		1.000
19281	Cup	456995	19.12	2.812		.468	25820	Cup	458368	13.21	2.875		.750
19282	Cup	456996	27.66	2.812		.625	25821	Cup	458432	11.29	2.875		.750
19283	Cup	456997	34.32	2.834	72	.562	25877	Cone	458496	20.33	1.375		.968
19283B	Cup	456998	66.46	2.834	72	.562	25878	Cone	458501	27.92	1.375		.968
19283X	Cup	457000	39.92	2.834	72	.562	25880	Cone	458508	26.13	1.436		.968
21075	Cone	457024	26.43	.750		.859	26093	Cone	458510	1002.17	.937		.754
NA21075	Cone	457054	124.01	.750		.971	26100	Cone	458512	155.00	1.000		.745
21212	Cup	457088	15.38	2.125		.625	26112	Cone	458516	88.13	1.125		.745
21213	Cup	457090	120.31	2.125		.625	26118	Cone	458520	46.17	1.180		.745
L21511	Cup	457100	16.61	1.377	35	.343	26118S	Cone	458524	463.26	1.181	30	.745
L21549	Cone	457102	30.06	.625		.433	NA26118	Cone	458527	280.77	1.180		.844
22150DA*	Cone	457121	391.76	1.500		2.843	NA26118SW	Cone	458529	130.07	1.180		.844
22150DE*	Cone	457122	264.26	1.500		3.375	26126	Cone	458533	1002.17	1.260		.745
22162DA*	Cone	457123	400.50	1.625		2.843	26131	Cone	458541	112.98	1.312		.745
22162DE*	Cone	457124	210.35	1.625		3.375	26132	Cone	458546	106.95	1.312		.745
22168	Cone	457128	80.69	1.687		.781	26274	Cup	458547	60.47	2.745		.750
22168DE*	Cone	457139	209.50	1.687		3.375	26283	Cup	458550	22.23	2.834	72	.625
NA22171	Cone	457145	206.33	1.718		.877	26283B	Cup	458552	440.68	2.834	72	.625
22325	Cup	457154	19.21	3.250		.593	26283S	Cup	458553	94.90	2.834	72	.625
22325D*	Cup	457155	320.41	3.250		1.375	26284D*	Cup	458554	459.62	2.833		1.437
JL22310	Cup	457153	8.74	1.614	41	.448	26300	Cup	458555	66.76	3.000		.625
JL22349F	Cone	457156	17.71	.866	22	.566							

*Double Cone or Cup Sizes can be mixed for discount.
Qty Disc: 5% for 2, 20% for 5, 25.6% for 10, 30% for 25, 31% for 50, 33% for 100.

Generic is Decimal Bore Size for Cones and Decimal Outside Diameter for Cups
Family is First Part Number in Series

TIMKEN, BOWER, TYSON, HYATT & FINE All Use The Same Bearing Number - Call for Bower & Fine prices.



Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"
JL26710	Cup	458557	\$16.39	2.086	53	.452
JL26749F	Cone	458558	17.04	1.259	32	.590
26820	Cup	458560	24.24	3.156		.812
26821	Cup	458590	689.55	3.156		.968
26822	Cup	458624	18.40	3.125		.750
26822A	Cup	458628	47.21	3.125		.750
26822B	Cup	458630	51.86	3.125		.750
26823	Cup	458752	20.98	3.000		.812
26824	Cup	458760	22.77	3.149	80	.750
26830	Cup	458767	28.07	3.156		.812
26877	Cone	458777	45.70	1.437		1.000
26878	Cone	458790	34.26	1.500		1.000
26880	Cone	458801	48.25	1.562		1.000
26881	Cone	458880	33.39	1.562		1.000
26882	Cone	458944	30.49	1.625		1.000
26882T	Cone	458956	65.51	1.625		1.000
26883	Cone	458979	29.91	1.378		1.000
26884	Cone	459008	31.25	1.688		1.000
26885	Cone	459014	40.79	1.625		1.000
26886	Cone	459026	37.55	1.688		1.000
27620	Cup	459044	37.31	4.937		.781
27620B	Cup	459046	113.76	4.937		.781
27620DA*	Cup	459047	758.65	4.937		1.750
27620RB	Cup	459047A	445.31	4.937		.781
27621	Cup	459052	858.61	4.937		1.000
27680	Cone	459068	124.21	2.875		1.000
27684	Cone	459077	88.78	3.000		1.000
27684A	Cone	459078	469.27	3.000		1.000
27687	Cone	459097	76.02	3.250		1.000
27689	Cone	459101	83.31	3.281		1.000
27690	Cone	459113	62.94	3.281		1.000
27691	Cone	459123	103.60	3.281		1.000
27695	Cone	459131	119.08	3.345		1.000
27820	Cup	459136	22.67	3.151		.729
27820D*	Cup	459146	63.26	3.151		1.770
27875	Cone	459167	54.13	1.375		.933
27880	Cone	459200	46.17	1.500		.933
27881	Cone	459220	40.83	1.500		.933
28118	Cone	459225	90.42	1.187		.824
28137	Cone	459227	222.01	1.375		.824
28138	Cone	459231	51.08	1.377	35	.824
NA28138	Cone	459235	131.60	1.377	35	.908
28150	Cone	459240	44.70	1.500		.824
28151	Cone	459246	107.83	1.500		.824
28156	Cone	459249	45.94	1.574	40	.773
28158	Cone	459250	50.98	1.574	40	.824
28159	Cone	459253	118.60	1.574	40	.824
28300	Cup	459254	17.71	3.000		.610
28300X	Cup	459255	230.25	3.000		.610
28314XD*	Cup	459256	101.30	3.151		1.375
28315	Cup	459257	26.02	3.149	80	.625
28315B	Cup	459258	82.49	3.149	80	.625
28317	Cup	459260	26.28	3.151		.625
28318D*	Cup	459261	104.05	3.151		1.375
28520	Cup	459263	29.85	3.542		.786
28521	Cup	459264	25.02	3.625		.781
28521B	Cup	459265	167.68	3.625		.781
28523	Cup	459270	63.56	3.625		.906
J28573	Cone	459290	115.47	1.653	42	.968
28579	Cone	459312	54.46	1.968	50	1.000
28580	Cone	459328	46.30	2.000		1.000
28580A	Cone	459348	94.97	2.000		1.000
28584	Cone	459366	47.30	2.062		1.000
28621	Cup	459375	38.54	3.812		.765
28622	Cup	459392	21.37	3.843		.765
28622A	Cup	459395	55.28	3.843		.765
28622B	Cup	459400	91.29	3.843		.765
28623	Cup	459412	50.39	3.875		.765
28678	Cone	459421	46.04	2.000		.968
28680	Cone	459437	46.04	2.187		.968
28682	Cone	459456	37.72	2.250		.968
28820	Cup	459500	773.96	12.000		.625
28919	Cup	459510	33.26	3.936		.750
28920	Cup	459520	28.74	4.000		.781
28921	Cup	4595201	31.25	3.937	100	.781
28921A	Cup	4595202	63.69	3.937	100	.781
28921B	Cup	4595203	230.76	3.937	100	.781
28921D*	Cup	4595204	215.54	3.937	100	1.750

Continued in next column

Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"
28921DC*	Cup	4595205	\$355.21	3.937	100	1.750
28980	Cone	459521	73.40	2.361		1.000
28985	Cone	459530	52.34	2.375		1.000
28990	Cone	459540	71.31	2.440	62	.968
28995	Cone	459545	64.30	2.470		1.000
29177	Cone	459590	982.55	1.771	45	.754
29334	Cup	459601	688.51	3.346	85	.625
29520	Cup	459648	30.80	4.250		.750
29520B	Cup	459649	232.21	4.250		.750
29521	Cup	459655	30.67	4.330	110	.750
29521B	Cup	459663	146.16	4.330	110	.750
29522	Cup	459665	33.37	4.250		.750
29526DRB*	Cup	459685	337.71	4.437		1.687
29580	Cone	459690	64.95	2.362	60	1.000
29582	Cone	459707	80.43	2.362	60	1.000
29585	Cone	459712	80.43	2.500		1.000
29586	Cone	459732	59.56	2.500		1.000
29588	Cone	459770	163.01	2.558		1.000
29590	Cone	459806	54.09	2.625		1.000
29620	Cup	459840	26.32	4.437		.750
29620B	Cup	4598401	97.89	4.437		.750
29622D*	Cup	4598421	159.55	4.499		1.812
29622DC*	Cup	4598423	331.96	4.499		1.812
29622W	Cup	4598425	713.34	4.499		.750
29624	Cup	459843	790.72	4.500		.875
29630	Cup	459844	28.50	4.750		.750
29665	Cone	459845	116.20	2.250		1.000
29670	Cone	459846	118.06	2.500		1.000
29675	Cone	459850	42.28	2.750		1.000
29676	Cone	459870	87.96	2.750		1.000
29680	Cone	459880	63.71	2.781		1.000
29685	Cone	459904	50.28	2.875		1.000
29688	Cone	459956	78.90	2.906		1.000
LM29710	Cup	459968	11.46	2.562		.550
LM29711	Cup	459969	17.78	2.562		.620
LM29700LA	Cone	459960	31.90	1.500		.720
LM29748	Cone	459971	22.77	1.500		.720
LM29749	Cone	460032	16.29	1.500		.720
29820	Cup	460035	717.96	12.750		.625
31520	Cup	460096	12.26	3.000		.937
31520B	Cup	460106	151.33	3.000		.937
31523RB	Cup	460133	837.22	3.125		.937
31521	Cup	460117	26.36	3.000		.937
31590	Cone	460146	38.93	1.312		1.125
31593	Cone	460153	34.52	1.375		1.125
31594	Cone	460160	28.68	1.375		1.125
31597	Cone	460191	24.53	1.437		1.125
33225	Cone	460215	104.22	2.250		1.187
33251	Cone	460217	92.69	2.500		1.187
33262	Cone	460221	83.37	2.625		1.187
33269	Cone	460223	103.51	2.687		1.187
33275	Cone	460224	60.30	2.750		1.187
33281	Cone	460288	57.05	2.812		1.187
33287	Cone	460299	43.71	2.875		1.187
33461	Cup	460352	65.42	4.625		.938
33462	Cup	460416	29.18	4.625		.937
33462B	Cup	460362	169.00	4.625		.937
33462D*	Cup	460418	254.01	4.625		2.125
33472	Cup	460420	38.02	4.724	120	.923
33472DC*	Cup	460472	440.05	4.724	120	2.649
JHM33410	Cup	460341	59.45	2.165	55	.826
JHM33449	Cone	460349	218.16	.944	24	.984
33820B	Cup	460482	73.01	3.671		.875
33821	Cup	460544	23.62	3.750		.875
33821D*	Cup	460549	187.94	3.750		2.062
33822	Cup	460568	26.90	3.750		.875
33880	Cone	460578	82.57	1.500		1.125
33885	Cone	460585	53.59	1.750		1.125
33887X	Cone	460587	147.74	1.968	50	1.125
33889	Cone	460591	47.75	2.000		1.125
NA33889SW	Cone	460593	211.71	2.000		1.377
33890	Cone	460608	50.31	2.062		1.125
33891	Cone	460672	42.11	2.062		1.125
33895	Cone	460736	46.28	2.125		1.125
NA33895SW	Cone	460747	179.70	2.126	54	1.377

*Double Cone or Cup Sizes can be mixed for discount.
Qty Disc: 5% for 2, 20% for 5, 25.6% for 10, 30% for 25, 31% for 50, 33% for 100.

Generic is Decimal Bore Size for Cones and Decimal Outside Diameter for Cups
Family is First Part Number in Series



TIMKEN, BOWER, TYSON, HYATT & FINE All Use The Same Bearing Number - Call for Bower & Fine prices.

Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"	Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"
34268DA*	Cone	460761	\$603.53	2.687		3.687	41100	Cone	461186	\$57.01	1.000		.955
34268DE*	Cone	460763	507.05	2.687		4.500	41106	Cone	4611866	59.67	1.062		.955
34274	Cone	460770	55.97	2.754		.906	41125	Cone	461187	49.85	1.125		.955
34275	Cone	460786	185.67	2.755	70	.906	41126	Cone	461188	47.90	1.125		.955
34275DE*	Cone	460795	536.68	2.750		4.500	41286	Cup	4611886	21.54	2.859		.687
34293DA*	Cone	460803	425.99	2.937		3.687	41286B	Cup	4611888	251.89	2.859		.687
34293DE*	Cone	460814	391.17	2.937		4.500	41294D*	Cup	461189	483.87	2.937		1.625
34294	Cone	460822	140.64	2.951		.906	42343DA*	Cone	4611895	751.21	3.437		4.187
34300	Cone	460843	59.93	3.000		.906	42343DE*	Cone	4611896	676.09	3.437		5.000
34300A	Cone	460847	369.11	3.000		.906	42346	Cone	4611897	88.80	3.463		1.140
34300DA*	Cone	460850	493.67	3.000		3.687	42350	Cone	461190	108.42	3.500		1.140
34300DE*	Cone	460852	443.71	3.000		4.500	42350DE*	Cone	461193	801.10	3.500		5.000
34301	Cone	460864	59.93	3.000		.906	42362	Cone	461198	119.84	3.625		1.140
34306	Cone	460880	56.56	3.062		.906	42362D*	Cone	461199	917.65	3.625		2.281
34306W	Cone	460889	395.82	3.062		.906	42368	Cone	461201	102.95	3.687		1.140
34307	Cone	460908	115.25	3.062		.906	42373	Cone	461202	230.61	3.740	95	1.140
34472X	Cup	460918	332.76	4.724	120	.629	42375	Cone	461203	119.36	3.750		1.140
34478	Cup	460928	32.05	4.781		.688	42376	Cone	461207	101.52	3.750		1.140
34478B	Cup	4609284	165.23	4.781		.687	42381	Cone	461210	90.25	3.812		1.140
34478D*	Cup	4609288	311.67	4.781		1.000	42584	Cup	461215	48.32	5.843		.843
34478RB	Cup	460929	41.77	4.781		.687	42585	Cup	461219	875.78	5.843		1.000
34479	Cup	460930	53.90	4.781		.860	42586	Cup	461221	177.78	5.843		1.250
34481B	Cup	460931	164.15	4.812		.843	42587	Cup	461227	59.15	5.875		.968
34492A	Cup	460933	45.37	4.923		.645	42587B	Cup	461229	211.17	5.875		.968
34500	Cup	460934	47.95	5.000	127	.781	42587D*	Cup	461234	229.32	5.875		2.062
35175	Cone	460935	73.10	1.750		.906	42620	Cup	461248	37.80	5.000		.875
35176	Cone	460936	60.79	1.750		.906	42620B	Cup	461250	485.66	5.000		.875
35326	Cup	460938	28.29	3.266		.688	42624	Cup	461253	397.25	5.118	130	1.063
36137	Cone	460942	127.82	1.375		1.175	42686	Cone	461255	818.53	2.925		1.220
36300	Cup	460944	64.62	3.000		.937	42687	Cone	461312	67.04	3.000		1.220
36620	Cup	460945	90.29	7.625		.906	42688	Cone	461376	64.93	3.000		1.220
36620B	Cup	460946	417.69	7.625		.906	42690	Cone	461378	88.50	3.062		1.220
36690	Cone	460953	172.05	5.750		1.125	43096	Cone	461380	71.15	.960		.947
36691	Cone	460956	346.71	5.750		1.125	43112	Cone	461382	55.43	1.125		.947
36920	Cup	460957	312.56	8.937	227	.906	43117	Cone	461383	1031.69	1.180		.947
36990	Cone	460959	499.48	7.000		1.187	43118	Cone	461384	504.42	1.187		.947
37425	Cone	460961	111.03	4.250		.844	43125	Cone	461386	44.16	1.125		.947
37431	Cone	460962	118.17	4.312		.844	43131	Cone	461388	43.82	1.312		.947
37431A	Cone	4609621	76.52	4.312		.844	43131W	Cone	461389	385.75	1.312		.947
37625	Cup	460963	58.59	6.250		.625	NA43131	Cone	461390	124.73	1.312		1.096
37625B	Cup	4609631	354.88	6.250		.625	43132	Cone	461392	51.02	1.312		.947
37625RB	Cup	4609633	305.79	6.250		.625	43138X	Cone	461393	505.17	1.378		.916
37626D*	Cup	460964	268.46	6.250		1.562	43300	Cup	461394	42.04	3.000		.656
M38510	Cup	460966	33.11	2.625		.656	43312	Cup	461395	18.79	3.125		.687
M38514	Cup	4609674	607.77	2.687		.656	43312B	Cup	461396	180.98	3.125		.687
M38545	Cone	4609675	233.86	1.312		.812	43315	Cup	461397	688.51	3.156		.937
M38547	Cone	4609682	982.55	1.377	35	.812	43319D*	Cup	461398	113.33	3.187		1.562
M38549	Cone	4609687	98.17	1.375		.812	43319DC*	Cup	461399	264.78	3.187		1.562
38820	Cup	460970	607.86	12.812		1.000	44131	Cone	461402	74.18	1.312		.933
39225DA*	Cone	4609715	890.77	2.250		3.312	44143	Cone	461403	47.90	1.437		.933
39236	Cone	460972	77.84	2.361		.866	NA44143	Cone	461405	265.35	1.437		1.096
39243DA*	Cone	460973	366.11	2.437		3.312	44150	Cone	461406	46.24	1.500		.933
39243DE*	Cone	4609733	296.75	2.437		4.000	44156	Cone	461408	106.06	1.562		.933
39250	Cone	4609735	53.74	2.500		.866	NA44156	Cone	461409	151.22	1.562		1.096
39250DA*	Cone	4609736	422.99	2.500		3.312	44157	Cone	461410	136.06	1.574		.933
39250DE*	Cone	4609737	358.56	2.500		4.000	44157X	Cone	461411	258.88	1.574	40	.908
39412	Cup	460980	27.75	4.125		.625	44158	Cone	461412	66.55	1.562		.933
39412B	Cup	460982	163.74	4.125		.625	44162	Cone	461413	50.54	1.625		.933
39414X	Cup	460983	484.41	4.133	105	.629	NA44163	Cone	461414	120.88	1.625		1.096
39422	Cup	460984	37.89	4.218		.834	44348	Cup	461415	24.35	3.484		.687
39433	Cup	460985	59.58	4.333		.678	44348B	Cup	461416	86.34	3.484		.687
39520	Cup	460992	24.81	4.437		.937	44363D*	Cup	461419	93.50	3.625		1.562
39520B	Cup	4609923	102.79	4.437		.937	L44600LA	Cone	461433	28.01	1.000		.580
39520DC*	Cup	4609924	405.51	4.437		2.187	L44600LB++	Cone	461435	50.91	1.000		.580
39520XX	Cup	4609925	195.94	4.437		.937	L44610	Cup	461440	4.89	1.980		.420
39521	Cup	460993	40.08	4.437		.937	L44613	Cup	461460	28.27	2.046		.500
39522	Cup	4609932	916.03	4.437		1.187	L44640	Cone	461504	31.75	.937		.580
39528	Cup	4609938	57.38	4.723		1.061	L44642	Cone	461542	27.45	1.000		.580
39573	Cone	460994	107.27	2.000		1.187	L44643	Cone	461568	11.61	1.000		.580
39575	Cone	4609945	182.75	2.000		1.187	L44645	Cone	461589	62.11	1.023	26	.580
39578	Cone	4609948	87.07	2.125		1.187	L44649	Cone	461696	12.28	1.062		.580
39580	Cone	4609949	61.18	2.250		1.187	45220	Cup	461700	23.55	4.125		.937
39581	Cone	460995	48.45	2.250		1.187	45220B	Cup	4617001	339.51	4.125		.937
J39582	Cone	460999	258.69	2.362	60	1.220	45221	Cup	461701	31.19	4.125		.937
39585	Cone	461120	51.67	2.500		1.187	45222	Cup	4617012	713.34	4.187		.937
39585D	Cone	461152	606.95	2.500		2.375	45280	Cone	461702	60.69	1.750		1.218
39586	Cone	461165	122.97	2.558		1.217	45282	Cone	461703	58.98	1.875		1.218
39589	Cone	461170	155.74	2.625		1.187	45284	Cone	461704	44.10	2.000		1.218
39590	Cone	461184	39.73	2.625		1.187							
39590A	Cone	4611845	114.13	2.624		1.187							
39591	Cone	461185	140.02	2.625		1.187							


Continued on next page

Qty Disc: 5% for 2, 20% for 5, 25.6% for 10, 30% for 25, 31% for 50, 33% for 100.
*Double Cone or Cup Sizes can be mixed for discount.

© 2008 by Baum Hydraulics Corporation
1-800-228-9222 www.baumhydraulics.com
Prices subject to change without notice

Generic is Decimal Bore Size for Cones and Decimal Outside Diameter for Cups
Family is First Part Number in Series

TIMKEN, BOWER, TYSON, HYATT & FINE All Use The Same Bearing Number - Call for Bower & Fine prices.



Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"	Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"
45285	Cone	461705	\$54.35	2.000		1.218	48506	Cone	462140	\$451.26	5.062		1.250
45285A	Cone	461707	126.30	2.000		1.218	48750	Cup	462316	206.13	7.500		1.000
45287	Cone	461711	56.27	2.125		1.218	NA48990SW	Cone	462321	1072.46	6.000		1.820
45289	Cone	461712	71.15	2.250		1.218	49150	Cone	462325	1039.87	1.500		1.250
45290	Cone	461714	50.63	2.250		1.218	49162	Cone	462329	304.99	1.625		1.250
45290CA	Cone	461715	95.01	2.250		1.218	49175	Cone	462331	70.46	1.750		1.250
45291	Cone	4617151	52.55	2.250		1.218	49176	Cone	462332	104.70	1.750		1.250
46143	Cone	4617159	216.19	1.437		1.250	49368	Cup	462334	119.82	3.687		1.000
46162	Cone	4617162	77.02	1.625		1.250	49368B	Cup	462335	352.09	3.687		1.000
46175	Cone	461717	151.13	1.750		1.250	49520	Cup	462336	32.20	4.000		1.000
46176	Cone	4617172	60.15	1.750		1.250	49520B	Cup	462337	267.96	4.000		1.000
46368	Cup	4617174	32.16	3.687		1.031	49521	Cup	462340	146.18	4.000		1.125
46369	Cup	4617175	146.94	3.687		1.031	49522	Cup	462342	42.48	4.000		1.000
L45410	Cup	4617153	5.41	1.980		.420	49576	Cone	462376	93.24	1.750		1.250
L45449	Cone	4617154	10.62	1.141	29	.580	49580	Cone	462380	154.90	1.875		1.250
46720	Cup	4617118	167.70	8.875		1.312	49581	Cone	462381	427.25	1.875		1.250
46720CD*	Cup	4617184	719.39	8.875		2.750	49585	Cone	462400	55.91	2.000		1.250
46780	Cone	4617195	336.26	6.250		1.562	52375	Cone	462432	144.38	3.750		1.421
46790	Cone	4617202	225.38	6.500		1.562	NA52375	Cone	462433	217.36	3.750		1.627
NA46790	Cone	4617215	600.29	6.500		1.882	52387	Cone	462437	136.06	3.875		1.421
NA46790SW	Cone	4617216	484.71	6.500		1.882	52393	Cone	462443	148.21	3.937	100	1.421
46792	Cone	461723	419.05	6.562		1.562	52400	Cone	462447	117.48	4.000		1.421
47420	Cup	461725	44.64	4.724	120	1.031	52400A	Cone	462448	175.74	4.000		1.421
47420A	Cup	461726	210.91	4.724	120	1.031	52400DE*	Cone	462448.3	728.02	4.000		6.250
47420D*	Cup	461727	372.90	4.724	120	2.312	52401	Cone	462449	123.36	4.000		1.421
47423	Cup	461729	162.23	4.750		1.031	52618	Cup	462452	57.44	6.187		1.031
47487	Cone	461730	82.10	2.750		1.281	52618B	Cup	462452.3	395.11	6.187		1.031
47490	Cone	461735	77.25	2.812		1.281	52630X	Cup	462454	960.19	6.299	160	1.031
47620	Cup	461760	39.45	5.250		1.031	52637	Cup	462454.4	76.65	6.375		1.031
47620A	Cup	461824	74.10	5.250		1.031	52637B	Cup	462454.6	337.65	6.375		1.031
47620B	Cup	461825	322.57	5.250		1.031	52637D*	Cup	462454.7	218.96	6.375		2.437
47621	Cup	461827	858.61	5.511	140	1.156	52638	Cup	462455	75.24	6.375		1.156
47623A	Cup	461832	154.18	5.375		1.750	52639	Cup	462456	213.07	6.375		1.562
47675	Cone	461835	194.84	2.812		1.312	LL52510	Cup	462450	20.98	1.656		.340
47678	Cone	461838	108.14	3.000		1.312	LL52549	Cone	462451	50.48	.875		.440
47679	Cone	461840	80.41	3.000		1.312	53150	Cone	462459	71.50	1.500		1.114
47680	Cone	461856	115.71	3.000		1.312	53162	Cone	462460	68.65	1.625		1.114
47681	Cone	461868	110.95	3.187		1.312	53176	Cone	462464	48.25	1.750		1.114
47685	Cone	461875	276.22	3.250		1.312	53177	Cone	462528	75.35	1.750		1.114
47686	Cone	461888	60.75	3.250		1.312	53178	Cone	462538	49.18	1.750		1.114
47687	Cone	461937	77.02	3.250		1.312	53375	Cup	462592	30.21	3.750		.812
47688	Cone	461940	202.63	3.281		1.312	53376D*	Cup	462606	175.18	3.750		1.750
47820	Cup	461952	64.04	5.750		1.031	53377	Cup	462608	174.90	3.750		.812
47823	Cup	461973	1038.94	5.950		1.031	53387	Cup	462616	32.96	3.875		.812
47825B	Cup	461981	217.68	5.625		1.031	53390D*	Cup	462629	289.79	3.875		1.750
47880	Cone	461998	421.93	3.062		1.375	53398	Cup	462639	727.57	4.000		.812
47890	Cone	462016	103.85	3.625		1.375	55175	Cone	462784	86.16	1.750		1.059
47896	Cone	462029	110.97	3.750		1.375	55176	Cone	462804	155.54	1.750		1.059
47898	Cone	462043	372.06	3.750		1.375	55187	Cone	462807	352.76	1.875		1.059
48120	Cup	462044	79.24	6.375		1.062	55194	Cone	462820	156.41	1.968		1.059
48190	Cone	462045	132.90	4.250		1.375	55194X	Cone	462821	68.80	1.968		1.121
48220	Cup	462050	113.46	7.187		1.312	55196	Cone	462830	84.39	1.967		1.059
48220D*	Cup	462051.5	407.91	7.187		2.875	55197	Cone	462840	168.17	1.967		1.059
48282	Cone	462059	285.55	4.750		1.500	55200	Cone	462848	93.65	2.000		1.059
48286	Cone	462070	183.18	4.875		1.500	55206	Cone	462866	100.37	2.062		1.059
48290	Cone	462075	193.28	5.000	127	1.500	55433D*	Cup	462873	131.36	4.330	110	1.687
48290DW*	Cone	462095	958.53	5.000	127	3.000	55437	Cup	462912	30.56	4.375		.812
NA48290SW	Cone	462111	345.65	5.000	127	1.846	55443	Cup	462920	60.97	4.437		.812
NA48291	Cone	462120	450.78	5.000	127	1.690	55444D*	Cup	462934	185.32	4.437		1.812
48320	Cup	462121	112.09	7.500		1.312	55175C	Cone	462794	51.08	1.750		1.059
48385	Cone	462129	167.61	5.250		1.562	55176C	Cone	462805	66.48	1.750		1.059
NA48385	Cone	462131	566.85	5.250		1.695	55187C	Cone	462808	64.73	1.875		1.059
NA48390	Cone	462133	421.95	5.375		1.695	55200C	Cone	462850	45.72	2.000		1.059
48393	Cone	462134	185.41	5.375		1.562	55206C	Cone	462867	72.43	2.062		1.059
48393A	Cone	462136	473.83	5.375		1.562	55433D*	Cup	462873	131.36	4.330	110	1.687
LM48500LA	Cone	462139	23.51	1.375		.720	55437	Cup	462912	30.56	4.375		.812
LM48510	Cup	462144	6.79	2.562		.550	55443	Cup	462920	60.97	4.437		.812
LM48511	Cup	462154	65.81	2.562		.640	55175C	Cone	462794	51.08	1.750		1.059
LM48511A	Cup	462155	20.72	2.562		.670	55176C	Cone	462805	66.48	1.750		1.059
LM48548	Cone	462208	12.74	1.375		.720	55187C	Cone	462808	64.73	1.875		1.059
LM48548A	Cone	462218	37.70	1.375		.720	55200C	Cone	462850	45.72	2.000		1.059
LM48548C	Cone	462219	22.28	1.375		.720	55206C	Cone	462867	72.43	2.062		1.059
LM48549	Cone	462231	86.70	1.375		.720	55433D*	Cup	462873	131.36	4.330	110	1.687
48620	Cup	462250	131.67	7.875		1.343	55437	Cup	462912	30.56	4.375		.812
48620D*	Cup	462261	433.59	7.875		2.875	55443	Cup	462920	60.97	4.437		.812
48680D*	Cone	462273	981.19	5.500		2.968	55175C	Cone	462794	51.08	1.750		1.059
48684	Cone	462280	290.65	5.625		1.562	55176C	Cone	462805	66.48	1.750		1.059
48685	Cone	462285	252.09	5.625		1.562	55187C	Cone	462808	64.73	1.875		1.059
NA48685SW	Cone	462296	419.66	5.625		1.851	55200C	Cone	462850	45.72	2.000		1.059
NA48686	Cone	462311	453.09	5.625		1.851	55206C	Cone	462867	72.43	2.062		1.059</

Generic is Decimal Bore Size for Cones and Decimal Outside Diameter for Cups
Family is First Part Number in Series

TIMKEN, BOWER, TYSON, HYATT & FINE All Use The Same Bearing Number - Call for Bower & Fine prices.



Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"	Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"
59162	Cone	463127	\$124.21	1.625		1.437	67786	Cone	463447	\$451.21	6.875		1.875
59175	Cone	463128	81.17	1.750		1.437	67787	Cone	463448	459.43	6.875		1.875
59176	Cone	463129	169.34	1.750		1.437	67790	Cone	463450	449.63	7.000		1.875
59187	Cone	463130	411.22	1.875		1.437	67791	Cone	463451	773.01	7.000		1.875
59188	Cone	463131	463.63	1.875		1.437	67820	Cup	463452	326.25	10.500		1.500
59200	Cone	463132	63.15	2.000		1.437	67883	Cone	4634533	832.20	7.250		1.843
59201	Cone	463133	81.71	2.000		1.437	67885	Cone	4634535	587.44	7.500		1.843
59412	Cup	463135	38.58	4.125		1.125	67887	Cone	4634544	1067.33	7.562		1.843
59413	Cup	463136	98.30	4.125		1.125	67920	Cup	463456	464.82	11.125		1.437
59425	Cup	463137	111.47	4.250		1.125	67983	Cone	4634575	636.19	8.000		1.812
59429	Cup	463138	178.71	4.290		1.062	67985	Cone	463458	636.86	8.125		1.812
59429RB	Cup	4631395	178.32	4.290		1.062	67989	Cone	4634588	1048.78	8.250		1.812
64433	Cone	463160	195.08	4.330	110	1.625	L68110	Cup	463460	5.39	2.328		.470
64450	Cone	4631632	164.61	4.500		1.625	JL68111Z	Sold in Set Only			2.362	60	.470
64452A	Cone	4631638	282.15	4.527	115	1.625	L68111	Cup	463488	6.34	2.362	60	.470
64700	Cup	463164	97.63	7.000		1.187	JL68145	Sold in Set Only			1.378		.726
64700D*	Cup	4631641	396.19	7.000		2.750	L68149	Cone	463552	12.26	1.378		.660
64701X	Cup	4631643	498.66	7.007		1.187	68450	Cone	463555	154.22	4.500		1.250
64708	Cup	4631644	882.07	7.086	180	1.187	68462	Cone	463561	137.40	4.625		1.250
64713	Cup	4631645	338.77	7.125		1.187	68463	Cone	463563	287.75	4.625		1.250
65200	Cone	4631646	119.84	2.000		1.750	68709	Cup	463570	141.40	7.086	180	1.000
65201	Cone	463165	325.32	2.000		1.812	68712	Cup	463572	88.28	7.125		1.000
65212	Cone	4631652	111.62	2.125		1.750	68712RB	Cup	463575	323.93	7.125		1.000
65225	Cone	4631655	105.82	2.250		1.750	JL69310	Cup	463585	6.10	2.480	63	.669
65231	Cone	463166	315.98	2.312		1.750	JL69310Z	Cup	463586	9.41	2.480	63	.531
65237	Cone	4631665	95.20	2.375		1.750	JL69345	Cone	463588	37.13	1.496	38	.748
65237A	Cone	4631667	152.04	2.375		1.750	JL69349	Cone	463597	12.41	1.496	38	.669
65500	Cup	463181	58.42	5.000	127	1.375	69354	Cone	463599	236.93	1.187		1.187
65500B	Cup	463182	268.14	5.000	127	1.375	69630	Cup	463601	149.40	6.303		.878
65501	Cup	463185	867.17	5.000	127	1.375	71412	Cone	463608	283.60	4.125		1.937
65505B	Cup	463187	394.25	5.000	127	1.375	71425	Cone	463609	245.92	4.250		1.937
65320	Cup	4631668	59.45	4.500		1.375	71437	Cone	463613	357.48	4.375		1.937
65321	Cup	463167	727.57	4.500		1.375	71450	Cone	463616	188.11	4.500		1.937
65383	Cone	4631673	216.14	1.687		1.750	NA71450	Cone	463638	373.74	4.500		2.096
65385	Cone	4631675	202.82	1.750		1.750	71451	Cone	463650	345.95	4.500		1.937
65390	Cone	463168	107.60	1.937		1.750	71453	Cone	463653	314.53	4.531		1.937
65395	Cone	463175	276.68	2.000		1.750	71455	Cone	463665	380.10	4.531		1.937
66187	Cone	463188	155.50	1.875		1.250	71457TD*	Cone	463670	1048.71	4.562		4.375
66200	Cone	463189	82.51	2.000		1.250	71750	Cup	463680	135.43	7.500		1.375
66212	Cone	463190	77.53	2.125		1.250	71751D*	Cup	463681	500.61	7.500		3.187
NA66212	Cone	463192	444.77	2.125		1.440	72487	Cup	463872	40.40	4.875		1.000
66225	Cone	463195	67.28	2.250		1.250	72488D*	Cup	4638726	312.26	4.875		2.187
66461	Cup	463201	131.39	4.625		.937	72187C	Cone	4638847	110.80	1.875		1.291
66462	Cup	463202	36.01	4.625		.937	72188C	Cone	4638858	84.02	1.875		1.291
66462B	Cup	463204	214.52	4.625		.937	72200C	Cone	463692	70.16	2.000		1.291
66462D*	Cup	463206	192.22	4.625		2.125	72201C	Cone	463707	101.15	2.000		1.291
66520	Cup	463210	49.14	4.812		.937	72212C	Cone	463754	80.69	2.125		1.291
66583	Cone	463218	172.33	2.195		1.250	NA72212C	Cone	463774	336.93	2.125		1.533
66584	Cone	463224	118.43	2.125		1.250	72218C	Cone	463791	91.81	2.187		1.291
66585	Cone	463225	105.87	2.362	60	1.250	72225C	Cone	463828	79.42	2.250		1.291
66586	Cone	463228	280.10	2.361		1.250	72487B	Cup	463872	40.40	4.875		1.000
66587	Cone	463229	281.46	2.250		1.250	72500	Cup	4638728	132.90	5.000	127	1.000
66589	Cone	463231	106.56	2.361		1.250	72500D*	Cup	4638729	242.68	5.000	127	2.245
LM67010	Cup	463232	5.26	2.328		.465	LM72810	Cup	463873	18.21	1.850	47	.472
LM67010Z	Sold in Set Only			2.328		.465	LM72849	Cone	4638733	58.61	.890		.610
LM67014	Cup	463274	13.47	2.440	62	.465	74500	Cone	463875	328.33	5.000	127	1.875
LM67019	Cup	463296	735.35	2.648		.640	74525	Cone	463876	323.03	5.250		1.875
LM67043	Cone	463343	52.62	1.125		.660	NA74525	Cone	4638761	557.38	5.250		2.096
LM67045	Sold in Set Only			1.250		.728	74537	Cone	4638766	318.98	5.375		1.875
LM67047	Cone	463347	659.79	1.250		.660	74550	Cone	463877	283.73	5.500		1.875
LM67048	Cone	463360	10.86	1.250		.660	74550A	Cone	4638773	398.25	5.500		1.875
LM67049A	Cone	463369	17.02	1.250		.660	74845	Cup	4638788	942.28	8.464		1.375
LM67000LA	Cone	463424	29.63	1.250		.660	74850	Cup	4638791	215.45	8.500		1.375
67320	Cup	463428	226.27	8.000		1.500	74850B	Cup	4638792	1062.16	8.500		1.375
67322	Cup	463430	84.43	7.750		1.500	74851CD*	Cup	4638794	1027.71	8.500		3.187
67322D*	Cup	4634303	655.27	7.750		3.375	77350	Cone	4638799	349.46	3.500		1.900
67324	Cup	463434	255.57	8.000		1.812	77362	Cone	463880	254.16	3.625		1.900
67388	Cone	463438	204.62	5.000	127	1.812	77364	Cone	463883	398.55	3.625		1.900
67389	Cone	463439	410.16	5.125		1.812	77375	Cone	463885	181.13	3.750		1.900
67390	Cone	463440	203.92	5.250		1.812	77376	Cone	463887	1048.52	3.750		1.900
67391	Cone	4634408	249.90	5.250		1.812	77675	Cup	463890	99.49	6.750		1.500
67434	Cone	4634414	766.47	4.343		1.187	77676W	Cup	4638903	731.42	6.750		2.250
67675	Cup	4634417	218.59	6.750		.994	77676X	Cup	4638904	639.87	6.750		1.625
67720	Cup	463442	198.89	9.750		1.500	78214	Cone	4638906	259.23	2.125		1.308
67720V	Cup	4634426	887.57	9.750		1.500	78215	Cone	4638908	135.04	2.125		1.308
67780	Cone	463445	528.68	6.500		1.875	78216D*	Cone	4638911	269.82	2.164		2.598
67782	Cone	463446	729.56	6.625		1.875	78225	Cone	4638912	193.37	2.250		1.308
							78238	Cone	4638916	289.76	2.375		1.308
							78238C	Cone	4638917	268.68	2.375		1.308

Continued in next column
Qty Disc: 5% for 2, 20% for 5, 25.6% for 10, 30% for 25, 31% for 50, 33% for 100.

Continued on next page

TIMKEN, FINE & BOWER TAPERED ROLLER BEARINGS

Generic is Decimal Bore Size for Cones and Decimal Outside Diameter for Cups
 Family is First Part Number in Series
TIMKEN, BOWER, TYSON, HYATT & FINE All Use The Same Bearing Number - Call for Bower & Fine prices.

Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"	Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"
78250	Cone	4638918	\$155.65	2.500		1.308							
78250AC	Cone	4638919	258.60	2.500		1.308							
NA78250	Cone	463892	319.00	2.500		1.533							
78255D*	Cone	4638923	643.07	2.558		2.598							
78255X	Cone	4638924	212.64	2.559	65	1.296							
78537	Cup	4638931	80.30	5.375		.926							
78549D*	Cup	4638932	324.52	5.500		2.039							
78551	Cup	4638933	55.82	5.513		.926							
78571	Cup	4638939	203.75	5.708		.905							
78214C	Cone	4638907	324.15	2.125		1.308							
78215C	Cone	4638909	128.62	2.125		1.308							
78225C	Cone	4638913	190.36	2.250		1.308							
78250AC	Cone	4638919	258.60	2.500		1.308							
LM78310A	Cup	4638926	9.86	2.440	62	.535							
LM78310C	Cup	4638927	12.46	2.440	62	.590							
LM78349	Cone	4638929	17.93	1.378		.669							
LM78349A	Cone	463893	23.57	1.378		.669							
81600	Cone	463896	810.42	6.000		1.968							
81962	Cup	4638972	351.42	9.625		1.312							
HM81610	Cup	4638967	25.33	1.850	47	.629							
HM81649	Cone	4638971	77.38	.629	16	.826							
82550	Cone	4638977	1039.39	5.500		2.230							
82576	Cone	4638981	610.78	5.750		2.230							
82587	Cone	4638985	745.58	5.875		2.230							
82931	Cup	4639016	492.89	9.312		1.750							
82950	Cup	463902	329.69	9.500		1.750							
82720	Cup	4639009	986.10	11.375		1.687							
M84210	Cup	4639028	17.60	2.343		.720							
M84249	Cone	463903	43.90	1.000		.910							
M84510	Cup	4639033	14.38	2.250		.580							
M84548	Cone	4639034	42.26	1.000		.765							
M84549	Cone	4639035	53.03	1.063	27	.765							
86100	Cup	463905	300.73	10.000	254	1.312							
86669	Cone	463909	640.19	6.692	170	1.812							
M86610	Cup	4639061	7.83	2.531		.656							
M86643	Cone	4639062	42.56	1.000		.843							
M86647	Cone	4639063	27.36	1.125		.843							
M86648A	Cone	4639065	74.10	1.218		.843							
M86649	Cone	463907	15.57	1.187		.843							
87111	Cup	463910	444.62	11.125		1.437							
87750	Cone	463918	807.65	7.500		1.875							
M88010	Cup	463936	8.02	2.687		.687							
M88010B	Cup	463937	41.18	2.687		.687							
M88011	Cup	463947	87.22	2.687		.687							
M88012	Cup	463949	735.35	2.687		.687							
M88022	Cup	463955	24.63	3.000		.687							
M88040	Cone	463965	34.54	1.125		.875							
M88043	Cone	463970	26.43	1.187		.875							
M88046	Cone	463980	24.14	1.250		.875							
M88047	Cone	463985	164.04	1.312		.875							
M88048	Cone	464000	16.16	1.312		.875							
M88048A	Cone	464006	37.76	1.312		.875							
M88048S	Cone	464008	27.62	1.312		.875							
88126	Cup	464028	741.08	12.625		1.312							
HM88510	Cup	464064	12.80	2.875		.906							
HM88511	Cup	464075	28.76	2.875		.906							
HM88512	Cup	464082	47.02	2.906		.906							
HM88542	Cone	464128	25.80	1.250		1.093							
HM88547	Cone	464192	36.20	1.312		1.093							
HM88547V	Cone	464196	314.92	1.312		1.093							
HM88610	Cup	464256	10.71	2.843		.781							
HM88610A	Cup	464257	670.10	2.843		.781							
HM88611	Cup	464267	608.10	2.834	72	.844							
HM88611AS	Cup	464290	39.41	2.859		.781							
HM88612	Cup	464300	174.51	2.875		.826							
HM88630	Cone	464312	76.34	1.000		1.000							
HM88638	Cone	464315	149.38	1.259	32	1.000							
HM88644	Cone	464317	61.90	1.250		1.000							
HM88648	Cone	464320	23.49	1.406		1.000							
HM88649	Cone	464384	22.67	1.375		1.000							
HM88649A	Cone	464386	35.60	1.375		1.000							
HM89210	Cup	464430	16.85	3.125		.892							
HM89249	Cone	464439	32.72	1.437		1.135							
HM89410	Cup	464448	13.67	3.000		.906							
HM89411	Cup	464474	26.06	3.000		.906							
HM89440	Cone	464499	45.98	1.250		1.125							
HM89443	Cone	464512	36.20	1.312		1.125							
HM89444	Cone	464528	51.08	1.312		1.125							
HM89446	Cone	464576	34.04	1.375		1.125							
HM89446A	Cone	464576	34.04	1.375		1.125							
HM89446B	Cone	464576	34.04	1.375		1.125							
HM89446C	Cone	464576	34.04	1.375		1.125							
HM89446D	Cone	464576	34.04	1.375		1.125							
HM89446E	Cone	464576	34.04	1.375		1.125							
HM89446F	Cone	464576	34.04	1.375		1.125							
HM89446G	Cone	464576	34.04	1.375		1.125							
HM89446H	Cone	464576	34.04	1.375		1.125							
HM89446I	Cone	464576	34.04	1.375		1.125							
HM89446J	Cone	464576	34.04	1.375		1.125							
HM89446K	Cone	464576	34.04	1.375		1.125							
HM89446L	Cone	464576	34.04	1.375		1.125							
HM89446M	Cone	464576	34.04	1.375		1.125							
HM89446N	Cone	464576	34.04	1.375		1.125							
HM89446O	Cone	464576	34.04	1.375		1.125							
HM89446P	Cone	464576	34.04	1.375		1.125							
HM89446Q	Cone	464576	34.04	1.375		1.125							
HM89446R	Cone	464576	34.04	1.375		1.125							
HM89446S	Cone	464576	34.04	1.375		1.125							
HM89446T	Cone	464576	34.04	1.375		1.125							
HM89446U	Cone	464576	34.04	1.375		1.125							
HM89446V	Cone	464576	34.04	1.375		1.125							
HM89446W	Cone	464576	34.04	1.375		1.125							
HM89446X	Cone	464576	34.04	1.375		1.125							
HM89446Y	Cone	464576	34.04	1.375		1.125							
HM89446Z	Cone	464576	34.04	1.375		1.125							
HM89447	Cone	464576	34.04	1.375		1.125							
HM89448	Cone	464576	34.04	1.375		1.125							
HM89449	Cone	464576	34										

Generic is Decimal Bore Size for Cones and Decimal Outside Diameter for Cups
Family is First Part Number in Series

TIMKEN, BOWER, TYSON, HYATT & FINE All Use The Same Bearing Number - Call for Bower & Fine prices.




Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"
HM125910	Cup	AB1605	\$644.28	8.062		1.781
T31400	Cup	AB1840	847.43	14.000		1.937
T71450	Cup	AB2090	962.81	14.500		1.312
M201011	Cup	AB3040	17.82	2.875		.840
M201047	Cone	AB3045	30.78	1.562		.870
M201047S	Cone	AB3050	57.51	1.562		.870
HM204010	Cup	AB3085	23.94	1.811	46	1.259
HM204049	Cone	AB3090	48.27	1.811	46	1.259
JM205110	Cup	AB3095	22.67	3.543	90	.905
JM205149	Cone	AB3105	47.02	1.968	50	1.102
JM205149A	Cone	AB3110	51.39	1.968	50	1.102
LL205410	Cup	AB3115	60.54	3.062		.375
LL205410B	Cup	AB3120	876.67	3.062		.375
LL205442	Cone	AB3125	208.79	1.812		.500
LL205449	Cone	AB3130	127.90	2.000		.500
JM207010	Cup	AB3135	23.12	3.740	95	.925
JM207010A	Cup	AB3140	35.84	3.740	95	.964
JM207049	Cone	AB3145	50.82	2.165	55	1.141
JM207049A	Cone	AB3150	68.39	2.165	55	1.141
JH211710	Cup	AB3180	46.28	4.724	120	1.259
JH211749	Cone	AB3185	82.68	2.559	65	1.515
JH211749A	Cone	AB3190	196.01	2.559	65	1.515
HM212010	Cup	AB3195	39.43	4.812		1.170
HM212011	Cup	AB3200	25.74	4.812		1.170
HM212044	Cone	AB3205	63.52	2.375		1.510
HM212046	Cone	AB3210	65.96	2.500		1.510
HM212047	Cone	AB3220	46.72	2.500		1.510
HM212049	Cone	AB3225	44.42	2.625		1.510
HM212049A	Cone	AB3230	179.10	2.625		1.510
HM212049X	Cone	AB3235	115.21	2.625		1.510
H212710	Cup	AB3240	48.36	4.881		1.338
H212749	Cone	AB3245	105.56	2.598	66	1.633
HM215210	Cup	AB3275	57.77	5.196		1.259
HM215249	Cone	AB3280	111.92	2.992	76	1.535
JH217210	Cup	AB3310	108.25	5.905	150	1.496
JH217249	Cone	AB3312	213.85	3.346	85	1.811
L217810	Cup	AB3320	82.27	4.875		.656
L217813	Cup	AB3340	140.21	5.000	127	.750
L217849	Cone	AB3355	159.13	3.500		.812
LL217810	Cup	AB3335	90.06	4.781		.437
LL217849	Cone	AB3360	194.43	3.500		.593
HM218210	Cup	AB3315	42.13	5.787		1.279
HM218215	Cup	AB3370	149.62	6.000		1.279
HM218238	Cone	AB3375	214.78	3.149	80	1.574
HM218248	Cone	AB3385	71.67	3.543	90	1.574
HH221410	Cup	AB3458	160.15	7.500		1.812
HH221449	Cone	AB3540	289.37	4.000		2.265
Z19122	Cup	AB3405	1042.24	12.250		2.500
HM220110	Cup	AB3410	74.74	6.181		1.338
HM220149	Cone	AB3415	145.01	3.937	100	1.653
HH221410	Cup	AB3458	160.15	7.500		1.812
HH221410B	Cup	AB3460	708.45	7.500		1.812
HH221410D*	Cup	AB3465	996.29	7.500		4.125
JHH221413	Cup	AB3480	575.35	7.480	190	1.812
HH221416	Cup	AB3485	584.54	7.875		2.000
HH221430	Cone	AB3490	492.28	3.000		2.265
HH221431	Cone	AB3495	677.72	3.125		2.265
HH221432	Cone	AB3500	654.34	3.437		2.265
HH221434	Cone	AB3505	350.95	3.500		2.265
HH221438	Cone	AB3515	772.66	3.625		2.265
HH221440	Cone	AB3520	560.26	3.750		2.265
HH221442	Cone	AB3530	676.44	3.875		2.265
HH221447	Cone	AB3535	684.83	3.936		2.265
HH221449	Cone	AB3540	289.37	4.000		2.265
HH221449A	Cone	AB3545	623.13	4.000		2.265
HH221449NA	Cone	AB3550	829.89	4.000		2.502
HH224310	Cup	AB3610	244.24	8.375		2.125
HH224310EC	Cup	AB3625	353.95	8.375		2.125
JHH224315	Cup	AB3640	676.92	8.464		2.125
HH224332	Cone	AB3645	1028.60	3.875		2.625
HH224334	Cone	AB3655	1066.16	3.937	100	2.625
HH224335	Cone	AB3660	614.76	4.000		2.625
HH224340	Cone	AB3665	959.71	4.250		2.625
HH224346	Cone	AB3670	536.60	4.500		2.625

Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"
M224710	Cup	AB3700	\$160.32	6.875		1.093
M224711	Cup	AB3715	166.92	6.781		1.093
M224712	Cup	AB3720	205.85	6.875		1.093
M224748	Cone	AB3735	607.53	4.724	120	1.437
M224749	Cone	AB3740	402.77	4.750		1.437
LL225710	Cup	AB3750	134.11	6.531		.531
LL225749	Cone	AB3755	307.07	5.000	127	.687
L225810	Cup	AB3760	82.23	6.687		.812
L225818	Cup	AB3770	119.71	7.125		.812
L225842	Cone	AB3775	258.27	4.750		1.031
L225849	Cone	AB3780	182.58	5.000	127	1.031
HH228310	Cup	AB3795	679.36	10.000	254	2.437
LM229110	Cup	AB3850	214.48	7.677	195	1.082
M229310	Cup	AB3855	463.71	8.000		1.500
M229349	Cone	AB3860	914.66	5.750		1.574
HM231110	Cup	AB3865	309.25	9.312		1.750
HM231132	Cone	AB3895	876.56	5.500		2.230
HM231140	Cone	AB3905	829.15	5.750		2.230
HM231148	Cone	AB3915	979.16	5.875		2.230
HM231149	Cone	AB3920	1005.59	5.875		2.230
M231610	Cup	AB3955	207.30	8.750		1.375
M231649	Cone	AB4020	413.93	6.000		1.843
HH234010	Cup	AB4075	919.14	12.125		2.625
H234610	Cup	AB4165	899.87	10.625		2.437
M235113	Cup	AB4190	540.10	10.000	254	1.312
LM236710A	Cup	AB4230	508.42	9.261		1.102
LM236749	Cone	AB4240	691.86	7.250		1.299
M236810	Cup	AB4245	304.32	10.250		1.625
M236848	Cone	AB4265	898.77	7.000		2.125
M236849	Cone	AB4270	758.13	7.000		2.125
HM237510	Cup	AB4275	592.18	11.375		1.875
HM237535	Cone	AB4305	1078.17	6.500		2.500
HM237545	Cone	AB4345	1057.82	7.000		2.500
M238110	Cup	AB4375	877.98	12.250		2.562
H238810	Cup	AB4395	981.45	10.625		3.687
H239610	Cup	AB4415	910.51	12.597		2.562
H239612	Cup	AB4420	1074.92	12.625		5.562
LM241110	Cup	AB4455	455.88	10.875		1.343
LM241149NW	Cone	AB4480	829.26	8.000		1.882
M241510	Cup	AB4485	621.22	11.500		1.812
M246910	Cup	AB4710	870.24	13.250		2.000
LM300811	Cup	AB5610	7.59	2.677	68	.531
JLM300816	Cup	AB5615	23.10	3.070	78	.531
LM300849	Cone	AB5620	19.57	1.614	41	.708
L305610B	Cup	AB5650	152.56	3.187		.562
L305610D*	Cup	AB5655	308.47	3.187		1.375
L305648	Cone	AB5680	240.65	1.968	50	.718
L305649	Cone	AB5685	78.55	2.000		.718
JH307710	Cup	AB5700	47.15	4.330	110	1.
JH307749	Cone	AB5710	107.23	2.165	55	1.535
JHM318410	Cup	AB5745	74.25	6.102		1.397
JHM318448	Cone	AB5750	147.50	3.543	90	1.732
L319210	Cup	AB5755	89.41	5.125		.656
L319245	Cone	AB5765	327.27	3.625		.843
L319249	Cone	AB5770	190.54	3.750		.843
LL319310	Cup	AB5775	138.07	5.062		.468
LL319349	Cone	AB5780	68.34	3.750		.593
HM321210	Cup	AB5785	158.57	6.750		1.500
HM321245	Cone	AB5790	485.38	3.906		1.937
LL327010	Cup	AB5810	329.58	6.812		.562
LL327049	Cone	AB5815	603.60	5.250		.687
L327210	Cup	AB5820	191.53	6.968	177	.812
L327249	Cone	AB5840	381.77	5.250		1.031
LM328410	Cup	AB5845	199.23	7.375		.906
LM328411	Cup	AB5850	747.23	7.375		1.358
LM328448	Cone	AB5860	299.63	5.500		1.156
LM330410	Cup	AB5915	482.87	8.000		1.375
M348410	Cup	AB5955	720.36	13.625		2.000
M349510	Cup	AB5965	411.70	13.500		1.750

Qty Disc: 5% for 2, 20% for 5, 25.6% for 10, 30% for 25, 31% for 50, 33% for 100.
SIZES can be mixed for discount. *Double Cone or Cup

Generic is Decimal Bore Size for Cones and Decimal Outside Diameter for Cups
Family is First Part Number in Series

TIMKEN, BOWER, TYSON, HYATT & FINE All Use The Same Bearing Number - Call for Bower & Fine prices.




Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D.	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"
H414210	Cup	AB6140	\$56.25	5.375		1.250
H414210B	Cup	AB6145	664.70	5.375		1.250
H414235	Cone	AB6155	143.07	2.500		1.625
H414236	Cone	AB6160	335.57	2.500		1.625
H414242	Cone	AB6165	164.78	2.625		1.625
H414245	Cone	AB6170	182.71	2.687		1.625
H414245X	Cone	AB6175	258.27	2.687		1.625
H414249	Cone	AB6180	100.29	2.813		1.625
JH415610	Cup	AB6185	83.46	5.708	129	1.653
JH415647	Cone	AB6190	166.94	2.952	75	2.007
L420410	Cup	AB6195	105.24	5.375		.656
L420449	Cone	AB6200	235.61	4.000		.843
LL420510	Cup	AB6205	107.40	5.312		.468
LL420549	Cone	AB6210	263.64	4.000		.593
HH421210	Cup	AB6270	261.60	7.250		2.062
HH421246C	Cone	AB6275	588.03	3.875		2.500
LL428310	Cup	AB6335	177.73	7.125		.656
LL428349	Cone	AB6340	366.67	5.500		.812
L432310	Cup	AB6385	309.64	8.093		.718
L432348	Cone	AB6395	708.47	6.250		.937
L432349	Cone	AB6400	372.01	6.250		.937
L433710	Cup	AB6420	501.56	8.500		.812
L433749	Cone	AB6430	704.56	6.500		1.031
L435010	Cup	AB6435	341.58	8.750		.750
L435049	Cone	AB6440	683.14	6.750		.968
451212	Cup	AB6530	1071.49	12.125		2.437
LM451310	Cup	AB6540	559.76	14.000		1.750
LM501310	Cup	AB6705	7.05	2.891		.580
LM501311	Cup	AB6710	21.61	2.891		.716
LM501314	Cup	AB6715	8.39	2.891		.653
LM501334SD*	Cone	AB6725	158.40	1.285sq		2.875
LM501349	Cone	AB6730	16.03	1.625		.780
LM503310	Cup	AB6740	11.85	2.952	75	.551
JLM503319	Cup	AB6745	18.62	3.346	85	.551
LM503349	Cone	AB6750	26.84	1.811	30	.708
LM503349A	Cone	AB6755	23.08	1.811	30	.708
HH506310	Cup	AB6760	44.60	4.500		1.420
HH506311	Cup	AB6765	713.31	4.500		1.420
HH506348	Cone	AB6770	104.03	1.937		1.750
HH506349	Cone	AB6775	195.51	1.968	50	1.750
JLM506810	Cup	AB6780	16.61	3.543	90	.728
JLM506811	Cup	AB6785	19.98	3.543	90	.807
JLM506848E	Sold in Set Only			2.165	55	1.023
JLM506849	Cone	AB6795	31.14	2.165	55	.906
JLM506849A	Cone	AB6800	31.66	2.165	55	.905
L507910	Cup	AB6805	39.73	3.437		.562
L507910B	Cup	AB6810	193.57	3.437		.562
L507945	Cone	AB6820	134.35	2.125		.718
L507949	Cone	AB6825	101.78	2.250		.718
JLM508710	Cup	AB6830	49.44	3.740	95	.748
JLM508748	Cone	AB6835	51.73	2.362	60	.944
LL510710	Cup	AB6840	54.61	3.625		.375
LL510749	Cone	AB6845	128.49	2.500		.500
JM511910	Cup	AB6850	27.10	4.331	110	.886
JM511946	Cone	AB6855	50.11	2.559	65	1.102
M514512	Cup	AB6875	119.71	4.875		1.031
M514546	Cone	AB6880	180.07	2.875		1.550
JM515610	Cup	AB6895	50.72	5.118	130	1.122
JM515649	Cone	AB6905	98.58	3.149	80	1.338
HM515714	Cup	AB6910	108.70	5.511	140	1.312
HM515716	Cup	AB6915	120.75	5.596		1.312
HM515745	Cone	AB6925	227.46	3.000		1.815
HM515749	Cone	AB6930	215.08	3.125		1.815
HM516410	Cup	AB6935	50.31	5.250		1.281
HM516410A	Cup	AB6940	1053.75	5.250		1.281
HM516414B	Cup	AB6945	150.66	5.375		1.281
HM516442	Cone	AB6950	123.12	3.000		1.562
HM516447	Cone	AB6955	169.19	3.187		1.562
HM516448	Cone	AB6960	108.89	3.250		1.562
HM516449C	Cone	AB6965	95.59	3.250		1.562
JHM516810	Cup	AB6975	66.50	5.511	140	1.240
JHM516849	Cone	AB6980	129.01	3.346	85	1.496

*Double Cone or Cup Sizes can be mixed for discount.

Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D.	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"
HM518410	Cup	AB6995	\$38.99	6.000		1.187
HM518445	Cone	AB7000	86.25	3.500		1.562
LL521810	Cup	AB7005	323.31	4.493		.468
L521910	Cup	AB7015	87.53	5.750		.656
L521910D*	Cup	AB7020	246.36	5.750		1.562
L521914	Cup	AB7025	164.22	6.000		.656
L521945	Cone	AB7030	181.71	4.000		.843
L521949	Cone	AB7040	155.80	4.250		.843
LM522510	Cup	AB7050	74.81	6.298		1.062
LM522510D*	Cup	AB7055	565.71	6.298		2.312
LM522546	Cone	AB7080	222.55	4.250		1.375
LM522548	Cone	AB7085	188.76	4.330	110	1.375
LM522549	Cone	AB7090	161.49	4.330	110	1.375
JHM522610	Cup	AB7100	121.37	7.086	180	1.496
JHM522649	Cone	AB7105	247.61	4.330	110	1.811
LL529710	Cup	AB7140	247.07	7.406		.656
LL529749	Cone	AB7145	549.40	5.750		.812
M533310	Cup	AB7150	344.98	9.133	232	1.417
M533349S	Cone	AB7155	877.94	6.500		1.732
JHM534110	Cup	AB7160	195.34	9.055	230	1.220
JHM534149	Cone	AB7165	298.87	6.692	170	1.496
HM535310	Cup	AB7170	859.26	10.250		2.062
LL537610	Cup	AB7200	660.67	9.312		.750
L540010	Cup	AB7215	348.42	10.000	254	.843
L540049	Cone	AB7230	696.81	7.750		1.093
543085	Cone	AB7265	809.36	8.500		1.250
543086	Cone	AB7270	819.92	8.660		1.250
543114	Cup	AB7275	592.07	11.417	290	.875
544091	Cone	AB7300	1070.77	9.125		1.250
544116	Cup	AB7305	599.81	11.625		.937
544118	Cup	AB7310	621.64	11.812		.937
LM545810	Cup	AB7330	501.95	12.375		1.437
LM603011	Cup	AB7565	9.60	3.062		.593
LM603012	Cup	AB7570	9.65	3.062		.656
JLM603013Z	Cup	AB7575	16.46	3.070	78	.590
LM603014	Cup	AB7580	19.33	3.149	80	.593
LM603015	Cup	AB7585	89.80	3.149	80	.656
JLM603048F	Cone	AB7605	40.38	1.771	45	.944
LM603049	Cone	AB7610	17.32	1.781		.781
L610510	Cup	AB7630	35.30	3.718		.593
L610510D*	Cup	AB7635	401.88	3.718		1.375
L610549	Cone	AB7640	88.61	2.500		.750
JM612910	Cup	AB7650	42.09	4.527	115	.905
JM612949	Cone	AB7655	77.38	2.755	70	1.141
LM613410	Cup	AB7660	36.64	4.437		.625
LM613449	Cone	AB7670	57.38	2.750		.866
HM617010	Cup	AB7675	72.26	5.596		1.343
HM617049	Cone	AB7695	118.13	3.375		1.687
L623110	Cup	AB7710	107.23	6.000		.656
L623114	Cup	AB7730	858.61	6.125		.843
L623149	Cone	AB7735	188.20	4.500		.843
L624510	Cup	AB7740	156.26	6.312		.656
L624510B	Cup	AB7745	305.29	6.312		.656
L624514	Cup	AB7750	294.18	6.375		.656
L624549	Cone	AB7760	265.78	4.750		.843
JM624610	Cup	AB7770	444.53	7.086	180	1.023
HM624710	Cup	AB7785	234.59	7.500		1.375
HM624749	Cone	AB7805	378.00	4.750		1.812
L630310	Cup	AB7810	241.45	7.562		.748
L630349	Cone	AB7815	635.04	6.000		.944
LL639210	Cup	AB7830	684.42	9.500		.687
LL641110	Cup	AB7840	760.05	10.281		.843
LL641149	Cone	AB7855	777.22	8.000		1.093
LM654610	Cup	AB7890	869.46	14.996		1.937

Qty Disc: 5% for 2, 20% for 5, 25.6% for 10, 30% for 25, 31% for 50, 33% for 100.

Generic is Decimal Bore Size for Cones and Decimal Outside Diameter for Cups Family is First Part Number in Series
 TIMKEN, BOWER, TYSON, HYATT & FINE All Use The Same Bearing Number - Call for Bower & Fine prices.



TIMKEN®

Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"
JLM704610	Cup	AB8010	\$12.41	3.307	84	.689
JLM704649	Cone	AB8020	27.94	1.968	50	.866
JLM710910	Cup	AB8045	26.49	4.133	105	.728
JLM710949C	Cone	AB8050	61.68	2.559	65	.905
L713010	Cup	AB8060	68.26	4.000		.593
L713012	Cup	AB8070	713.31	4.062		.593
L713049	Cone	AB8085	126.22	2.750		.750
LL713010	Cup	AB8065	133.70	3.875		.375
LL713049	Cone	AB8095	231.33	2.750		.531
LL713110	Cup	AB8100	90.21	3.906		.511
LL713149	Cone	AB8105	398.64	2.750		.629
JLM714110	Cup	AB8110	26.32	4.527	115	.748
JLM714149	Cone	AB8115	57.51	2.952	75	.984
JM714210	Cup	AB8120	37.57	4.724	120	.984
JM714249	Cone	AB8125	65.62	2.952	75	1.161
LL714610	Cup	AB8130	75.74	4.156		.375
LL714649	Cone	AB8140	186.04	3.000		.531
H715310	Cup	AB8145	75.39	5.500		1.437
H715310B	Cup	AB8150	190.23	5.500		1.437
H715311	Cup	AB8155	67.91	5.375		1.437
H715311A	Cup	AB8160	298.35	5.375		1.437
H715311W	Cup	AB8165	1038.94	5.375		1.562
H715311XX	Cup	AB8170	345.04	5.375		1.437
H715313W	Cup	AB8175	105.20	5.375		1.562
H715332	Cone	AB8180	161.71	2.375		1.812
H715334	Cone	AB8185	154.59	2.437		1.812
H715336	Cone	AB8190	180.63	2.500		1.812
H715340	Cone	AB8195	285.29	2.562		1.812
H715341	Cone	AB8200	132.08	2.625		1.812
H715343	Cone	AB8210	145.64	2.687		1.812
H715345	Cone	AB8220	140.60	2.812		1.812
H715345XX	Cone	AB8225	652.24	2.812		1.812
H715346	Cone	AB8230	280.20	3.000		1.812
H715346XX	Cone	AB8235	604.79	3.000		1.812
H715347	Cone	AB8240	254.42	2.755	70	1.812
H715348	Cone	AB8245	189.35	3.062		1.812
LM716412	Cup	AB8250	492.89	5.125		.872
LM716449	Cone	AB8260	509.95	3.250		1.062
JM716610	Cup	AB8265	35.53	5.118	130	.944
JM716648	Cone	AB8270	85.32	3.346	85	1.141
JM716649	Cone	AB8275	62.96	3.346	85	1.141
JM718110	Cup	AB8290	52.75	5.708	145	1.063
JM718149	Cone	AB8295	127.10	3.543	90	1.338
JM718149A	Cone	AB8300	121.35	3.543	90	1.338
LM718910	Cup	AB8305	165.69	5.625		.866
LM718947	Cone	AB8310	328.11	3.622	92	1.181
JM719113	Cup	AB8315	54.41	5.905	150	1.063
JM719149	Cone	AB8320	98.58	3.740	95	1.338
JHM720210	Cup	AB8330	72.58	6.299	160	1.259
JHM720249	Cone	AB8345	154.40	3.937	100	1.574
JM720210	Cup	AB8335	63.82	6.102	155	1.102
JM720249	Cone	AB8350	140.88	3.937	100	1.378
LM720610	Cup	AB8355	288.75	5.750		.750
LM720648	Cone	AB8360	778.20	4.000		1.000
JLM722948	Cone	AB8400	503.42	4.527	115	1.063
L724310	Cup	AB8430	288.47	6.562		.750
JL724314	Cup	AB8435	327.11	6.692	170	.750
L724349	Cone	AB8455	482.59	5.000	127	1.000
L725311	Cup	AB8460	1067.33	6.750		.720
L730610	Cup	AB8470	504.98	8.000		.844
L730649	Cone	AB8475	605.11	6.000		1.125
JM734410	Cup	AB8490	311.80	9.448	240	1.456
JM734449	Cone	AB8505	584.54	6.692	170	1.752
JM734449A	Cone	AB8510	931.84	6.692	170	1.752
JM736110	Cup	AB8535	279.14	9.842	250	1.456
JM736149	Cone	AB8540	527.84	7.086	180	1.771
JM738210	Cup	AB8565	279.62	10.236	260	1.437
JM738249	Cone	AB8570	549.81	7.480	190	1.732
LM739710	Cup	AB8580	390.37	10.125		1.875
LM739749	Cone	AB8590	606.11	7.750		1.562
LM742710	Cup	AB8595	465.16	11.250		1.375
LM742745	Cone	AB8615	726.72	8.375		1.812
LM742749	Cone	AB8635	606.89	8.500		1.812
LL758715	Cup	AB8805	1007.86	15.000	381	.812

Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"
HM801310	Cup	AB8970	\$26.28	3.250		.906
HM801311	Cup	AB8975	51.13	3.250		.906
HM801346	Cone	AB8980	55.97	1.500		1.125
HM801346X	Cone	AB8985	38.69	1.500		1.125
HM801349	Cone	AB8990	58.55	1.593		1.125
M802011	Cup	AB8995	11.57	3.250		.795
M802047	Cone	AB9000	123.41	1.625		1.010
M802048	Cone	AB9005	23.53	1.625		1.010
HM803110	Cup	AB9010	22.45	3.500		.906
HM803110RB	Cup	AB9015	241.15	3.500		.906
HM803111	Cup	AB9020	34.39	3.500		.906
HM803112	Cup	AB9025	83.14	3.625		.906
HM803145	Cone	AB9030	45.35	1.625		1.156
HM803146	Cone	AB9035	40.59	1.625		1.156
HM803149	Cone	AB9040	36.36	1.750		1.156
M804010	Cup	AB9045	21.84	3.500		.750
M804048	Cone	AB9050	56.47	1.875		1.000
M804049	Cone	AB9055	33.37	1.875		1.000
HM804810	Cup	AB9060	25.67	3.750		.906
HM804811	Cup	AB9065	41.74	3.750		.906
HM804840	Cone	AB9080	53.20	1.625		1.156
HM804842	Cone	AB9085	66.27	1.750		1.156
HM804843	Cone	AB9090	51.60	1.750		1.156
HM804846	Cone	AB9095	47.02	1.875		1.156
HM804848	Cone	AB9100	54.13	1.906		1.156
HM804849	Cone	AB9110	48.45	1.906		1.156
LM806310	Cup	AB9115	101.56	3.500		.578
LM806349C	Cone	AB9120	475.63	2.125		.797
LM806610	Cup	AB9125	21.84	3.500		.531
LM806649	Cone	AB9130	49.76	2.125		.750
HM807010	Cup	AB9135	28.74	4.125		1.125
HM807010B	Cup	AB9140	87.72	4.125		1.125
HM807010XX	Cup	AB9145	354.34	4.125		1.125
HM807011	Cup	AB9150	97.30	4.125		1.125
JHM807012	Cup	AB9155	41.48	4.133	105	1.141
HM807015BR	Cup	AB9160	719.43	4.920		1.125
HM807035	Cone	AB9165	118.65	1.625		1.437
HM807040	Cone	AB9170	63.84	1.750		1.437
HM807044	Cone	AB9175	87.76	1.937		1.437
JHM807045	Cone	AB9180	78.12	1.968	50	1.417
HM807046	Cone	AB9185	63.78	2.000		1.437
HM807048	Cone	AB9195	76.09	2.145		1.437
HM807049	Cone	AB9200	75.33	2.125		1.437
HM807049A	Cone	AB9205	109.61	2.125		1.437
L812111	Cup	AB9215	26.75	4.063		.472
L812147	Cone	AB9220	132.14	2.625		.679
L812148	Cone	AB9225	62.27	2.625		.693
JLM813010	Cup	AB9230	29.07	4.330	110	.807
JLM813049	Cone	AB9235	74.77	2.755	70	.984
HM813810	Cup	AB9240	45.07	5.000	127	1.062
HM813811	Cup	AB9245	60.25	5.000	127	1.062
HM813836	Cone	AB9250	321.40	2.000		1.437
HM813839	Cone	AB9255	142.65	2.362	60	1.437
HM813840	Cone	AB9260	135.93	2.187		1.437
HM813841	Cone	AB9265	85.38	2.375		1.437
HM813841A	Cone	AB9270	356.01	2.375		1.437
HM813842	Cone	AB9275	88.93	2.500		1.437
HM813843	Cone	AB9285	156.93	2.437		1.437
HM813844	Cone	AB9290	78.98	2.625		1.437
HM813846	Cone	AB9295	197.20	2.750		1.437
HM813849	Cone	AB9300	87.66	2.812		1.437
HH814510	Cup	AB9305	123.56	6.000		1.625
HH814542	Cone	AB9315	891.11	2.375		2.075
HH814547	Cone	AB9320	452.99	2.625		2.250
L814710	Cup	AB9325	66.22	4.312		.593
L814749	Cone	AB9345	113.48	3.000		.750
LM814810	Cup	AB9355	36.72	4.625		.750
LM814849	Cone	AB9370	64.04	3.062		1.000
H816210	Cup	AB9375	946.65	6.496	165	1.427
JL819310	Cup	AB9385	42.13	5.315	135	.551
JL819349	Cone	AB9386	78.44	3.740	95	.787
JLM820012	Cup	AB9387	176.07	5.905	150	1.023
JLM820048	Cone	AB9388	365.91	3.937	100	1.181
HM821547	Cone	AB9392	844.09	3.936		1.812
JM822010	Cup	AB9393	65.36	6.496	165	1.043
JM822049	Cone	AB9394	120.55	4.330	110	1.378

*Double Cup or Cone
 Qty Disc: 5% for 2, 20% for 5, 25.6% for 10, 30% for 25, 31% for 50, 33% for 100.



TIMKEN, BOWER, TYSON, HYATT & FINE All Use The Same Bearing Number - Call for Bower & Fine prices.



Timken Number	Type	Our Sequence Number	Per Each	Cone Bore "A" Cup O.D. "B"	Cone Bore or Cup O.D. MM	Cup or Cone Length Inches "D" or "E"
JHM840410	Cup	AB9405	\$811.83	11.811	300	2.007
L853010	Cup	AB9450	687.19	13.875		.937
L860010	Cup	AB9475	734.53	16.375		1.375
HM903210	Cup	AB9540	33.63	3.750		.875
HM903216	Cup	AB9542	51.39	3.875		.875
HM903241	Cone	AB9544	153.08	1.500		1.125
HM903244	Cone	AB9546	69.08	1.625		1.114
HM903245	Cone	AB9548	76.99	1.625		1.125
HM903247	Cone	AB9550	54.20	1.750		1.114
HM903249	Cone	AB9554	53.55	1.750		1.125
HM903249A	Cone	AB9556	60.49	1.750		1.114
M903310	Cup	AB9558	35.71	3.625		.656
M903345	Cone	AB9560	71.22	1.625		.937
HM905810	Cup	AB9562	63.45	4.133	105	.920
HM905843	Cone	AB9564	93.65	1.771	45	1.250
HM907614	Cup	AB9566	102.54	4.375		.812
HM907616	Cup	AB9568	38.32	4.437		.812
HM907635	Cone	AB9570	905.75	1.750		1.125
HM907639	Cone	AB9572	228.32	1.875		1.125
HM907643	Cone	AB9574	83.01	2.000		1.125
L910310	Cup	AB9576	24.50	3.740	95	.472
L910349	Cone	AB9578	58.11	2.499		.610
HM911210	Cup	AB9580	74.55	5.125		.937
HM911210B	Cup	AB9582	480.86	5.125		.937
JHM911211	Cup	AB9584	213.70	5.118	130	.891
HM911216	Cup	AB9586	304.23	5.314		.864
HM911242	Cone	AB9588	151.69	2.125		1.312
HM911244	Cone	AB9592	151.09	2.362	60	1.217
HM911245	Cone	AB9594	135.54	2.375		1.312
HM911249	Cone	AB9596	320.13	2.437		1.312
H913810	Cup	AB9600	77.38	5.750		1.000
JH913811	Cup	AB9602	142.24	5.905	150	1.000
H913840	Cone	AB9606	347.36	2.362	60	1.562
H913842	Cone	AB9608	269.50	2.437		1.562
H913843	Cone	AB9610	248.17	2.437		1.562
JH913848	Cone	AB9612	392.99	2.755	70	1.562
H913849	Cone	AB9614	214.67	2.750		1.562
HH914412	Cup	AB9616	266.47	7.000		1.468
HH914449	Cone	AB9620	713.60	2.625		2.125
HM914510	Cup	AB9622	833.41	5.750		.937
HM914545	Cone	AB9624	732.63	2.750		1.312
H914811	Cup	AB96245	240.43	6.000		1.381
H914841	Cone	AB9625	593.54	2.687		1.181
H916610	Cup	AB9626	311.89	6.937		1.437
H917810	Cup	AB9630	263.70	7.125		1.406
H917840	Cone	AB9632	757.69	3.000		2.093
M919048	Cone	AB9638	659.74	3.542		1.187
H919911	Cup	AB9642	388.54	7.625		1.358
LM921810	Cup	AB9654	858.24	7.000		.750
HH923610	Cup	AB9668	669.76	9.875		2.000
HH923649	Cone	AB9672	1046.74	4.000		2.875
H924010	Cup	AB9674	318.70	8.437		1.562
H924033	Cone	AB9678	757.69	4.000		2.062
H924045	Cone	AB9682	567.35	4.375		2.062
HH926710	Cup	AB9692	748.76	10.750		2.125
HM926710	Cup	AB9694	392.36	9.000		1.500
HM926710D*	Cup	AB9696	1164.18	9.000		3.312
HM926740	Cone	AB9706	789.03	4.500		1.946
HM926745	Cone	AB9714	997.74	4.933		1.946
HM926747	Cone	AB9716	732.02	5.000	127	1.946
HM926749	Cone	AB9722	936.94	5.031		1.946

Qty Disc: 5% for 2, 20% for 5, 25.6% for 10, 30% for 25, 31% for 50, 33% for 100.
*Double Cone or Cup

TIMKEN THRUST BEARINGS

NO Oil Holes in Retainer Part No.	Our Sequence Number	Per Each	Oil Holes in Retainer Part No.	Our Sequence Number	Per Each	Bore Inches "D"	Outside Diam. Inches "T"
T63	441900	\$12.52	-----		\$....	.635	1.625
T76	441901	14.14	T76W	4419011	11.98	.760	1.625
T77	441902	11.92	T77W	4419022	15.79	.760	1.625
T82	441903	9.15	T82W	4419031	11.31	.822	1.625
T86	441905	11.33	-----	797	1.562
T88	441906	12.18	T88W	4419061	15.68	.885	1.890
T89	441907	22.51	-----	885	1.890
T92	441908	32.85	-----	938	1.770
T93	4419085	24.89	-----	947	1.770
T94	441909	14.62	T94W	4419091	18.45	.947	1.890
T95	441910	15.96	T95W	4419101	16.50	.950	2.000
T101	441913	14.60	T101W	4419131	14.73	1.010	2.000
T102	441914	23.68	-----		1.010	2.000
T104	441917	12.65	T104W	4419171	16.65	1.035	2.000
T105	441918	10.75	-----		1.010	2.000
T107	441920	16.74	T107W	4419201	17.50	1.072	2.000
T110	441923	13.04	T110W	4419231	16.57	1.135	2.094
T113	441926	15.40	T113W	4419261	15.79	1.135	2.187
T114	441927	19.64	T114W	4419271	27.83	1.010	2.187
T119	441932	15.92	T119W	4419321	13.67	1.197	2.187
T120	441933	19.94	-----		1.197	2.155
T126	441937	13.13	T126W	4419373	18.86	1.260	2.187
-----		T126AW	4419372	20.26	1.260	2.187
T127	441938	33.15	T127W	4419381	38.50	1.260	2.625
T128	441939	44.86	-----		1.260	2.625
T136	4419431	46.33	-----		1.385	2.625
T138	441944	40.57	T138W	4419441	41.03	1.385	2.625
T139	441945	16.09	T139W	4419451	26.67	1.385	2.312
T142	441947	30.86	T142W	4419471	39.21	1.385	2.468
T144	441948	51.69	T144W	4419481	42.45	1.447	2.625
T149	441949	24.24	-----		1.508	2.593
T151	441950	44.08	T151W	4419501	47.97	1.510	2.859
T152	441951	40.18	-----		1.510	2.859
T157	4419531	54.03	T157W	4419532	58.29	1.573	2.859
T163	4419534	42.15	T163W	4419535	56.84	1.635	2.859
T169	4419538	43.41	T169W	441954	59.48	1.697	3.266
T176	441955	62.70	T176W	4419551	75.61	1.760	3.266
T177	441956	48.83	-----		1.771	2.874
T178	4419565	47.02	-----		1.590	2.874
T182	441957	52.25	T182W	4419571	70.94	1.822	3.266
T188	441958	65.25	T188W	4419581	59.89	1.885	3.266
T189	441959	63.78	T189W	4419591	64.49	1.885	3.266
T193	441961	79.81	T193W	4419612	95.27	1.947	3.672
T195	441963	1016.53	-----		1.947	3.672
T199	441964	22.51	T199W	4419641	23.83	2.010	2.937
T201	441966	100.33	T201W	4419661	104.94	2.010	3.672
T202	441967	94.62	T202W	4419671	96.26	2.010	3.672
T208	441968	82.98	T208W	4419681	74.85	2.072	3.672
T209	441969	75.61	T209W	4419691	93.02	2.072	3.672
T251	441975	140.12	T251W	4419751	169.80	2.510	4.375
T252	4419752	187.25	T252W	4419753	159.29	2.510	4.375
T301	441977	287.69	T301W	4419771	247.37	3.010	5.250
T302	4419772	283.04	T302W	4419773	285.31	3.010	5.250
T309	4419774	52.40	-----		3.093	4.031
T350	442391	437.11	-----		3.500	5.250
T387	443414	73.06	T387W	443415	192.22	3.875	5.000
-----		T402W	443641	993.24	4.020	7.146
T484	444343	238.07	-----		4.843	6.000
T581	445817	169.39	-----		5.812	7.000
T1260	447225	67.63	T1260W	447226	66.44	1.260	2.187
T1380	447303	53.18	-----		1.385	2.346
T1880	447447	71.50	-----		1.885	3.276
T1920	447457	100.72	-----		1.882	3.365
T1921	447458	59.89	-----		1.822	3.150
T1930	447479	95.31	-----		1.974	3.365

Generic is Decimal Bore Size for Cones and Decimal Outside Diameter for Cups
Family is First Part Number in Series




**TIMKEN, BOWER,
TYSON, HYATT & FINE**
All Use The Same
Bearing Number

TIMKEN SETS OF CONES AND CUPS

Part Number	Our Sequence Number	Per Each	Contents of Set
Set No. 1	AB9820	\$16.09	LM11710 Cup & LM11749 Cone
Set No. 2	AB9825	13.54	LM11910 Cup & LM11949 Cone
Set No. 3	AB9830	17.35	M12610 Cup & M12649 Cone
Set No. 4	AB9835	17.17	L44610 Cup & L44649 Cone
Set No. 5	AB9840	19.53	LM48510 Cup & LM48548 Cone
Set No. 6	AB9845	16.83	LM67010 Cup & LM67048 Cone
Set No. 7	AB9850	92.76	M201011 Cup & M201047 Cone & K108601 Collar
Set No. 8	AB9855	16.03	L45410 Cup & L45449 Cone
Set No. 9	AB9860	63.61	U261L Cup & U298 Cone & K426897 Collar
Set No. 10	AB9862	68.52	U360L Cup & U399 Cone & K426898 Collar
Set No. 11	AB9863	18.51	JL69310 Cup & JL69349 Cone
Set No. 12	AB9864	15.07	LM12710 Cup & LM12749 Cone
Set No. 13	AB9866	17.65	L68110 Cup & L68149 Cone
Set No. 14	AB9870	17.28	L44610 Cup & L44643 Cone
Set No. 15	AB9874	23.70	07196 Cup & 07100 Cone
Set No. 16	AB9876	15.44	LM127811 Cup & LM12749 Cone
Set No. 17	AB9877	18.60	L68111 Cup & L68149 Cone
Set No. 20	AB9878	76.39	U399A, K518783, K523967
Set No. 21	AB9880	52.51	1922 Cup & 1988 Cone
Set No. 22	AB9882	112.38	2/LM670120 Cup&2/LM67045 Cones
Set No. 23	AB9884	212.48	2/LM104911 Cups, 2/LM104949E Cones & 104911EA Spacer
Set No. 24	AB9886	24.91	JL68111 Cup, JL68145 Cone
Set No. 25	AB9888	153.97	506810 Cup & JLM506848E Cone
Set No. 26	AB9890	47.36	JLM104910E Cup&JLM104946 Cone
Set No. 28	AB9892	35.62	15520 Cup & J15585 Cone
Set No. 30	AB9894	65.73	LM67010 Cup & JLM67042 Cone
Set No. 34	AB9896	20.35	LM12710 Cup & LM12748F Cone
Set No. 36	AB9900	26.97	LM603012 Cup & LM603049 Cone
Set No. 37	AB9902	26.93	LM603011 Cup & LM603049 Cone
Set No. 38	AB9904	28.96	LM104911 Cup & LM104949 Cone
Set No. 42	AB9910	51.65	JLM506811 Cup&JLM506849A Cone
Set No. 45	AB9912	23.08	LM501310 Cup & LM501349 Cone
Set No. 46	AB9914	33.44	JL26710 Cup & JL26749F Cone
Set No. 47	AB9916	23.31	LM102910 Cup & LM102949 Cone




**TIMKEN UNIT BEARINGS
COMPLETE CONE & CUP UNIT**



Part Number	Our Sequence Number	Per Each	Width Inches "D"	Inches "B"
U199	4419645	\$71.54	1.181	.767

TIMKEN STEERING GEAR BEARINGS



CAGE & ROLLER CUP


Part Number	Type	Our Sequence Number	Per Each	Base Diam. Inches "F"	Race Length Inches "E"	Outside Inches "D"	Width Inches "C"
5BA	Cage	441791	\$13.93	1.105	.288
5BC	Cage	441792	9.60	1.114	.309
11BA	Cage	441871	11.53	1.299	.299
11BC	Cage	4418711	10.36	1.310	.319
13C	Cup	441873	16.67	1.938	.453
15BA	Cage	441874	52.53	1.420	2.880
15BC	Cage	4418741	51.02	1.433	3.081
16	Cup	441875	187.90	2.047	.468
21BA	Cage	441880	16.95	1.360	.375
21BC	Cage	4418801	45.35	1.375	.402
23	Cup	441882	531.28	2.186	.437
24	Cup	441883	37.00	2.186	.468
31BA	Cage	441888	38.35	1.582	.375
31BC	Cage	4418881	18.60	1.599	.407
32C	Cup	4418891	46.89	2.405	.468
35BA	Cage	441892	47.28	1.700	.437
35BC	Cage	4418921	18.51	1.718	.437
45BC	Cage	441896	16.57	2.223	.437
46	Cup	441897	21.26	3.125	.520
47	Cup	441898	39.19	3.437	1.010
47W	Cup	4418981	688.51	3.437	1.010

Qty Disc: 5% for 2, 20% for 5, 25.6% for 10, 30% for 25, 31% for 50, 33% for 100.
Sizes can be mixed for discount

© 2008 by Baum Hydraulics Corporation
1-800-228-9222 www.baumhydraulics.com
Prices subject to change without notice

**Most Tapered Roller Bearings Are
Made to Fractional Inch Dimensions.
EXPLANATION OF TIMKEN BEARING SYMBOLS**

Prefix	Suffix	Cone or Cup	Explanation
A	Cone		Different bore
A	Cone		Different radius
A	Cup		Different O.D..
A	Cup		Different radius
A	Cup		Different length
AB	Cup		Flanged cup
AC	Cup		Different O.D. or Length and radius
AD	Cup		Double cup
AS	Cone & Cup		Different bore or O.D. or length and radius
AW	Cone & Cup		Keyway or slotted cone or cup
AX	Cone & Cup		Different bore or O.D. or length and radius
B	Cup		Flanged cup
B	Cone		Cone using Brass Cage
BS	Cup		Flanged cup
BW	Cup		Flanged cup with slot
C	Cup		Dimensionally Different
CN	Cup		Neoprene cushioned cup
CP	Cone & Cup		Flash chrome plated
CR	Cone & Cup		Rib cup bearing series
D	Cone & Cup		Double cone or Double cup
DA	Cone		Double cone
DA	Cup		Spherical O.D. double dup
DB	Cup		Double cup with flange
DC	Cup		Double cup with hole for locking pin
DD	Cone & Cup		Special long double cone or cup
DE	Cone & Cup		Double cone or cup with different dimensions
DP	Cone		Double cone with puller groove
DR	Cup		Double cup for rib cup series
DS	Cup		Crowned O.D. double cup
DT	Cup		Tapered O.D. double cup
DW	Cone & Cup		Double cone or cup with keyway or slot
DX	Cup		Adapter for spherical or straight O.D. cup
DX	Cup		Threaded O.D. double cup
E	Cone & Cup		Both with special characteristics
ED	Cup		Double cup
EE	Cone		Double rib-close guided rolls
EH	Cone & Cup		Extra heavy series
EL	Cone & Cup		Extra light series
F	Cone & Cup		Factory identification only
H	Cone & Cup		Heavy series
HH	Cone & Cup		Heavy-Heavy series
HM	Cone & Cup		Heavy-Medium series
L	Cone & cup		Light series
LA	Cone		Assembled with Duo-faced series
LB	Cone		Assembled w/ Duo-faced series & inner oring
LL	Cone & Cup		Light-Light series
LM	Cone & Cup		Light-Medium series
M	Cone & Cup		Medium series
MM	Cone & Cup		Factory identification only
NA	Cone		Two cones mated with double cup to form double row non-adjustable bearing
NC	Cup		Cushioned cup (Usually neoprene)
NR	Cone		'NA' type ribless cone for rib cup
NW	Cone		'NA' type cone with slot front face
NX	Cone		Lapped front face
P	Cone		Puller groove
RC	Cone & Cup		Special ribbed cup bearing
RB	Cup		Snap ring on O.D.
S	Cone & Cup		Special feature bearing
SA	Cone & Cup		Special feature bearing
SB	Cone		Cone with brass cage
SB	Cup		Flanged cup
SC	Cone		Cone with square bore
SD	Cup		Double cup
SW	Cone & Cup		Slot or keyway
T	Cone		Thrust bearings assemblies
T	Cone		Tapered bore
T	Cup		Tapered O.D.
TA	Cone		Tapered bore 'NA' type cone
TA	Cup		Tapered O.D.
TB	Cone		Tapered bore cone with brass cage
TC	Cone		Thrust bearing assembly
TD	Cone		Tapered bore double cone
TE	Cone		Tapered bore cone with extended rib
TP	Cone		Tapered bore cone with puller groove
TW	Cone & Cup		TP cone bore or cup O.D. with slots
W	Cone & Cup		Slot or keyway
W	Cone		Type number 2 slot
WA	Cone		Type number 1 slot
WB	Cone		Type number 3 slot
WC	Cone		Type number 4 slot
WD	Cone		Special type slot
WE	Cone & Cup		Extended keyway cone or cup
X	Cone		Slot or keyway
XD	Cone & Cup		Double
XW	Cone		Slotted
YD	Cup		Double



Comparative Outside Diameters Of 55mm Bore Bearings At Left

ISO Bearings are made to same I.D. and O.D. dimensions as metric ball bearings in light, medium & extra light. ISO Bearings are SOLD IN SETS ONLY and are made to metric dimension standards set by the International standard organization and are the same size I.D. and O.D. as each corresponding size metric radial ball bearings. Cups are stamped with X prefix to assembly number and cones are stamped with Y prefix to assembly number and number without prefix is for an assembly or set of cone and cup. To find inch dimensions, just divide metric dimensions by 25.4 and you get inch dimensions.

Cone Bore Size "A"		Cup Outside Diam. "B"		Timken Number	Our Sequence Number	Per Each	Timken Number	Our Sequence Number	Per Each	Timken Number	Our Sequence Number	Per Each
MM	Inch	MM	Inch									

LIGHT SERIES BEARINGS


				30200 ISO SERIES NARROW			32200 ISO SERIES MEDIUM			33200 ISO SERIES WIDE		
17	.6693	40	1.5748	30203	460046	\$23.36						
20	.7874	47	1.8504	30204M	460049	23.03						
25	.9843	52	2.0472	30205M	460051	23.25				33205	4602065	\$25.04
30	1.1811	62	2.4409	30206M	460053	25.59	32206M	4601957	\$31.04			
35	1.3780	72	2.8346	30207M	460054	31.64	32207M	460196	38.82	33207	4602067	46.35
40	1.5748	80	3.1496	30208M	460055	35.30	32208M	4601968	40.94	33208	4602068	105.11
45	1.7717	85	3.3465	30209M	460056	41.09	32209M	4601969	65.01	33209	4602075	51.45
50	1.9685	90	3.5433	30210M	460057	43.97	32210M	460197	53.87	33210	460208	63.39
55	2.1654	100	3.9370	30211M	460058	50.52	32211M	4601971	56.88	33211	460211	83.16
60	2.3622	110	4.3307	30212M	460059	67.24	32212M	4601972	67.37	33212	460212	105.74
65	2.5591	120	4.7244	30213M	460060	80.76	32213	4601973	110.69	33213M	4602132	119.95
70	2.7559	125	4.9213	30214	460061	81.86	32214	4601974	92.69	33214	4602134	149.34
75	2.9528	130	5.1181	30215M	460062	91.14				33215	4602136	125.91
80	3.1496	140	5.5118	30216M	460063	126.69	32216	4601976	129.05	33216	4602138	203.43
85	3.3465	150	5.9055	30217M	460064	119.38				33217	460214	204.29
90	3.5433	160	6.2992	30218M	460065	150.35	32218M	4601978	179.75			
95	3.7402	170	6.6929	30219M	460067	195.84	32219	4601979	262.56			
100	3.9370	180	7.0866				32220M	460198	328.52			


MEDIUM SERIES BEARINGS

				30300 ISO SERIES NARROW			31300 ISO SERIES MEDIUM			32300 ISO SERIES WIDE		
15	.5906	42	1.6535	30302	460068	27.40						
17	.6693	47	1.8504	30303	460069	30.08						
20	.7874	52	2.0472	30304	460070	25.80				32304M	4601984	29.95
25	.9843	62	2.4409	30305M	460072	29.78				32305	4601985	40.38
30	1.1811	72	2.8346	30306M	460074	37.20				32306	4601986	47.54
35	1.3780	80	3.1496	30307M	460075	56.25				32307	4601987	48.51
40	1.5748	90	3.5433	30308M	460076	53.70	31308	460083	69.16	32308	4601988	63.54
45	1.7717	100	3.9370	30309M	460077	68.08				32309M	460199	88.20
50	1.9685	110	4.3307	30310	460078	78.57				32310	460201	120.81
55	2.1654	120	4.7244	30311	460079	88.50				32311M	4602012	154.51
60	2.3622	130	5.1181	30312	460080	130.15				32312	4602013	140.12
65	2.5591	140	5.5118	30313	460081	189.80				32313M	4602015	210.74
70	2.7559	150	5.9055							32314M	4602016	249.97


EXTRA LIGHT SERIES BEARINGS

				32000 ISO SERIES NARROW			33000 ISO SERIES MEDIUM		
25	.9843	47	1.8504	32005X	4601915	23.31			
30	1.1811	55	2.1654	32006X	4601916	28.83			
35	1.3780	62	2.4409	32007X	4601917	48.16			
40	1.5748	68	2.6772	32008XM				
45	1.7717	75	2.9528	32009X				
50	1.9685	80	3.1496	32010X	4601923	42.80			
55	2.1654	90	3.5433	32011XM	4601925	43.08			
60	2.3622	95	3.7402	32012X	4601927	55.00	33012	460202	102.49
65	2.5591	100	3.9370	32013X	4601929	69.03	33013	460203	68.43
70	2.7559	110	4.3307	32014XM	460193	78.59			
75	2.9528	115	4.5276	32015X	4601935	181.76	33015	4602032	105.71
80	3.1496	120	4.7244	32016X	4601936	100.91			
85	3.3465	125	4.9213	32017X	4601937	112.40			
90	3.5433	140	5.5118	32018X	4601938	107.57			
95	3.7402	145	5.7087	32019X	4601939	130.76	33019	4602034	142.18
100	3.9370	150	5.9055	32020X	460194	142.52	33020	4602038	191.96







Speedi-Sleeve with standard single-lip seal.




Speedi-Sleeve with combination lip seal.



SIZE OF SLEEVE SHOWN BY LAST 3 DIGITS OF PART NUMBER



Two sleeves for double seal installation.




Flange removed for double seal installation.


Speedi-Sleeve® was created to fill a need. It is less costly than custom renewal of seal surfaces, either by welding or machine shop resleeving. It reduces downtime because the installation of a Speedi-Sleeve® offers a custom finish, chrome plated sealing surface of corrosion resistant stainless steel. Oversize seals need not be used. The original equipment type of seal or first-class replacements of exactly the same size are suitable.

C/R Number	Shaft Diam. Range		Width Ins.	Our Sequence Number	Per Each
	Min. Ins.	Max. Ins.			
99049	.469	.475	.236	317312	\$31.21
99050	.498	.502	.250	317313	31.21
99055	.547	.551	.250	3173132	31.21
99056	.560	.566	.250	317314	31.21
99059	.589	.593	.197	317315	29.21
99060	.682	.686	.313	317316	29.54
99062	.623	.627	.313	317317	31.21
99068	.667	.671	.315	317318	31.21
99076	.748	.752	.313	317320	31.21
99078	.785	.789	.315	317322	29.72
99080	.780	.784	.313	317324	31.21
99081	.759	.761	.313	317325	31.21
99082	.704	.709	.315	317326	31.21
99084	.861	.866	.259	3173262	34.47
99085	.861	.866	.315	317327	29.21
99086	.857	.861	.250	317328	31.21
99087	.873	.877	.313	317330	31.21
99091	.908	.912	.313	317331	31.21
99094	.966	.970	.313	317332	31.21
99096	.966	.970	.625	317334	32.69
99098	.982	.986	.313	317336	31.21
99100	.998	1.002	.313	317346	32.02
99103	1.019	1.024	.315	317347	32.02
99106	1.060	1.064	.313	317348	31.21
99108	1.087	1.091	.313	317349	31.21
99111	1.100	1.104	.375	317350	30.10
99112	1.123	1.127	.313	317352	31.21
99114	1.179	1.184	.315	317354	31.21
99118	1.185	1.190	.313	317356	31.21
99120	1.154	1.158	.375	317358	31.21
99122	1.173	1.178	.313	317360	31.21
99123	1.216	1.222	.313	317361	31.21
99125	1.247	1.253	.313	317362	31.44
99128	1.257	1.263	.315	317364	32.04
99129	1.308	1.314	.250	317366	32.04
99131	1.310	1.316	.500	317368	32.04
99133	1.371	1.377	.313	317370	31.57
99138	1.371	1.377	.500	317372	32.04
99139	1.375	1.381	.512	317374	32.86
99141	1.237	1.243	.315	317376	31.21
99143	1.432	1.438	.563	317378	32.86
99144	1.435	1.441	.375	317379	31.10
99146	1.412	1.417	.512	317380	32.86
99147	1.490	1.496	.512	317381	33.64
99149	1.497	1.503	.563	317382	34.60
99150	1.497	1.503	.375	317384	35.25
99152	1.520	1.526	.438	317385	33.64
99153	1.569	1.575	.389	3173852	31.48
99155	1.549	1.555	.438	317386	34.60
99156	1.559	1.565	.563	317388	33.64
99157	1.572	1.578	.512	317390	34.47
99160	1.602	1.608	.500	317391	35.47
99161	1.622	1.628	.313	317392	34.47
99162	1.623	1.628	.563	317394	35.47
99163	1.608	1.614	.500	3173942	34.47

C/R Number	Shaft Diam. Range		Width Ins.	Our Sequence Number	Per Each
	Min. Ins.	Max. Ins.			
99166	1.647	1.653	.445	317395	\$34.47
99167	1.685	1.691	.313	317396	34.47
99168	1.684	1.690	.563	317400	34.47
99169	1.647	1.653	.563	317401	34.47
99170	1.736	1.752	.375	317402	34.43
99171	1.715	1.721	.563	317403	34.47
99172	1.747	1.753	.375	317404	34.14
99174	1.748	1.753	.563	317406	35.18
99175	1.747	1.753	.750	317408	34.07
99176	1.761	1.767	.563	317410	35.18
99177	1.769	1.775	.551	317412	35.23
99179	1.778	1.784	.667	317414	35.23
99180	1.747	1.753	.531	317415	35.81
99181	1.809	1.815	.563	317416	35.70
99182	1.687	1.693	.500	3174162	34.47
99184	1.872	1.878	.375	317417	36.36
99185	1.857	1.863	.563	317418	36.01
99186	1.866	1.872	.889	317420	36.01
99187	1.872	1.878	.563	317422	36.48
99188	1.872	1.878	.295	317423	36.01
99189	1.887	1.893	.551	317424	36.63
99190	1.872	1.878	.175	317425	36.01
99192	1.909	1.915	.375	317426	36.63
99193	1.934	1.940	.563	317428	36.63
99196	1.965	1.971	.551	317430	38.77
99198	1.997	1.983	.563	317431	38.77
99199	1.997	2.003	.563	317432	39.78
99200	1.997	2.003	.875	317442	38.77
99204	2.040	2.047	.500	317443	39.17
99205	2.057	2.063	.781	317444	39.17
99210	2.123	2.128	.500	317446	37.30
99212	2.124	2.130	.781	317448	40.04
99215	2.162	2.168	.787	317450	38.28
99218	2.186	2.192	.781	317452	41.18
99220	2.198	2.205	.500	317453	40.04
99225	2.249	2.255	.781	317454	41.60
99226	2.237	2.243	.764	317456	41.18
99227	2.249	2.255	.313	317458	41.18
99229	2.227	2.233	.500	317459	41.18
99230	2.227	2.233	.781	317460	41.18
99231	2.309	2.315	.781	317462	41.18
99233	2.327	2.333	.750	317464	41.18
99235	2.369	2.365	.787	317466	39.06
99237	2.374	2.380	.781	317470	42.41
99238	2.372	2.378	.594	317472	41.18
99240	2.374	2.380	.526	317473	39.06
99241	2.359	2.365	.370	3174735	41.18
99242	2.435	2.441	.500	317474	41.56
99243	2.434	2.440	.781	317476	41.56
99244	2.433	2.441	.500	317477	41.56
99248	2.500	2.506	.500	317478	43.01
99249	2.489	2.496	.781	317480	41.67
99250	2.500	2.506	.781	317482	42.27
99251	2.510	2.516	.781	317484	42.70
99253	2.497	2.503	.555	317485	41.34
99254	2.556	2.562	.787	317486	42.70
99256	2.560	2.566	.781	317488	42.70
99259	2.595	2.601	.781	317490	42.70
99260	2.622	2.628	.500	317492	38.19
99261	2.618	2.624	.781	317494	44.90
99262	2.625	2.631	.781	317496	38.68
99264	2.621	2.627	.781	317498	42.70
99266	2.670	2.677	.750	317499	41.56
99267	2.747	2.753	1.438	317500	36.48
99268	2.727	2.733	.781	317502	43.01
99269	2.750	2.756	1.125	317504	36.63
99272	2.750	2.756	.406	317508	44.17
99273	2.740	2.746	.781	317510	44.17
99274	2.745	2.751	.781	317512	39.02
99275	2.750	2.756	.781	317514	39.02
99276	2.753	2.759	.787	317516	41.47
99281	2.809	2.815	.594	317518	44.95




Speedi-Sleeve with standard single-lip seal.




Speedi-Sleeve with combination lip seal.


SIZE OF SLEEVE SHOWN BY LAST 3 DIGITS OF PART NUMBER



Two sleeves for double seal installation.




Flange removed for double seal installation.



Speedi-Sleeve® was created to fill a need. It is less costly than custom renewal of seal surfaces, either by welding or machine shop resleeving. It reduces downtime because the installation of a Speedi-Sleeve® offers a custom finish, chrome plated sealing surface of corrosion resistant stainless steel. Oversize seals need not be used. The original equipment type of seal or first-class replacements of exactly the same size are suitable.

C/R Number	Shaft Diam. Range		Width Ins.	Our Sequence Number	Per Each
	Min. Ins.	Max. Ins.			
99282	2.838	2.844	.500	317520	\$44.17
99284	2.827	2.835	.750	3175202	44.17
99286	2.866	2.872	.781	317522	43.01
99287	2.873	2.879	.781	3175223	44.17
99289	2.950	2.956	.594	3175225	43.77
99290	2.937	2.943	.500	317525	38.28
99291	2.990	2.996	.484	3175255	41.47
99292	2.972	2.976	.813	3175256	29.39
99293	2.937	2.943	.781	317526	39.46
99294	2.950	2.956	.866	317528	43.77
99296	2.997	3.003	.813	317530	39.82
99298	2.990	2.996	.563	317532	43.01
99299	2.990	2.996	.813	317534	40.62
99300	3.000	3.006	.813	317544	39.82
99301	3.008	3.014	.500	317546	39.35
99303	3.000	3.006	.625	317548	37.50
99306	3.063	3.071	.750	317549	44.17
99307	3.124	3.132	.551	317550	43.77
99311	3.120	3.126	.688	317552	41.63
99312	3.120	3.126	.813	317554	44.99
99313	3.142	3.150	.750	317556	41.00
99315	3.146	3.153	.827	317558	40.71
99317	3.146	3.153	.433	317559	42.70
99322	3.247	3.253	.813	317560	42.70
99324	3.250	3.256	.595	317562	42.70
99325	3.250	3.256	.813	317564	43.25
99326	3.250	3.256	.688	317566	42.70
99328	3.225	3.231	.660	317568	51.35
99331	3.307	3.313	.813	3175685	43.37
99332	3.338	3.346	.669	317569	48.83
99333	3.337	3.346	.827	317572	51.08
99334	3.338	3.346	.399	317573	44.59
99337	3.373	3.379	.813	317574	44.59
99338	3.373	3.379	.375	317575	44.59
99339	3.435	3.441	.781	317576	42.41
99340	3.477	3.483	.781	317577	44.59
99346	3.497	3.503	.625	3175775	41.38
99347	3.500	3.506	.313	317578	43.01
99349	3.501	3.507	.625	317579	42.41
99350	3.500	3.506	.813	317580	43.52
99351	3.540	3.546	.710	317581	46.40
99352	3.540	3.546	.438	317582	48.83
99353	3.540	3.546	.526	317583	48.83
99354	3.540	3.546	.906	3175845	48.83
99356	3.560	3.566	.813	317584	46.18
99359	3.727	3.733	.469	317586	47.42
99360	3.618	3.624	.813	317588	47.00
99362	3.623	3.629	.813	317590	47.42
99363	3.623	3.629	.500	317592	47.00
99364	3.740	3.746	.469	317594	44.68
99365	3.685	3.691	.813	317596	47.42
99366	3.727	3.733	.781	317598	45.82
99367	3.750	3.756	.344	317600	45.82
99368	3.684	3.690	.313	317602	49.81
99369	3.737	3.743	.827	317604	48.14
99372	3.750	3.756	.688	317606	47.98

C/R Number	Shaft Diam. Range		Width Ins.	Our Sequence Number	Per Each
	Min. Ins.	Max. Ins.			
99374	3.740	3.743	.344	317608	\$47.00
99376	3.746	3.752	.563	317612	47.00
99386	3.868	3.874	.813	317614	48.14
99387	3.873	3.879	.813	317616	48.14
99393	3.935	3.941	.813	317618	48.54
99395	3.998	4.006	.600	317620	46.91
99399	3.998	4.006	.813	317622	50.17
99400	3.998	4.006	.650	317628	48.83
99401	3.998	4.006	.500	317632	48.83
99409	4.090	4.098	.787	317633	55.85
99412	4.122	4.130	.813	317634	59.22
99413	4.130	4.138	.787	317636	63.52
99418	4.183	4.191	.813	317638	66.82
99423	4.226	4.234	.781	317640	68.61
99424	4.248	4.256	.813	317642	70.19
99434	4.322	4.331	.448	3176422	78.17
99435	4.327	4.335	.509	317643	78.17
99437	4.370	4.378	.813	317644	74.22
99438	4.401	4.409	.750	317646	74.22
99439	4.434	4.442	1.000	317647	78.28
99450	4.496	4.504	.813	317648	78.28
99452	4.523	4.531	.813	317650	86.35
99463	4.621	4.629	1.000	317652	82.21
99465	4.621	4.629	.438	317654	82.21
99468	4.685	4.693	.813	317656	86.11
99471	4.720	4.728	.315	317657	86.11
99472	4.799	4.807	.787	317658	86.11
99473	4.720	4.728	.787	317659	86.11
99475	4.746	4.754	.500	317660	82.05
99484	4.839	4.847	.787	317662	86.11
99487	4.871	4.879	.625	317663	86.11
99490	4.917	4.925	.394	317664	89.72
99491	5.117	5.125	.866	317665	118.33
99492	4.917	4.925	1.024	317666	86.40
99494	5.110	5.118	.750	317667	114.00
99498	4.998	5.006	.688	317668	109.54
99499	4.998	5.006	.813	317669	114.60
99501	4.998	5.006	.540	317670	113.58
99513	5.120	5.128	.813	317671	118.33
99525	5.246	5.254	.813	317672	118.33
99533	5.307	5.315	.807	317673	120.87
99537	5.371	5.379	.813	317674	126.55
99547	5.472	5.480	.563	317675	120.87
99548	5.434	5.442	1.500	317676	120.87
99549	5.498	5.503	.813	317678	120.87
99552	5.508	5.516	.807	317679	124.99
99562	5.726	5.734	.563	317680	126.55
99571	5.700	5.709	.750	3176802	126.55
99575	5.746	5.754	.813	317681	126.55
99587	5.871	5.879	1.000	317682	124.99
99595	5.895	5.905	1.024	317683	112.55
99596	5.934	5.942	1.000	317684	131.32
99599	5.995	6.000	1.000	317686	117.10
99601	5.995	6.003	.500	317696	119.35
99605	6.058	6.068	1.024	317698	119.35
99606	6.092	6.102	1.024	317699	131.32
99620	6.198	6.208	.813	317700	131.32
99625	6.245	6.255	1.031	317701	186.17
99630	6.289	6.299	1.000	317702	186.17
99640	6.683	6.693	1.250	317703	212.55
99650	6.495	6.505	1.000	317704	212.55
99687	6.880	6.890	1.102	317707	252.66
99725	7.244	7.254	1.250	317712	231.26
99726	7.273	7.283	1.260	317713	231.26



Qty. Disc: 5 pcs. 5%; 10 pcs. 10%; 25 pcs. 12%; 50 pcs. 14%; 100 pcs. 20%. Seal O.D. is approximately .004 larger than its bore diameter of housing for press fit.

Package of 1

Generic is Decimal I.D. x O.D. Family is Decimal I.D. or Shaft Size

Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Wide Inches	Seal Type	Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Wide Inches	Seal Type
.250" (1/4") Shaft						.250" (1/4") Shaft					
2450	305700	\$2.72	.499	.188	1	6130	306294	\$3.95	.937	.188	1
2452	305702	9.03	.499	.188	--	6134	306296	5.80	.987	.250	2
2470	305704	5.19	.562	.188	1	6139	306298	10.86	.999	.250	4
2490	305706	5.19	.626	.250	1	6141	306300	4.77	.999	.250	4
2560	305712	4.62	.749	.188	1	6143	306302	4.28	.999	.250	2
2513	305710	15.18	.749	.250	2	6147	306304	8.23	.999	.250	4
.313" (5/16") Shaft						.313" (5/16") Shaft					
3050	305776	5.15	.626	.203	1	6151	306307	6.73	.999	.250	P
3060	305778	3.03	.626	.156	1	6152	306308	4.91	1.000	.125	1
3080	305780	5.89	.633	.141	1	6155	306309	4.01	1.062	.188	1
3094	305786	6.44	.686	.313	P	6157	306310	6.04	1.063	.250	2
3101	305790	4.93	.749	.250	P	6158	306312	5.19	1.063	.250	1
3103	305792	15.18	.749	.250	P	6184	306316	10.55	1.124	.375	P
3140	305796	5.11	.749	.250	1	6191	306317	6.27	1.124	.250	P
3086	305782	5.75	.862	.250	1	6213	306332	9.68	1.124	.250	2
3171	305804	7.31	.999	.313	P	6215	306334	15.01	1.124	.250	4
3230	305806	9.79	1.250	.375	--	6225	306336	3.88	1.124	.250	1
.375" (3/8") Shaft						.375" (3/8") Shaft					
3632	305864	1.54	.628	.197	--	6229	306338	4.79	1.124	.375	P
3645	305866	3.61	.687	.156	1	6232	306340	18.46	1.126	.250	P
3680	305868	5.46	.750	.250	4	6247	306342	5.84	1.181	.250	4
3683	305872	3.86	.749	.250	1	6280	306346	10.79	1.250	.313	2
3687	305874	3.83	.749	.250	2	6309	306354	12.49	1.250	.250	P
3688	305876	10.41	.749	.250	2	6323	306360	4.75	1.250	.250	1
3689	305878	14.83	.749	.250	P	6330	306362	5.24	1.259	.250	1
3719	305888	6.87	.836	.188	2	6367	306366	21.96	1.375	.250	3
3725	305890	5.37	.875	.250	2	6370	306368	4.82	1.375	.250	1
3727	305892	4.79	.875	.250	1	6371	306369	7.69	1.375	.250	P
3751	305898	5.28	.999	.250	2	6372	306370	4.99	1.375	.250	2
3752	305900	10.08	.999	.250	2	6373	306372	5.08	1.375	.250	4
3806	305910	5.60	1.124	.250	2	6379	306374	11.30	1.375	.250	2
3807	305912	14.54	1.124	.375	P	6383	306376	16.52	1.375	.250	4
.404" Shaft						.404" Shaft					
4010	305927	4.68	.620	.188	1	6386	306382	4.73	1.499	.250	2
4012	305928	5.75	.862	.250	1	6388	306384	19.20	1.375	.375	P
.425" Shaft						.425" Shaft					
4100	305930	20.71	.875	.313	3	6391	306386	7.40	1.377	.250	5
.438" (7/16") Shaft						.438" (7/16") Shaft					
4231	305942	4.46	.836	.188	1	6393	3063865	17.86	1.500	.313	P
4247	305945	17.97	.875	.313	2	.656" (21/32") Shaft					
4249	305954	8.47	.875	.250	2	6521	306424	4.33	1.124	.313	2
4251	305956	4.70	.875	.250	2	6541	306426	5.71	1.250	.250	2
4260	305960	7.09	.875	.250	4	6556	306430	5.75	1.375	.313	2
4261	305962	6.27	.875	.375	4	6580	306434	4.48	1.575	.250	2
4340	305974	5.15	.999	.250	1	.669" (17mm) Shaft					
4355	305978	7.25	.999	.375	2	6595	306436	5.89	.999	.188	2
4356	305980	13.29	.999	.250	2	6728	306490	18.84	1.064	.250	2
4390	305982	5.69	1.124	.250	2	6729	306492	5.69	1.064	.250	2
.469" (15/32") Shaft						.469" (15/32") Shaft					
4623	305992	8.52	.836	.188	1	6806	306520	5.19	1.250	.250	1
4628	305994	5.22	.875	.219	1	6641	306461	13.78	1.378	.276	4
4641	305996	6.87	.999	.313	--	6597	306438	19.60	1.573	.281	2
.500" (1/2") Shaft						.500" (1/2") Shaft					
4909	306042	5.89	.688	.170	2	.688" (11/16") Shaft					
4911	306046	3.46	.688	.094	1	6720	306488	5.13	.999	.188	1
4912	306048	3.05	.750	.125	1	6738	306493	6.11	1.124	.190	2
4913	306050	5.73	.749	.125	2	6741	306494	3.92	1.124	.250	2
4914	306052	3.92	.820	.156	1	6743	306496	20.00	1.124	.250	2
4923	306054	4.08	.843	.250	1	6745	306498	10.35	1.124	.250	2
4925	306055	5.17	.875	.125	1	6759	306500	5.22	1.125	.250	1
4931	306056	3.83	.875	.250	2	6762	306502	5.19	1.187	.124	1
.594" (19/32") Shaft						.594" (19/32") Shaft					
5926	306272	5.71	1.124	.313	2	6763	306504	4.48	1.187	.188	2
5946	306274	3.92	1.124	.250	1	6765	306506	5.37	1.250	.250	4
5950	306276	5.71	1.250	.313	4	6767	306508	5.53	1.250	.313	2
5966	306278	7.40	1.375	.313	4	6768	306510	10.93	1.250	.313	2
.610" Shaft						.610" Shaft					
6103	306284	13.62	1.102	.600	SP	.624" Shaft					
.624" Shaft						.624" Shaft					
6243	306341	5.28	1.131	.188	1	.625" (5/8") Shaft					
.625" (5/8") Shaft						.625" (5/8") Shaft					
6119	306288	4.75	.875	.094	1	6119	306288	4.75	.875	.094	1
6120	306290	4.19	.875	.188	2	6120	306290	4.19	.875	.188	2
6125	306292	4.82	.933	.188	1	6125	306292	4.82	.933	.188	1

Package of 1 Generic is Decimal I.D. x O.D. Family is Decimal I.D. or Shaft Size
Qty. Disc: 5 pcs. 5%; 10 pcs. 10%; 25 pcs. 12%; 50 pcs. 14%; 100 pcs. 20%. Seal O.D. is approximately .004 larger than its bore diameter of housing for press fit.

Table with columns: Oil Seal Number, Our Sequence Number, Per Each, Housing Diam., Wide Inches, Seal Type. Includes sections for .736" Shaft, .750" (3/4") Shaft, .762" Shaft, .781" (25/32") Shaft, .781" (25/32") Shaft, .787" (20mm) Shaft, .813" (1-3/16") Shaft.

Table with columns: Oil Seal Number, Our Sequence Number, Per Each, Housing Diam., Width Inches, Seal Type. Includes sections for .844" (27/32") Shaft, .875" (7/8") Shaft, .878" Shaft, .938" (15/16") Shaft, .950" Shaft, .969" (31/32") Shaft, .984" (63/64") Shaft.

Table with columns: Oil Seal Number, Our Sequence Number, Per Each, Housing Diam., Width Inches, Seal Type. Includes sections for 1.000" (1") Shaft, 1.063" (1-1/16") Shaft, 1.094" (1-3/32") Shaft.

Package of 1

Generic is Decimal I.D. x O.D. Family is Decimal I.D. or Shaft Size

Qty. Disc: 5 pcs. 5%; 10 pcs. 10%; 25 pcs. 12%; 50 pcs. 14%; 100 pcs. 20%. Seal O.D. is approximately .004 larger than its bore diameter of housing for press fit.


Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Wide Inches	Seal Type	Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Wide Inches	Seal Type	Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Wide Inches	Seal Type
1.098" Shaft						1.188" (1-3/16") Shaft						1.250" (1-1/4") Shaft					
10927	307559	\$10.17	1.693	.314	4	11585	307772	\$6.93	1.874	.375	2	12445	308054	\$18.08	2.000	.250	2
1.102" Shaft						1.190" Shaft						1.260" (32mm) Shaft					
10938	307566	9.77	1.732	.354	3	11710	307838	17.32	1.561	.313	2	11899	307906	15.01	2.122	.350	--
10956	307570	10.23	1.913	.315	--	11717	307839	28.61	1.687	.250	3	1.219" (1-7/32") Shaft					
10966	307575	25.13	1.890	.550	6	11728	307842	8.76	1.686	.250	2	12121	307938	0.00	1.968	.469	1
1.125" (1-1/8") Shaft						1.192" Shaft						1.221" (31mm) Shaft					
11035	307588	4.39	1.368	.125	1	11730	307848	3.97	1.687	.250	2	12301	307946	12.55	1.811	.315	4
11050	307590	3.77	1.375	.125	1	11733	307850	24.19	1.716	.270	2	1.234" (1-15/64") Shaft					
11052	307592	8.92	1.375	.125	1	11734	307852	6.56	1.752	.250	2	12590	308110	10.03	2.250	.250	2
11055	307594	5.69	1.438	.203	1	11736	307854	17.28	1.752	.250	2	1.250" (1-1/4") Shaft					
11060	307596	4.01	1.499	.188	1	11740	307856	6.98	1.828	.375	2	11096	307623	6.18	1.625	.188	1
11061	307598	7.25	1.499	.188	2	11763	307868	10.95	1.875	.250	2	12325	307948	6.40	1.624	.250	1
11065	307602	13.89	1.562	.188	1	11764	307869	13.29	1.875	.250	2	12327	307950	14.45	1.751	.290	--
11066	307604	7.87	1.561	.250	2	11771	307870	9.01	1.996	.250	1	12329	307952	4.79	1.625	.188	2
11067	307606	5.04	1.561	.250	2	11776	307871	7.05	1.983	.250	2	12330	307954	3.08	1.500	.125	1
11071	307610	13.49	1.561	.250	2	11777	307872	7.09	1.983	.250	4	12333	307956	8.87	1.687	.313	P
11081	307614	7.31	1.562	.250	1	11800	307884	6.51	2.000	.250	2	12334	307958	6.31	1.686	.188	1
11082	307616	6.93	1.565	.250	2	11801	307886	6.78	2.000	.250	4	12335	307960	14.43	1.687	.250	2
11086	307620	6.60	1.575	.250	4	11806	307888	14.36	2.000	.250	2	12336	307962	5.55	1.687	.250	2
11111	307624	8.43	1.624	.250	2	11836	307890	12.89	2.000	.250	1	12337	307964	16.39	1.687	.250	4
11123	307626	4.79	1.624	.250	2	11878	307898	6.80	2.062	.250	2	12339	307965	22.72	1.750	.250	P
11124	307628	3.72	1.624	.250	4	11879	307899	12.22	2.062	.250	2	12340	307966	21.03	1.752	.250	2
11130	307630	4.77	1.624	.250	1	11907	307912	7.20	2.125	.313	2	12343	307970	20.76	1.752	.250	4
11133	307632	14.87	1.624	.250	2	11911	307914	9.50	2.165	.250	2	12350	307974	5.89	1.687	.313	4
11134	307634	17.75	1.624	.250	4	11919	307916	6.87	2.250	.250	2	12355	307976	10.66	1.752	.391	4
11136	307635	8.41	1.693	.250	4	11923	307920	8.07	2.437	.250	2	12360	307982	6.69	1.750	.250	P
11138	307638	4.62	1.752	.250	2	11930	307924	5.82	2.441	.250	2	12361	307984	6.80	1.752	.188	1
11139	307639	21.07	1.626	.250	P	1.190" Shaft						1.313" (1-5/16") Shaft					
11143	307642	17.23	1.630	.313	--	11846	307896	8.43	1.996	.250	1	12886	308216	7.22	1.850	.313	4
11144	307644	13.65	1.752	.250	2	1.192" Shaft						1.301" Shaft					
11150	307646	7.00	1.750	.250	1	11899	307906	15.01	2.122	.350	--	13005	308226	14.47	2.323	.669	--
11161	307648	5.04	1.781	.250	1	1.219" (1-7/32") Shaft						1.299" Shaft					
11164	307650	5.69	1.781	.469	1	12121	307938	0.00	1.968	.469	1	12886	308216	7.22	1.850	.313	4
11170	307654	7.18	1.828	.250	2	12131	307941	11.48	2.000	.438	3	13005	308226	14.47	2.323	.669	--
11171	307656	6.69	1.828	.250	4	1.221" (31mm) Shaft						1.301" Shaft					
11172	307658	13.49	1.828	.250	2	12301	307946	12.55	1.811	.315	4	12900	308218	12.35	1.969	.469	4
11175	307660	15.45	1.828	.250	4	1.234" (1-15/64") Shaft						1.313" (1-5/16") Shaft					
11191	307662	7.09	1.828	.250	1	12590	308110	10.03	2.250	.250	2	12905	308220	8.43	2.000	.438	4
11197	307666	6.53	1.852	.313	3	1.250" (1-1/4") Shaft						1.299" Shaft					
11200	307667	10.14	1.852	.313	5	11096	307623	6.18	1.625	.188	1	13005	308226	14.47	2.323	.669	--
11207	307676	13.56	1.874	.250	2	12325	307948	6.40	1.624	.250	1	1.301" Shaft					
11208	307678	21.03	1.874	.250	4	12327	307950	14.45	1.751	.290	--	12900	308218	12.35	1.969	.469	4
11209	307680	5.60	1.874	.250	2	12329	307952	4.79	1.625	.188	2	12905	308220	8.43	2.000	.438	4
11223	307682	5.53	1.874	.250	4	12330	307954	3.08	1.500	.125	1	12907	308222	14.45	2.046	.492	4
11269	307690	11.10	1.938	.563	1	12333	307956	8.87	1.687	.313	P	12925	308224	11.77	2.621	1.331	--
11284	307696	17.44	1.938	.625	1	12334	307958	6.31	1.686	.188	1	1.313" (1-5/16") Shaft					
11299	307698	6.29	1.983	.250	2	12335	307960	14.43	1.687	.250	2	13021	308234	9.07	1.828	.375	2
11334	307714	7.74	2.000	.250	1	12336	307962	5.55	1.687	.250	2	13027	308236	9.16	1.874	.375	4
11340	307718	5.46	2.000	.250	2	12337	307964	16.39	1.687	.250	4	13037	308237	8.52	2.000	.313	4
11343	307720	5.06	2.000	.375	4	12339	307965	22.72	1.750	.250	P	13050	308238	6.91	2.062	.313	2
11344	307722	19.71	2.000	.250	2	12340	307966	21.03	1.752	.250	2	13052	308240	7.27	2.062	.313	4
11352	307724	8.70	2.047	.250	1	12343	307970	20.76	1.752	.250	4	13054	308242	17.32	2.062	.313	2
11353	307725	6.62	2.047	.313	4	12350	307974	5.89	1.687	.313	4	13060	308244	9.63	2.063	.250	1
11366	307728	6.93	2.062	.313	2	12355	307976	10.66	1.752	.391	4	13084	308250	9.10	2.106	.438	4
11368	307730	15.30	2.062	.250	4	12360	307982	6.69	1.750	.250	P	13092	308252	7.71	2.125	.313	2
11372	307734	6.60	2.125	.313	2	12361	307984	6.80	1.752	.188	1	13112	308264	10.21	2.250	.313	2
11378	307740	10.23	2.250	.250	2	12363	307986	5.46	1.752	.250	2	13157	308268	16.50	2.282	.250	4
11392	307744	8.14	2.441	.250	2	12364	307988	4.99	1.752	.250	4	13165	308272	14.31	2.281	.906	2
1.156" (1-5/32") Shaft						1.190" Shaft						1.328" (1-21/64") Shaft					
11512	307752	17.44	1.686	.313	4	12369	307990	5.82	1.752	.250	1	13350	308300	23.10	2.061	.313	2
11514	307754	7.87	1.752	.300	4	12371	307994	12.08	1.752	.313	2	13415	308310	10.14	2.031	.313	2
11518	307756	7.96	1.686	.250	4	12375	307997	6.80	1.828	.188	1	13418	308312	19.53	2.227	.313	2
11524	307758	5.53	1.874	.250	2	12379	308000	6.69	1.874	.250	1	13419	308314	18.77	2.312	.433	2
11536	307759	19.31	1.875	.375	4	12382	308004	8.34	1.874	.250	2	1.339" Shaft					
11544	307760	8.14	2.000	.250	2	12383	308006	15.01	1.874	.250	4	13439	308327	8.18	2.125	.354	--
11545	307761	5.60	2.000	.250	4	12388	308008	5.93	1.874	.250	2	13478	308337	9.83	2.480	.610	4
11550	307764	17.99	2.000	.250	2	12386	308010	5.35	1.874	.250	4	1.344" (1-11/32") Shaft					
11557	307768	7.56	2.062	.313	2	12391	308014	8.09	1.938	.250	2	13421	308316	9.92	2.106	.313	2
1.175" Shaft																	

Package of 1 Generic is Decimal I.D. x O.D. Family is Decimal I.D. or Shaft Size
 Qty. Disc: 5 pcs. 5%; 10 pcs. 10%; 25 pcs. 12%; 50 pcs. 14%; 100 pcs. 20%. Seal O.D. is approximately .004 larger than its bore diameter of housing for press fit.

Oil Seal Number	Our Seq. Number	Per Each	Housing Diam.	Width Inches	Seal Type
1.359" (1-23/64") Shaft					
13499	308340	\$32.75	2.188	.375	--
1.362" Shaft					
13500	308350	9.43	2.191	.250	2
1.365" Shaft					
13598	308428	20.00	2.081	.313	2
13985	308642	9.48	1.956	.438	2
13700	308498	9.14	2.261	.313	2
1.375" (1-3/8") Shaft					
13509	308353	12.66	1.750	.197	1
13510	308354	17.32	1.828	.250	4
13511	308356	13.49	1.873	.313	2
13512	308358	8.70	1.874	.250	2
13514	308359	9.36	1.750	.250	2
13527	308360	22.94	1.953	.500	4
13529	308362	5.17	1.750	.197	1
13533	308364	6.09	1.834	.188	1
13534	308366	5.46	1.874	.250	2
13535	308368	10.03	1.874	.313	4
13536	308370	7.20	1.835	.250	2
13537	308372	5.69	1.828	.313	2
13538	308374	13.89	1.874	.250	2
13543	308382	5.46	1.874	.188	1
13545	308384	5.75	1.874	.250	1
13548	308388	6.20	1.874	.250	1
13552	308390	12.71	1.938	.250	4
13556	308392	8.41	1.938	.250	1
13557	308394	6.71	1.983	.313	2
13562	308400	10.08	2.000	.313	4
13568	308404	5.31	2.000	.313	2
13569	308406	6.27	2.000	.313	4
13571	308408	10.03	2.000	.313	3
13573	308410	6.80	2.000	.250	1
13579	308412	15.18	2.000	.313	2
13581	308414	19.71	2.000	.313	4
13582	308416	17.75	2.062	.313	2
13585	308418	7.00	2.062	.313	2
13588	308420	8.34	2.062	.313	4
13596	308426	7.38	2.063	.250	2
13602	308438	9.50	2.106	.313	4
13612	308442	9.05	2.106	.250	1
13614	308444	10.95	2.106	.313	2
13649	308452	6.93	2.125	.313	2
13650	308454	5.37	2.125	.313	4
13661	308458	15.05	2.125	.313	4
13662	308460	9.03	2.125	.250	1
13663	308462	17.39	2.125	.313	2
13671	308472	7.54	2.250	.313	2
13676	308474	9.19	2.250	.313	4
13685	308480	33.47	2.250	1.188	--
13688	308482	19.24	2.250	.313	2
13689	308484	15.14	2.250	.250	1
13691	308488	18.37	2.250	.313	4
13698	308494	10.66	2.250	.250	4
13710	308500	19.31	2.282	.250	1
13711	308502	9.74	2.328	.406	1
13734	308504	18.53	2.374	.313	2
13738	308506	6.78	2.374	.313	2
13739	308508	7.25	2.374	.313	4
13750	3085095	9.57	2.162	.578	--
13758	308510	8.85	2.374	.250	1
13796	308518	7.98	2.437	.250	1
13797	308520	6.33	2.437	.250	2
13807	308534	30.50	2.438	.250	7
13810	308535	9.41	2.441	.313	2
13812	308536	10.17	2.441	.313	4
13839	308540	11.77	2.500	.321	--
13862	308544	20.58	2.502	.250	1
13865	308546	8.94	2.502	.313	2
13867	308547	18.82	2.502	.313	2
13869	308549	11.19	2.250	.313	2
13875	308550	8.87	2.562	.375	2
13876	308552	8.43	2.562	.375	4
13878	308554	19.60	2.562	.375	4
13882	308556	28.27	2.623	.313	4
13892	308558	14.56	2.686	.500	2
13900	308568	11.50	2.716	.313	2
13912	308571	15.05	2.812	.375	5
13916	308572	28.03	2.835	.594	--
13918	308574	10.26	2.835	.313	4
13920	308576	9.94	2.835	.313	2
13925	308581	12.82	2.835	.313	4
13929	308583	11.59	2.835	.313	4
13934	308585	15.18	3.350	.469	3
13936	308586	15.85	3.125	.500	3
13937	308587	17.37	3.000	.500	5

Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type
1.378" (35mm) Shaft					
13911	308570	\$5.22	1.614	.359	1
13926	308582	21.89	2.835	.313	4
13931	3085832	13.13	1.890	.591	4
13943	308592	23.46	1.969	.275	2
13953	308604	11.30	2.097	.313	4
13958	308611	19.06	1.983	1.549	--
13959	308612	24.93	2.240	.875	--
1.399" Shaft					
13988	308646	10.66	2.252	.313	4
13990	308648	3.03	2.292	.500	4
13992	308650	3.30	2.292	.469	4
13995	308652	13.49	2.292	.500	6
1.414" Shaft					
14045	308676	8.07	2.360	.344	2
1.417" (36mm) Shaft					
14008	308661	20.09	1.929	.276	4
14092	308692	11.75	2.616	.313	2
1.438" (1-7/16") Shaft					
14208	308694	15.21	1.874	.250	P
14209	308696	7.96	2.000	.125	1
14211	308698	13.42	2.003	.313	P
14212	308700	17.26	2.062	.313	2
14214	308702	7.74	2.062	.313	4
14223	308706	8.47	2.125	.313	2
14225	308708	15.05	2.125	.313	4
14247	308710	7.54	2.250	.313	4
14257	308712	10.17	2.250	.250	1
14259	308714	18.57	2.250	.313	4
14260	308716	17.44	2.250	.313	2
14262	308718	7.71	2.250	.313	2
14282	3087201	9.25	2.374	.313	2
14283	3087202	9.81	2.374	.313	4
14359	3087279	10.26	2.437	.250	1
14363	3087283	7.94	2.437	.313	2
14381	3087302	13.49	2.484	.550	2
14383	3087305	9.32	2.502	.313	2
14404	3087329	11.55	2.623	.313	2
14423	3087349	12.24	2.686	.313	2
14458	3087384	12.29	2.750	.313	2
1.457" (37mm) Shaft					
14600	308747	9.57	2.047	.328	--
1.469" (1-15/32") Shaft					
14695	308755	7.18	1.847	.250	1
14641	308751	11.55	2.374	.375	4
1.473" Shaft					
14631	308749	32.51	1.971	.563	--
1.479" Shaft					
14700	308756	12.06	2.563	.470	1
1.484" (1-31/64") Shaft					
14907	308884	13.56	2.254	.313	2
1.494" Shaft					
14789	308812	9.57	2.060	.270	2
14896	308874	35.70	2.187	.500	7
1.496" (38mm) Shaft					
14738	308777	12.82	2.323	.354	4
14749	308784	13.44	2.480	.395	--
14758	3087864	5.98	2.559	.394	--
14773	308799	12.06	1.937	.354	4
14775	308802	3.68	2.047	.236	--
1.500" (1-1/2") Shaft					
14804	308813	7.18	1.874	.188	1
14807	308814	4.64	1.874	.250	2
14808	308815	12.49	1.874	.188	1
14809	308816	46.29	1.918	.250	2
14810	308818	5.08	1.874	.250	1
14816	308820	5.60	1.938	.250	1
14821	308821	14.34	1.983	.250	2
14832	308822	8.87	1.983	.313	2
14840	308824	4.46	1.983	.188	1
14844	308826	19.17	1.997	.250	P
14846	308828	6.40	2.000	.313	4
14848	308830	9.57	1.989	.250	--
14855	308836	5.22	2.000	.313	2
14857	308838	6.71	2.000	.250	1

Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type
14858	308840	\$8.05	2.048	.313	4
14861	308842	15.45	2.000	.313	2
14863	308844	6.98	2.062	.210	1
14864	308846	5.26	2.062	.313	2
14867	308850	16.61	2.062	.313	2
14868	308852	20.27	2.064	.375	P
14872	308854	59.62	2.125	.250	3
14875	308858	7.09	2.125	.313	2
14876	308860	6.27	2.125	.313	4
14886	308870	16.50	2.125	.313	2
14887	308872	15.18	2.125	.313	4
14898	308880	8.58	2.192	.250	1
14903	308882	9.79	2.222	.313	2
14935	308890	16.50	2.250	.313	2
14938	308892	7.36	2.250	.313	2
14939	308894	6.20	2.250	.313	4
14940	308896	17.75	2.250	.313	2
14942	308898	23.05	2.250	.313	4
14960	308902	7.11	2.250	.250	1
14966	308906	8.76	2.254	.250	1
14968	308908	3.52	2.260	.406	2
14970	308910	10.46	2.286	.270	7
14971	308912	11.73	2.286	.4	



Package of 1 Generic is Decimal I.D. x O.D. Family is Decimal I.D. or Shaft Size
 Qty. Disc: 5 pcs. 5%; 10 pcs. 10%; 25 pcs. 12%; 50 pcs. 14%; 100 pcs. 20%. Seal O.D. is approximately .004 larger than its bore diameter of housing for press fit.

Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type	Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type
1.563" (1-9/16") Shaft						1.660" Shaft					
15506	3090807	\$21.96	2.062	.250	2	16520	309464	\$10.23	2.440	.594	1
15508	309086	11.93	2.062	.250	2	1.673" Shaft					
15509	309088	12.75	2.062	.203	1	16599	309488	7.60	2.162	.290	--
15517	309094	8.94	2.125	.313	2	1.688" (1-11/16") Shaft					
15518	309096	10.08	2.125	.313	4	16650	309494	12.22	2.279	.500	3
15522	309098	6.91	2.250	.313	2	16657	309498	7.25	2.328	.313	4
15530	309099	12.73	2.237	.290	7	16659	309500	8.38	2.328	.531	--
15532	309100	10.03	2.250	.250	1	16667	309504	5.84	2.328	.500	1
15535	309102	7.92	2.250	1.520	--	16669	309505	9.41	2.374	.313	4
15540	309104	11.55	2.374	.313	2	16679	309506	8.27	2.437	.313	2
15542	309106	8.76	2.374	.313	2	16680	309508	8.52	2.437	.313	4
15543	309108	9.74	2.374	.313	4	16692	309512	12.08	2.437	.250	2
15544	309110	9.79	2.374	.250	1	16696	309514	21.52	2.437	.469	2
15546	309112	10.12	2.372	.350	--	16719	309526	8.05	2.502	.313	2
15549	309114	19.82	2.374	.313	4	16725	309528	10.21	2.502	.835	--
15592	309118	9.70	2.437	.313	2	16735	309530	11.06	2.551	.470	4
15620	309132	9.14	2.441	.500	4	16743	309532	10.81	2.502	.281	1
15635	309134	8.05	2.502	.313	4	16754	309536	10.14	2.562	.250	1
15649	309136	12.82	2.502	.250	1	16757	309538	13.36	2.605	.245	1
15655	309138	8.85	2.502	.313	2	16805	309548	13.42	2.623	.531	4
15656	309140	18.35	2.502	.313	2	16811	309550	14.27	2.623	.375	1
15660	309142	14.07	2.531	.500	7	16816	309552	14.22	2.623	.500	2
15677	309146	11.13	2.561	.313	2	16817	309554	19.78	2.623	.500	4
15692	309147	13.44	2.620	.906	2	16818	309556	12.35	2.650	.290	7
15699	309148	11.26	2.623	.313	2	16820	309558	20.09	2.688	.250	7
15707	309160	11.50	2.686	.313	2	16842	309560	10.95	2.686	.313	2
15719	309162	11.97	2.687	.250	1	16854	309562	11.71	2.716	.313	2
15730	309164	12.35	2.686	.375	1	16871	309564	8.16	2.502	.500	4
15748	309167	13.60	2.716	.469	3	16900	309574	11.50	2.750	.313	2
15761	309172	11.10	2.750	.500	3	16903	309576	11.97	2.750	.375	4
15773	309176	9.57	2.875	.313	2	16904	309578	66.02	2.760	.974	7
15779	309177	14.56	2.875	.313	4	16945	309584	16.16	2.623	.500	2
1.575" (40mm) Shaft						1.704" (1-45/64") Shaft					
15746	309166	6.91	2.165	.328	--	17100	309610	13.49	3.034	.500	4
15750	309168	10.08	2.283	.354	4	1.709" (43.4mm) Shaft					
15753	309169	15.01	2.520	.472	4	17106	309614	19.17	2.209	.355	--
15800	309186	13.29	2.047	.276	4	17107	309615	30.99	2.209	.355	--
15802	309187	8.05	2.047	.260	--	1.719" (1-23/32") Shaft					
15849	309211	19.75	2.520	.688	4	17136	309623	13.18	2.623	.500	3
1.578" (1-37/64") Shaft						1.730" Shaft					
15510	309090	10.26	2.082	.250	2	17110	309616	15.21	2.336	.470	--
15557	309116	13.87	2.408	.313	5	17115	309618	13.87	2.336	.250	--
1.594" (1-19/32") Shaft						1.732" (44mm) Shaft					
15915	309246	8.94	2.125	.313	2	17147	309629	5.28	2.441	.315	--
15940	309248	18.08	2.437	.313	2	1.734" (1-47/64") Shaft					
15955	309250	10.26	2.437	.313	2	17131	309622	10.26	2.449	.250	1
15960	309252	10.21	2.502	.313	2	17145	309627	25.35	2.726	.512	1
15968	309254	13.62	2.623	.313	2	17187	309644	3.48	2.401	.210	1
15975	309256	13.18	2.758	.313	2	17815	309962	10.43	2.328	.270	1
1.609" (1-39/64") Shaft						1.739" Shaft					
16020	309268	13.04	1.906	.250	1	17190	309650	11.19	2.812	.594	4
1.614" (41mm) Shaft						1.747" Shaft					
16036	3092711	10.95	2.165	.275	--	17727	309892	16.43	3.000	.500	4
1.618" Shaft						1.656" (1-21/32") Shaft					
16040	309272	23.17	2.531	.438	4	16532	309471	13.15	2.502	.500	3
16044	309274	3.86	2.575	.500	5	16545	309474	26.04	2.623	.375	4
1.625" (1-5/8") Shaft						1.645" Shaft					
16039	3092713	14.11	2.000	.250	2	16500	3094526	15.58	2.656	.313	4
16045	309275	17.32	2.125	.250	P	1.654" (42mm) Shaft					
16046	309276	6.04	2.000	.250	2	16506	309455	9.94	2.213	.236	1
16047	309277	7.29	2.116	.313	4	16522	309465	9.43	2.524	.236	1
16048	309278	15.56	2.125	.250	2	16524	309466	26.78	2.520	.472	--
16049	309280	14.07	2.250	.375	2	16528	309469	19.00	2.598	.916	2
1.652" (1-5/8") Shaft						1.655" Shaft					
16039	3092713	14.11	2.000	.250	2	16533	3094713	9.28	2.362	.335	4
16045	309275	17.32	2.125	.250	P	16542	309473	17.44	2.551	.531	--
16046	309276	6.04	2.000	.250	2	16901	309575	18.95	2.520	.390	4
16047	309277	7.29	2.116	.313	4	1.656" (1-21/32") Shaft					
16048	309278	15.56	2.125	.250	2	16532	309471	13.15	2.502	.500	3
16049	309280	14.07	2.250	.375	2	16545	309474	26.04	2.623	.375	4

Package of 1 Generic is Decimal I.D. x O.D. Family is Decimal I.D. or Shaft Size
Qty. Disc: 5 pcs. 5%; 10 pcs. 10%; 25 pcs. 12%; 50 pcs. 14%; 100 pcs. 20%. Seal O.D. is approximately .004 larger than its bore diameter of housing for press fit.

Table with columns: Oil Seal Number, Our Sequence Number, Per Each, Housing Diam., Width Inches, Seal Type. Includes sub-sections for 1.750" (1-3/4") Shaft, 1.766" (1-49/64") Shaft, and 1.768" Shaft.

Table with columns: Oil Seal Number, Our Sequence Number, Per Each, Housing Diam., Width Inches, Seal Type. Includes sub-sections for 1.770" Shaft, 1.772" (45mm) Shaft, 1.777" (45.4mm) Shaft, 1.797" (1-51/64") Shaft, 1.811" (46mm) Shaft, 1.813" (1-13/16") Shaft, 1.825" Shaft, 1.844" (1-27/32") Shaft, 1.850" (47mm) Shaft, 1.868" Shaft, 1.873" Shaft, 1.875" (1-7/8") Shaft.

Table with columns: Oil Seal Number, Our Sequence Number, Per Each, Housing Diam., Width Inches, Seal Type. Includes sub-sections for 1.886" Shaft, 1.890" (1-57/64") Shaft, 1.893" Shaft, 1.906" (1-29/32") Shaft, 1.915" Shaft, 1.929" (49mm) Shaft, 1.938" (1-15/16") Shaft.

Generic is Decimal I.D. x O.D. Family is Decimal I.D. or Shaft Size
Qty. Disc: 5 pcs. 5%; 10 pcs. 10%; 25 pcs. 12%; 50 pcs. 14%; 100 pcs. 20%. Seal O.D. is approximately .004 larger than its bore diameter of housing for press fit.

Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type	Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type	Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type
1.938" (1-15/16") Shaft						19803	310614	\$18.28	2.745	.234	1	20672	310906	\$28.12	3.149	.500	--
19226	310392	\$11.24	2.623	.313	2	19807	310618	6.18	2.746	.375	2	20674	310908	15.61	3.150	.266	--
19227	310393	20.09	2.623	.313	4	19820	310620	10.61	2.752	.188	1	20702	310918	13.98	3.189	.375	2
19229	310394	6.51	2.623	.313	4	19823	310624	21.67	2.750	.313	2	20735	310920	41.69	3.250	.294	7
19234	310396	11.95	2.686	.313	4	19831	310626	8.58	2.750	.313	2	20749	310922	15.43	3.251	.438	3
19236	310398	6.35	2.686	.313	2	19832	310628	7.96	2.750	.313	4	2.086" (53mm) Shaft					
19237	310400	7.63	2.686	.313	4	19834	310632	10.75	2.750	.250	1	20904	310934	15.05	2.679	.313	2
19240	310402	10.35	2.686	.375	2	19839	310634	23.05	2.750	.313	4	20906	310938	5.31	2.685	.276	4
19243	310406	21.14	2.686	.313	4	19840	310635	84.50	2.750	.313	2	2.094" (2-3/32") Shaft					
19244	310408	11.93	2.686	.300	2	19841	310636	77.12	2.834	.197	--	20952	310942	6.58	2.718	.359	1
19251	310410	27.20	2.686	.594	--	19844	310638	19.96	2.802	.250	7	20965	310946	13.76	3.149	.550	1
19264	310413	12.51	2.750	.313	2	19848	310640	10.46	2.835	.469	3	2.125" (2-1/8") Shaft					
19267	310414	21.14	2.750	.313	2	19852	310643	9.43	2.562	.335	2	21059	310960	10.26	2.750	.250	1
19273	310416	9.48	2.762	.500	4	19876	310644	33.15	2.874	.703	--	21061	310961	9.01	2.750	.500	4
19274	310418	16.95	2.825	.500	3	19880	310646	10.08	2.874	.250	1	21063	310962	20.09	2.750	.375	2
19277	310422	24.73	2.813	.500	--	19882	310648	10.03	2..875	.256	--	21069	310966	11.95	2.763	.250	2
19278	310423	13.02	2.835	.250	P	19884	310650	25.91	2.875	.313	2	21091	310978	33.53	2.875	.438	2
19300	310436	9.30	2.875	.313	2	19886	310652	9.10	2.875	.313	2	21098	310982	9.10	2.875	.438	2
19301	310438	10.35	2.875	.313	4	19887	310654	11.48	2.875	.313	4	21100	310992	10.61	2.875	.438	4
19304	310442	22.34	2.875	.313	3	19896	310662	14.56	2.875	.375	5	21101	310994	8.47	2.875	.250	1
19306	310444	10.99	2.875	.250	1	19900	310670	37.57	2.875	.500	3	21103	310996	23.77	2.875	.375	2
19310	310446	14.47	2.884	.313	4	19922	310674	14.76	2.880	.375	4	21108	311000	14.45	2.875	.438	5
19350	310450	12.35	2.997	.313	2	19923	310676	14.76	2.880	.375	4	21110	311002	34.83	2.880	.500	4
19359	310452	10.26	3.000	.313	2	19938	310680	14.43	2.965	.500	1	21111	311004	34.83	2.880	.550	4
19360	310454	10.88	3.000	.313	4	19940	310682	11.42	2.965	.313	1	21121	311008	22.59	2.891	.250	1
19368	310455	21.89	3.000	.313	4	19965	310686	11.10	2.997	.250	1	21134	311014	12.80	2.997	.438	3
19380	310456	13.00	3.061	.313	2	19969	310688	11.08	2.997	.375	3	21136	311016	12.82	2.997	.438	5
19400	310470	13.02	3.125	.500	2	19970	310690	13.60	2.997	.375	5	21159	311018	12.75	3.000	.250	1
19407	310472	12.08	3.189	.313	2	19979	310694	38.86	2.997	.375	3	21163	311020	9.03	3.000	.375	2
19433	310478	33.15	3.251	.313	4	19982	310695	17.10	2.997	.438	--	21164	311022	9.61	3.000	.375	4
19434	310480	17.32	3.251	.313	2	19992	310698	7.87	3.000	.313	2	21167	311023	53.35	3.000	.313	5
19438	310482	26.20	3.062	.500	2	19993	310700	7.87	3.000	.313	4	21171	311025	34.63	3.000	.438	3
19449	310486	13.42	3.543	.313	2	19995	310702	30.90	3.000	.313	4	21172	311026	14.07	3.000	.438	3
19455	310490	31.64	3.622	.375	--	20002	310712	25.15	3.000	.375	3	21173	311028	14.96	3.000	.438	5
19466	310494	21.34	3.751	.500	3	20004	310714	10.99	3.000	.375	3	21203	311042	38.04	3.061	.438	3
19500	310498	3.68	2.621	.570	--	20005	310716	15.14	3.000	.375	5	21208	311044	11.73	3.061	.250	1
1.940" Shaft						20006	310718	11.19	3.000	.250	1	21210	311046	15.50	3.061	.500	2
19314	310447	17.37	2.909	.516	--	20044	310720	7.92	3.061	.250	1	21211	311048	11.30	3.061	.500	4
1.945" Shaft						20045	310722	10.79	3.061	.375	2	21213	311050	9.30	3.061	.500	5
19510	310500	18.15	2.892	.294	7	20053	310726	14.40	3.061	.500	3	21234	311054	12.08	3.125	.438	3
1.969" (1-31/32") Shaft						20054	310728	15.79	3.061	.500	5	21245	311056	19.31	3.125	.438	5
19604	3105096	7.31	2.524	.256	4	20070	310732	12.98	3.125	.375	2	21265	311060	13.02	3.189	.250	1
19607	310514	11.33	2.623	.313	4	20078	310736	12.49	3.148	.250	1	21267	311062	9.03	3.189	.375	4
19610	310517	30.68	2.686	.375	2	20079	310740	10.81	3.150	.375	2	21269	311064	24.95	3.189	.375	4
19612	310519	6.29	2.618	.591	--	20091	310746	11.84	3.155	.500	1	21270	311066	23.63	3.189	.469	5
19613	31051901	10.88	2.677	.270	--	20098	310748	12.66	3.189	.469	3	21298	311076	27.49	3.250	.270	7
19615	310520	14.94	2.686	.500	3	20100	310758	13.07	3.189	.469	5	21302	311086	9.94	3.251	.438	3
19620	310524	12.82	2.742	.500	3	20109	310760	12.71	3.251	.438	3	21306	311090	82.94	3.250	.900	7
19626	310525	5.60	2.638	.433	--	20113	310764	11.64	2.962	.250	1	21336	311096	12.29	3.350	.438	3
19639	310528	34.92	2.835	.640	--	20118	310770	11.50	2.968	.313	1	21352	311106	8.18	3.371	.375	4
19643	310531	13.36	2.874	.469	3	20122	310771	25.04	3.371	.438	2	21353	311108	15.72	3.371	.438	3
19660	310536	12.24	2.960	.250	1	20124	310772	12.89	3.371	.438	3	21358	311111	18.64	3.543	.438	3
1.991" Shaft						20125	310774	13.56	3.371	.438	5	21379	311112	17.44	3.623	.469	4
19720	310560	14.87	2.900	.290	7	20127	310775	28.67	3.371	.438	3	2.126" (54mm) Shaft					
1.996" Shaft						20136	310777	27.13	3.370	1.031	--	21064	310963	12.29	2.756	.374	--
19730	310561	15.50	3.111	.344	2	20140	310778	15.01	3.543	.438	3	21281	311075	9.43	3.228	.315	--
2.000" (2") Shaft						20144	310780	17.44	3.623	.438	3	2.136" Shaft					
19733	3105615	10.26	2.375	.188	1	20148	310786	8.03	3.623	.250	1	21400	311114	10.26	2.904	.453	1
19743	310563	8.23	2.622	.424	--	201											

Package of 1 Generic is Decimal I.D. x O.D. Family is Decimal I.D. or Shaft Size
 Qty. Disc: 5 pcs. 5%; 10 pcs. 10%; 25 pcs. 12%; 50 pcs. 14%; 100 pcs. 20%. Seal O.D. is approximately .004 larger than its bore diameter of housing for press fit.

Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type
2.283" (58mm) Shaft					
22837	311435	\$14.94	3.197	.197	2
2.297" (2-19/64") Shaft					
22870	311444	9.41	3.148	.359	1
2.313" (2-5/16") Shaft					
23030	311454	21.78	2.997	.375	2
23035	311456	9.85	3.000	.250	1
23040	311457	35.07	3.000	.438	3
23046	311458	14.31	3.061	.313	2
23050	311459	15.65	3.065	.281	1
23061	311460	10.93	3.125	.375	2
23063	311464	32.22	3.125	.375	4
23093	311468	13.58	3.251	.438	3
23099	311470	30.99	3.251	.438	5
23130	311480	29.52	3.310	.375	1
23152	311482	13.02	3.350	.438	3
23167	311484	17.73	3.371	.438	2
23169	311486	17.44	3.374	.438	5
23184	311488	13.42	3.500	.313	2
23240	311500	14.07	3.500	.250	1
23277	3115026	19.58	3.751	.500	2
2.328" (2-21/64") Shaft					
23300	311506	11.88	3.000	.395	2
2.362" (60mm) Shaft					
23446	311524	28.14	3.228	.472	4
23450	311527	24.73	3.374	.395	2
23464	311529	10.48	3.543	.866	--
2.375" (2-3/8") Shaft					
23630	311550	11.13	2.997	.250	1
23632	311552	14.07	2.997	.438	3
23640	311556	10.95	3.000	.250	1
23641	311558	29.27	3.000	.375	2
23644	311562	11.50	3.061	.438	3
23645	311564	16.97	3.061	.438	3
23646	311566	11.15	3.125	.375	2
23652	311568	14.43	3.125	.438	3
23654	311570	11.30	3.125	.438	5
23655	311571	25.82	3.061	.438	3
23656	311572	39.60	3.125	.438	5
23659	311574	23.81	3.125	.375	2
23666	311576	15.16	3.189	.438	3
23685	311584	12.89	3.251	.453	2
23691	311588	16.50	3.251	.625	4
23695	311590	31.75	3.350	.656	--
23701	311600	10.08	3.350	.375	2
23702	311602	16.52	3.350	.375	4
23703	311604	15.16	3.350	.375	2
23706	311606	17.03	3.350	.375	2
23708	311610	15.30	3.350	.438	3
23710	311612	11.48	3.350	.438	5
23725	311616	9.05	3.350	.250	1
23742	311622	11.64	3.371	.438	3
23744	311624	30.32	3.471	.250	7
23746	311627	27.49	3.371	.438	3
23755	311628	16.21	3.481	.438	3
23756	311630	18.15	3.481	.438	5
23770	311634	19.02	3.500	.375	4
23771	311636	27.91	3.500	.375	3
23779	311640	14.20	3.500	.375	3
23782	311644	15.03	3.500	.438	5
23806	311657	32.86	3.876	1.150	--
23808	311658	12.73	3.543	.438	3
23809	311660	33.11	3.543	.438	5
23815	311664	14.36	3.543	.250	1
2.375" (2-3/8") Shaft					
23820	311666	32.24	3.601	.438	2
23839	311670	17.75	3.623	.438	3
23841	311672	23.61	3.623	.438	5
23843	311673	35.61	3.623	.438	5
23844	311674	25.46	3.876	.438	3
23857	311676	26.04	4.063	1.094	4
23860	311678	54.89	4.498	1.150	--
2.420" Shaft					
24017	311690	12.89	3.000	.390	--
24097	311694	12.44	3.554	.276	1
2.438" (2-7/16") Shaft					
24255	311700	15.54	3.125	.500	3
24263	311702	12.82	3.251	.438	3
24286	311706	14.07	3.350	.375	2

Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type
2.474" Shaft					
24287	311708	\$14.31	3.350	.375	4
24320	311718	12.71	3.371	.438	3
24340	311720	15.74	3.481	.438	3
24370	311724	11.55	3.500	.438	3
24372	311726	40.02	3.500	.438	3
24445	311738	14.83	3.543	.438	3
24459	311740	18.37	3.623	.359	1
2.480" (63mm) Shaft					
24920	311858	14.98	3.314	.500	--
2.496" Shaft					
25078	311934	29.65	3.672	.313	7
2.497" Shaft					
24888	311816	18.55	3.245	.420	1
2.500" (2-1/2") Shaft					
24863	311800	8.43	3.000	.250	1
24865	311802	11.66	3.000	.313	1
24875	311806	11.64	3.125	.250	1
24880	311808	24.28	3.150	.250	1
24881	311810	15.14	3.189	.438	3
24883	311814	26.60	3.189	.438	3
24886	311815	19.98	3.226	.190	1
24889	311818	13.02	3.245	.438	3
24892	311822	30.68	3.251	.350	P
24897	311824	10.08	3.251	.375	2
24898	311826	4.46	3.251	.375	4
24899	311828	30.43	3.251	.375	4
24904	311838	8.74	3.251	.250	1
24910	311846	19.13	3.251	.438	3
24911	311848	16.37	3.251	.438	5
24913	311850	31.84	3.251	.500	2
24914	311852	35.79	3.251	.438	3
24916	311854	29.14	3.251	.438	5
24917	311856	6.93	3.301	.453	4
24931	311864	13.78	3.350	.438	3
24932	311866	13.60	3.350	.438	5
24934	311867	17.64	3.371	.438	5
24936	311868	30.17	3.371	.438	5
24949	311874	18.93	3.428	.375	4
24951	311876	13.44	3.428	.375	4
24954	311878	11.24	3.371	.438	3
24960	311880	31.57	3.500	.625	--
24971	311886	38.39	3.500	.375	4
24980	311888	14.31	3.500	.438	2
24982	311890	13.98	3.500	.438	4
24984	311892	6.47	3.500	.438	3
24986	311894	11.91	3.500	.438	3
24988	311896	11.66	3.500	.438	5
24989	311898	22.45	3.500	.438	3
24990	311900	43.19	3.500	.438	5
25007	311910	8.03	3.500	.250	1
25028	311912	9.05	3.505	.250	1
25043	311918	12.95	3.543	.438	3
25065	311920	14.83	3.543	.438	5
25071	311924	17.28	3.623	.438	3
25074	311928	10.95	3.623	.375	2
25075	311930	10.01	3.623	.375	4
25076	311932	29.34	3.623	.375	4
25082	311936	27.83	3.502	.406	2
25085	311938	35.38	3.695	.500	--
25091	311940	12.95	3.751	.438	3
25096	311944	93.13	3.761	.907	--
25100	311954	20.16	3.876	.438	3
25102	311956	19.02	3.876	.469	5
25108	311960	15.56	4.003	.375	4
25110	311962	30.92	4.003	.375	4
25140	311965	24.53	4.035	.640	--
25445	3120056	19.93	4.035	.640	4
25146	311966	32.82	4.938	.500	--
2.560" Shaft					
25515	312022	12.98	3.094	.256	1
2.563" (2-9/16") Shaft					
25561	312026	18.37	3.481	.500	5
25577	312028	14.20	3.500	.438	3
25587	312030	22.47	3.500	.500	5
25641	312040	16.52	3.623	.438	3

Package of 1 Generic is Decimal I.D. x O.D. Family is Decimal I.D. or Shaft Size
 Qty. Disc: 5 pcs. 5%; 10 pcs. 10%; 25 pcs. 12%; 50 pcs. 14%; 100 pcs. 20%. Seal O.D. is approximately .004 larger than its bore diameter of housing for press fit.

Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type
2.563" (2-9/16") Shaft					
25661	312044	\$16.66	3.623	.469	4
25713	312049	17.17	3.751	.438	3
25714	312050	20.02	2.751	.438	5
25745	312056	22.18	3.873	.438	5
25748	312058	17.44	3.876	.438	3
2.598" (66mm) Shaft					
25970	312084	16.01	3.481	.438	5
25990	312086	14.87	3.999	.787	4
2.607" Shaft					
25950	312080	19.31	3.350	.375	3
2.625" (2-5/8") Shaft					
26110	312096	20.27	3.251	.438	3
26122	312097	24.59	3.350	.375	2
26123	312098	12.13	3.350	.375	2
26124	312100	13.18	3.350	.375	4
26141	312108	15.74	3.374	.438	5
26144	312110	13.44	3.371	.250	1
26153	312112	13.02	3.371	.438	5
26163	312116	13.29	3.481	.438	3
26177	312120	32.62	3.500	.375	2
26186	312122	15.12	3.500	.375	4
26189	312126	14.67	3.500	.438	3
26190	312128	14.22	3.500	.438	5
26191	312130	17.39	3.500	.438	4
26194	312132	14.54	3.543	.438	3
26204	312146	36.81	3.623	.375	2
26208	312148	44.19	3.623	.438	3
26209	312150	13.94	3.623	.438	3
26211	312154	11.68	3.623	.438	5
26220	312156	14.09	3.623	.375	4
26237	312158	9.92	3.623	.375	2
26238	312160	15.94	3.623	.375	4
26260	312162	14.40	3.623	.250	1
26284	312168	14.36	3.751	.375	4
26289	312170	54.42	3.751	.715	--
26297	312172	14.89	3.751	.438	3
26298	312174	13.80	3.751	.438	5
26310	312188	19.24	3.813	.415	--
26328	312190	17.28	3.876	.438	3
26346	312194	20.51	3.936	.438	3
26354	312198	17.64	4.003	.375	4
26356	312200	20.82	4.003	.438	3
26358	312202	27.74	4.063	1.094	4
26359	312204	25.15	4.370	.438	5
26368	312206	23.68	4.438	.438	3
26373	312208	23.21	4.563	.719	4
2.667" Shaft					
26620	312230	32.35	3.751	.500	1
2.677" (68mm) Shaft					
26695	312245	49.10	4.882	1.063	--
2.688" (2-11/16") Shaft					
26761	312254	16.05	3.751	.438	3
26921	312278	19.96	3.876	.438	3
26975	312280	20.62	4.003	.469	3
2.700" Shaft					
26747	312251	8.05	3.498	.475	1
2.750" (2-3/4") Shaft					
27225	312292	13.49	3.250	.313	1
27251	312294	24.41	3.481	.438	2
27268	312298	8.74	3.500	.375	2
27269	312300	8.43	3.500	.375	4
27271	312302	12.71	3.500	.250	1
27272	312304	31.04	3.500	.375	4
27280	312310	12.51	3.500	.438	3
27284	312312	15.23	3.538	.438	3
27292	312316	26.73	3.543	.438	3
27293	312317	56.97	3.543	.438	3
27295	312318	23.19	3.543	.438	5
27324	312330	32.49	3.623	.438	3

Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type
27334	312336	\$15.76	3.623	.438	3
27361	312338	15.61	3.751	.438	2
27362	312340	16.52	3.751	.438	4
27365	312342	44.26	3.751	.438	3
27368	312344	13.51	3.751	.438	3
27370	312346	13.60	3.751	.438	5
27377	312348	19.98	3.751	.438	4
27394	312352	12.71	3.751	.250	1
27426	312354	20.00	3.765	.438	3
27430	312358	11.42	3.773	.365	--
27452	312362	19.87	3.876	.438	5
27467	312366	17.68	3.876	.438	4
27470	312368	14.89	3.876	.438	3
27471	312370	15.30	3.876	.438	5
27501	312380	50.05	3.876	.703	--
27525	312382	32.08	3.936	.438	3
27526	312384	19.44	3.937	.438	4
27536	312388	96.85	4.030	.918	--
27539	312390	30.21	4.003	.375	4
27541	312392	18.42	4.003	.438	3
27565	312394	26.29	4.003	.438	5
27576	312395	22.94	4.125	.438	2
27577	312397	24.99	4.126	.563	4
27600	312404	21.60	4.249	.438	3
27601	312406	19.91	4.249	.438	5
27625	312410	25.28	4.331	.500	5
27642	312414	72.33	5.501	1.375	4
2.756" (70mm) Shaft					
27723	312427	19.02	3.425	.335	4
2.813" (2-13/16") Shaft					
28035	312456	16.34	3.751	.438	3
28116	312468	27.62	3.876	.438	3
28175	312470	15.14	4.004	.438	3
28270	312480	18.08	4.249	.313	2
28275	312482	22.25	4.249	.438	3
2.832" Shaft					
28332	312497	33.09	3.622	.374	4
2.835" (72mm) Shaft					
28305	312490	17.15	3.365	.709	2
2.844" (2-27/32") Shaft					
28425	312514	7.31	3.939	.500	4
28426	312515	10.08	3.939	.550	5
28464	312516	21.18	4.003	.438	3
28474	312518	62.47	4.003	.500	3
2.875" (2-7/8") Shaft					
28654	312536	16.97	3.623	.438	3
28655	312537	17.26	3.623	.438	5
28656	312538	25.93	3.623	.500	--
28669	312540	15.76	3.751	.375	4
28670	312542	29.21	3.751	.375	4
28686	312546	14.83	3.751	.438	3
28687	312548	12.17	3.751	.438	5
28697	312550	19.31	3.751	.438	3
28698	312552	33.60	3.751	.438	3
28699	312554	50.17	3.751	.438	5
28700	312564	12.24	3.751	.250	1
28720	312568	9.16	3.876	.432	4
28725	312570	15.76	3.876	.188	1
28745	312572	16.61	3.876	.438	3
28746	312574	15.27	3.876	.438	5
28748	312576	37.37	3.876	.438	5
28751	312578	15.54	3.876	.250	1
28760	312584	18.42	4.003	.438	3
28761	312586	15.87	4.003	.438	5
28778	312592	16.45	4.003	.375	4
28779	312594	31.75	4.003	.375	4
28790	312596	33.29	4.003	.750	--
28800	312608	15.72	4.003	.250	1
28817	312610	17.15	4.125	.375	3
28828	312616	41.54	4.125	.813	3
28830	312618	39.04	4.176	.813	3
28841	312622	22.59	4.331	.438	4
28848	312624	20.45	4.501	.438	3
2.913" (74mm) Shaft					
29105	312635	19.00	3.543	.394	2
29112	312637	9.77	3.858	.472	4

Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type
2.938" (2-15/16") Shaft					
29208	312638	\$21.63	3.378	.180	2
29218	312640	15.85	3.623	.375	2
29223	312642	13.71	3.751	.375	2
29224	312644	13.94	3.751	.375	4
29226	312646	30.01	3.751	.375	4
29260	312648	18.39	3.876	.375	5
29262	312650	35.85	3.876	.375	5
29273	312654	23.05	3.937	.438	4
29288	312658	32.24	3.937	.594	--
29292	312660	47.20	4.003	.625	--
29316	312666	15.50	4.003	.438	3
29317	312668	16.34	4.003	.438	5
29322	312670	19.98	4.003	.438	4
29384	312674	21.47	4.125	.375	3
29385	312676	20.13	4.125	.375	5
29465	312682	21.60	4.501	.438	3
29471	312684	33.04	4.938	1.375	4
2.953" (75mm) Shaft					
29590	312714	28.03	4.724	.320	1
2.992" (76mm) Shaft					
29675	312716	26.33	3.661	.394	4
29685	312718	38.33	3.858	.472	4
3.000" (3") Shaft					
29840	312724	10.46	3.500	.313	1
29841	312725	32.93	3.500	.375	2
29850	312726	14.31	3.623	.250	1
29863	312728	12.98	3.751	.250	1
29865	312730	10.88	3.751	.375	2
29866	312732	13.33	3.751	.375	4
29867	312734	19.53	3.751	.375	4
29868	312736	34.69	3.751	.375	2
29870	312738	43.77	3.751	.375	4
29871	312740	17.81	3.751	.438	3
29872	312742	10.68	3.751	.438	5
29877	312743	28.38	3.876	.313	2
29887	312746	17.17	3.876	.438	3
29891	312748	40.33	3.876	.469	3
29900					

Package of 1 Generic is Decimal I.D. x O.D. Family is Decimal I.D. or Shaft Size
 Qty. Disc: 5 pcs. 5%; 10 pcs. 10%; 25 pcs. 12%; 50 pcs. 14%; 100 pcs. 20%. Seal O.D. is approximately .004 larger than its bore diameter of housing for press fit.

Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type
3.125" (3-1/8") Shaft					
31179	313019	\$30.59	4.125	.375	4
31185	313020	58.48	4.125	.438	5
31189	313022	17.70	4.125	.438	3
31192	313024	15.45	4.125	.250	1
31203	313034	14.45	4.174	.290	1
31227	313036	21.67	4.249	.438	3
31228	313038	21.03	4.249	.438	5
31237	313040	59.78	4.376	.438	3
31250	313044	20.58	4.375	.438	3
31261	313048	64.66	4.376	.438	5
31269	313054	22.54	4.501	.438	3
31284	313058	55.78	4.562	.750	3
31299	313062	22.99	4.626	.438	3
31316	313076	22.47	4.751	.438	3
31333	313078	26.33	4.999	.438	3
31353	313082	27.56	5.251	.438	3
3.150" (80mm) Shaft					
31506	313108	62.38	3.780	.354	4
31531	3131245	49.65	4.333	.472	4
532099	313116	15.56	3.994	.591	7
3.188" (3-3/16") Shaft					
31753	313148	34.22	4.180	.750	--
31758	313150	19.31	4.249	.438	3
31825	313162	23.75	4.376	.438	3
31855	313164	21.63	4.501	.438	3
31870	313168	29.54	4.626	.438	3
31955	313174	29.30	4.999	.438	3
3.228" (82mm) Shaft					
32302	3131812	8.45	4.134	.472	4
32304	3131814	38.51	4.134	.512	4
3.250" (3-1/4") Shaft					
32325	3131836	14.22	3.750	.250	1
32330	3131841	17.32	3.876	.375	2
32332	3131843	28.34	3.876	.375	4
32344	3131856	14.98	4.003	.375	2
32347	313186	21.54	4.003	.375	4
32380	313190	27.45	4.249	.438	3
32385	313193	31.91	4.249	.438	5
32392	313196	40.62	4.249	.375	4
32393	313198	11.50	4.249	.375	2
32394	313199	28.27	4.249	.750	--
32395	313200	12.06	4.249	.375	4
32396	313202	19.87	4.249	.438	3
32397	313204	19.20	4.249	.438	5
32403	313212	52.89	4.249	.438	3
32412	313214	17.73	4.249	.250	1
32424	313220	20.45	4.376	.438	3
32437	313223	26.09	4.468	.315	7
32441	313224	46.93	4.500	.313	7
32448	313228	24.66	4.500	.438	4
32477	313238	18.06	4.501	.375	2
32501	313250	23.95	4.501	.438	3
32502	313252	19.53	4.501	.438	5
32510	313254	19.93	4.501	.250	1
32514	313255	28.52	4.626	.433	5
32527	3132557	30.39	4.500	.610	--
32540	313260	22.30	4.626	.438	3
32555	313263	46.71	4.718	.438	3
32560	313264	24.90	4.751	.438	3
32582	313270	26.91	4.999	.438	3
32583	313271	30.26	4.999	.438	5
3.262" Shaft					
32710	313296	24.19	4.626	.500	4
3.313" (3-5/16") Shaft					
33033	313306	18.19	4.125	.438	3
33073	313310	19.04	4.249	.438	3
33136	313316	20.91	4.500	.438	3
33206	313330	29.45	4.999	.438	3
33250	313332	27.31	5.501	.438	3
3.375" (3-3/8") Shaft					
33628	313366	80.38	3.948	.375	4
33645	313372	23.32	4.125	.375	2
33654	313374	28.14	4.280	.406	4
33665	313378	24.01	4.249	.438	5
34647	313531	30.79	4.125	.375	4
33700	313390	14.94	4.376	.375	2
33701	313392	12.82	4.376	.375	4
33711	313394	21.32	4.376	.438	3

Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type
33712	313396	\$23.21	4.376	.438	5
33733	313400	37.95	4.501	.438	4
33735	313402	21.60	4.501	.438	3
33772	313406	25.35	4.626	.438	3
33773	313408	22.34	4.626	.438	5
33807	313422	26.33	4.686	.438	3
33837	313426	28.18	4.999	.438	3
33866	313434	34.67	5.251	.438	5
3.400" Shaft					
34000	313442	19.31	4.500	.281	7
3.425" (87mm) Shaft					
34120	313452	24.77	3.937	.315	4
3.438" (3-7/16") Shaft					
34256	313464	16.52	4.249	.375	2
34279	313466	19.11	4.501	.375	4
34282	313468	19.87	4.501	.438	3
34283	313470	25.86	4.501	.438	5
34336	313482	25.28	4.626	.438	3
34338	313483	17.95	4.626	.438	5
34379	313486	25.91	4.751	.438	4
34383	313488	21.87	4.756	.438	3
34398	313494	26.24	4.876	.438	3
34407	313506	26.67	4.999	.438	3
3.465" (88mm) Shaft					
34611	313529	18.35	4.252	.427	2
3.469" (3-15/32") Shaft					
34700	313544	33.67	4.626	.625	4
3.500" (3-1/2") Shaft					
34835	313554	15.79	4.000	.300	1
34840	313556	16.03	4.003	.250	1
34848	313558	15.79	4.125	.250	1
34857	313560	59.58	4.249	.438	5
34860	313562	17.97	4.376	.375	2
34861	313564	18.57	4.376	.375	4
34866	313568	47.42	4.376	.375	4
34867	313570	23.54	4.376	.438	3
34868	313572	20.58	4.376	.438	5
34883	313574	64.37	4.501	.375	4
34885	313578	28.41	4.450	.531	1
34886	313580	15.05	4.501	.375	2
34887	313582	17.55	4.501	.375	4
34888	313584	18.84	4.501	.438	3
34889	313586	15.54	4.501	.438	5
34890	313587	50.61	4.438	.438	7
34891	313588	23.83	4.501	.438	5
34892	313590	60.47	4.501	.438	3
34967	313604	12.04	4.501	.250	1
34980	313608	28.14	4.547	.740	--
34985	313612	19.75	4.626	.438	3
35012	313626	24.66	4.751	.438	3
35020	313628	22.18	4.751	.438	5
35029	313630	26.38	4.751	.625	3
35039	313634	42.83	4.751	.375	4
35040	313636	32.02	4.751	.250	1
35042	313638	18.91	4.751	.250	1
35062	313646	39.40	4.842	1.096	--
35076	313654	115.09	4.953	1.066	--
35080	313656	45.57	4.999	.438	4
35082	313658	27.96	4.999	.438	3
35083	313660	23.52	4.999	.438	5
35086	313662	26.38	5.126	.438	5
35095	313668	33.98	5.126	.438	5
35096	313670	30.68	5.251	.438	3
35098	313672	35.23	5.251	.750	--
3.543" (90mm) Shaft					
35409	313700	27.05	4.331	.354	4
35422	313713	26.71	4.528	.512	4
3.563" (3-9/16") Shaft					
35556	313732	21.92	4.501	.438	3
35593	313734	23.19	4.626	.438	3
35649	313744	26.33	4.751	.438	3
35676	313746	26.71	4.876	.438	3
35716	313756	42.72	4.999	.438	3
3.574" Shaft					
35810	313766	26.60	4.758	.625	4
3.583" (91mm) Shaft					
35905	313776	38.68	4.370	.394	4

Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type
3.620" Shaft					
36120	313798	\$52.15	4.626	.500	--
3.622" (92mm) Shaft					
36005	313777	24.77	4.331	.394	2
3.625" (3-5/8") jShaft					
36147	3138012	29.27	4.240	.380	2
36153	313802	36.97	4.376	.375	4
36155	313804	28.54	4.376	.375	4
36157	313805	24.19	4.376	.375	3
36158	313806	29.88	4.376	.375	3
36166	313808	20.49	4.501	.375	2
36172	313810	18.35	4.500	.294	7
36177	313812	19.87	4.626	.375	2
36179	313814	40.13	4.626	.375	4
36185	313822	25.33	4.626	.438	3
36186	313824	24.66	4.626	.438	5
36220	313836	25.71	4.751	.438	3
36221	313838	28.14	4.695	.395	7
36234	313840	22.79	4.751	.500	4
36282	313846	39.89	4.814	.906	4
36289	313850	41.94	4.839	.500	--
36314	313854	25.55	4.876	.438	4
36337	313856	24.01	4.876	.375	2
36340	313858	59.66	4.876	.750	--
36359	313860	48.54	4.999	.375	4
36361	313862	25.66	4.999	.375	4
36363	313864	28.47	4.999	.438	3
36364	313866	26.73	4.999	.438	5
36382	313				


Package of 1 Generic is Decimal I.D. x O.D. Family is Decimal I.D. or Shaft Size
 Qty. Disc: 5 pcs. 5%; 10 pcs. 10%; 25 pcs. 12%; 50 pcs. 14%; 100 pcs. 20%. Seal O.D. is approximately .004 larger than its bore diameter of housing for press fit.

Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type
3.875" (3-7/8") Shaft					
38691	314104	\$23.12	4.999	.375	2
38692	314106	20.29	4.999	.375	4
38694	314108	47.54	4.999	.375	4
38702	314110	56.36	5.126	.438	5
38703	314118	31.88	5.126	.438	3
38713	314124	33.82	5.126	.438	5
38730	314126	28.18	5.251	.438	3
38731	314128	24.59	5.251	.438	5
38740	314130	181.96	5.313	1.102	--
38745	314132	28.87	5.376	.438	3
38749	314135	37.50	5.501	.500	P
38751	314138	159.62	5.563	1.267	--
38758	314140	43.28	5.626	.835	5
38774	314142	33.29	5.690	.500	3
38777	314144	35.32	5.690	.750	--
38590	314078	37.55	5.390	.375	7
3.938" (3-15/16") Shaft					
39245	314184	25.40	4.876	.438	3
39275	314186	19.55	4.999	.438	3
39276	314188	71.95	4.999	.438	3
39277	314190	95.63	4.999	.438	3
39304	314202	78.30	5.126	.472	5
39320	314204	26.91	5.251	.438	3
39385	314212	42.25	5.372	1.031	3
39350	314206	27.91	5.375	.438	3
39423	314224	27.47	5.501	.438	3
4.000" (4") Shaft					
39835	314229	19.31	4.501	.250	1
39851	314232	27.27	4.876	.438	2
39860	314234	21.92	4.876	.250	1
39895	314236	37.86	4.999	.375	2
39921	314246	60.53	4.999	.375	4
39922	314248	17.73	4.999	.375	2
39923	314250	19.22	4.999	.375	4
39930	314251	36.61	4.999	.438	5
39932	314252	71.57	4.999	.438	3
39933	314254	23.83	4.999	.438	3
39934	314256	16.99	4.999	.438	5
39935	314258	37.57	4.999	.438	3
39946	314259	75.47	4.999	.438	--
39961	314260	23.46	4.999	.250	1
39975	314262	23.61	5.126	.438	3
39996	314272	76.90	5.251	.438	3
39997	314274	28.56	5.251	.438	3
40000	314284	27.00	5.251	.438	4
40020	314285	31.84	5.310	.500	5
40036	314288	28.27	5.376	.438	3
40049	314292	30.08	5.501	.438	3
40077	314296	25.17	5.626	.375	4
40078	314298	33.93	5.626	.438	8
40108	314312	33.60	5.751	.438	3
40131	314314	31.62	5.813	.500	--
40138	314320	38.08	6.001	.500	3
40158	314322	48.40	6.250	.500	3
4.012" Shaft					
40210	314334	37.90	5.693	.813	4
4.063" (4-1/16") Shaft					
40510	314360	36.99	5.390	.375	7
4.125" (4-1/8") Shaft					
41125	314374	23.68	4.999	.438	3
41126	314376	71.99	4.999	.438	3
41170	314380	29.41	5.126	.438	3
41171	314382	55.09	5.126	.438	3
41185	314384	31.48	5.251	.438	3
41186	314386	57.41	5.251	.438	3
41265	314396	29.92	5.501	.438	3
41287	314400	37.12	5.751	.438	3
41305	314402	50.88	6.001	.438	3
41307	314404	79.24	6.001	.438	3
4.166" Shaft					
41550	314434	22.23	5.501	.600	4
4.188" (4-3/16") Shaft					
41751	314444	24.50	4.999	.469	5
41761	314446	39.55	5.251	.469	3
41813	314448	39.44	5.501	.500	4

Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type
41814	314449	\$84.35	5.501	.500	4
41833	314450	49.19	5.751	.500	5
4.250" (4-1/4") Shaft					
42340	314470	22.94	4.813	.313	1
42380	314472	23.72	5.126	.250	1
42419	314482	17.28	5.251	.375	4
42422	314484	32.33	5.251	.375	2
42425	314485	30.95	5.251	.375	3
42426	314486	28.41	5.251	.438	3
42427	314488	26.80	5.251	.438	5
42433	314490	75.29	5.251	.438	3
42470	314494	19.91	5.251	.250	1
42474	314496	64.52	5.373	.438	4
42475	314498	27.74	5.376	.438	3
42528	314510	27.69	5.501	.438	3
42540	314514	66.82	5.501	.750	--
42557	314520	27.96	5.626	.438	4
42573	314522	32.08	5.751	.438	3
42592	314528	99.91	5.876	.500	3
42616	314534	37.86	6.001	.500	3
42635	314542	50.14	6.126	.500	3
42644	314544	46.87	6.250	.500	3
4.313" (4-5/16") Shaft					
43072	314575	42.72	5.501	.438	5
43073	314580	38.15	5.501	.438	5
43131	314581	37.26	5.751	.500	3
43135	314582	179.80	5.823	1.102	--
43150	314588	186.22	6.000	1.320	--
4.330" (110mm) Shaft					
43345	314612	75.92	5.626	.472	5
4.375" (4-3/8") Shaft					
43650	314640	34.60	5.376	.438	3
43691	314642	26.47	5.501	.438	3
43751	314652	37.26	5.751	.438	3
43762	314656	63.83	5.907	.984	--
43771	314660	45.08	6.001	.500	3
43820	314674	54.89	6.250	.500	3
44269	314700	53.80	5.373	.570	7
4.438" (4-7/16") Shaft					
44275	314706	33.47	5.501	.500	3
44276	314707	61.29	5.501	.500	3
44295	314710	43.08	5.751	.500	3
44320	314718	45.86	6.001	.500	3
44350	314720	60.53	6.250	.500	3
4.477" Shaft					
44630	314730	53.22	6.250	.500	3
4.500" (4-1/2") Shaft					
44892	314744	57.03	6.015	.550	7
44913	314754	36.21	5.251	.438	3
44917	314758	87.71	5.251	.438	5
44920	314760	27.36	5.376	.438	3
44926	314764	85.24	5.376	.438	5
44959	314766	20.69	5.501	.375	2
44960	314768	25.19	5.501	.375	4
44967	314772	29.81	5.501	.438	3
44968	314774	19.31	5.501	.438	5
44973	314776	80.60	5.501	.438	3
44980	314780	56.59	5.501	.435	3
45025	3147974	30.21	5.501	.250	1
45032	3147976	30.12	5.626	.438	3
45033	3147977	72.60	5.626	.438	5
45064	314798	58.24	5.751	.375	4
45069	314802	29.65	5.751	.438	3
45070	314804	35.72	5.751	.438	5
45110	314824	39.89	6.001	.500	3
45111	314826	38.62	6.001	.500	5
45112	314827	85.80	6.001	.500	5
45140	314828	51.50	6.126	.563	3
45150	314830	45.35	6.250	.500	3
45161	314836	63.90	6.409	.415	7
45167	314840	67.38	6.750	.375	7
4.563" (4-9/16") Shaft					
45550	314890	48.12	5.751	.500	5
4.625" (4-5/8") Shaft					
46125	314900	56.05	5.501	.500	2
46144	314902	24.08	5.626	.500	3
46155	314904	61.56	5.626	.500	3
46200	314914	30.12	5.751	.500	3

Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type
46208	314916	\$69.50	5.751	.500	3
46285	314920	38.15	6.001	.500	3
46309	314923	102.45	6.186	1.250	--
46324	314924	52.17	6.250	.500	3
46395	314928	122.87	6.623	1.094	4
4.688" (4-11/16") Shaft					
46851	314950	28.67	5.751	.250	1
46790	314938	49.36	5.751	.512	3
46800	314948	36.61	5.751	.512	3
46920	314962	26.91	6.001	.266	1
46935	314964	47.00	6.001	.380	2
46950	314966	56.97	6.250	.500	3
46975	314970	188.92	6.400	1.525	--
4.750" (4-3/4") Shaft					
47378	314999	28.92	5.375	.313	1
47375	314998	40.02	5.749	.438	2
47379	315000	106.13	5.751	.500	2
47382	315002	76.79	5.751	.500	4
47383	315003	31.08	5.751	.500	2
47394	315008	29.65	5.751	.500	3
47395	315010	31.71	5.751	.500	5
47441	315022	36.81	5.875	.500	3
47455	315024	52.84	6.002	.300	7
47474	315028	42.70	6.001	.500	3
47475	315030	38.51	6.001	.500	5
47481	315032	99.31	6.001	.500	2
47583	315042	44.10	6.250	.500	3
47586	315046	134.60	6.250	.500	5
47591	315048	35.81	6.250	.610	--
47660	315056	64.93	6.619	1.181	--
4.875" (4-7/8") Shaft					
48650	315116	27.49	5.501	.250	1
48692	315120	105.44	6.001	.500	3
48693	315122	35.12	6.001	.500	3
48726	315132	41.78	6.126	.500	3
48769	315134	41.49	6.250	.500	3
48883	315152	63.70	6.375	.516	2
48886	315156	33.78	6.440	.500	2
4.902" Shaft					
49050	315168	48.40	6.309	.709	4
49060	315170	63.95	7.085	.475	7
4.921" (4-59/64") Shaft					
49274	315188	99.13	6.375	.500	5
4.938" (4-15/16") Shaft					
49251	315184	40.00	6.001	.400	3
49301	315200	47.09	6.250	.500	3
5.000" (5") Shaft					
49920	315220	81.72	5.751	.500	2
49927	315224	114.56	6.001	.500	5
49928	315226	34.83	6.001	.500	3
49929	315228	40.56	6.001	.500	5
49935	315230	81.07	6.000	.500	2
49951	315233	91.39	6.125	.500	2

Package of 1 Generic is Decimal I.D. x O.D. Family is Decimal I.D. or Shaft Size
 Qty. Disc: 5 pcs. 5%; 10 pcs. 10%; 25 pcs. 12%; 50 pcs. 14%; 100 pcs. 20%. Seal O.D. is approximately .004 larger than its bore diameter of housing for press fit.



Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type
5.063" (5-1/16") Shaft					
50618	315290	\$50.59	6.126	.500	3
50620	315292	98.13	6.125	.500	--
50640	315294	40.47	6.310	1.313	3
50650	315298	59.46	6.375	.500	3
5.125" (5-1/8") Shaft					
51240	315316	38.91	6.126	.500	5
51243	315317	66.73	6.126	.500	2
51247	315318	64.86	6.126	.500	2
51248	315320	47.00	6.375	.500	3
51252	315322	52.42	6.250	.500	5
51253	315324	82.45	6.250	.500	4
51255	315326	104.10	6.375	.500	3
51260	315328	113.93	6.408	.625	--
51276	315330	68.09	6.500	.500	5
51277	315332	115.00	6.625	.500	2
51320	315334	125.55	7.000	.500	2
5.188" (5-3/16") Shaft					
51800	315336	104.39	6.250	.500	2
51852	315368	110.08	6.501	.625	3
5.250" (5-1/4") Shaft					
52440	315384	32.40	6.001	.375	2
52443	315385	79.35	6.001	.500	3
52445	315386	43.12	6.250	.500	3
52447	315388	110.37	6.250	.500	3
52475	315392	37.66	6.250	.250	1
52488	315398	52.49	6.500	.500	3
52489	315400	141.38	6.500	.500	3
52648	315412	59.66	6.750	.500	3
52649	315414	117.68	6.750	.500	3
52651	315416	101.92	6.750	.500	2
52655	315418	125.17	7.125	.500	2
5.313" (5-5/16") Shaft					
53100	315426	107.20	6.375	.500	2
53151	315428	59.66	6.500	.500	5
5.375" (5-3/8") Shaft					
53688	315440	63.19	6.374	.500	5
53692	315442	57.79	6.499	.563	3
53701	315452	54.60	6.625	.500	3
53702	315454	146.57	6.625	.500	3
53771	315458	111.28	6.750	.500	3
53775	315460	65.73	6.750	.500	3
53790	315462	48.14	6.876	1.000	--
5.438" (5-7/16") Shaft					
54300	315484	115.45	6.625	.500	2
5.500" (5-1/2") Shaft					
54925	315490	45.95	6.250	.500	4
54929	315492	76.10	6.310	1.188	--
54931	315496	44.53	6.500	.500	3
54934	315500	139.62	6.500	.500	3
54936	315504	64.12	6.500	.500	3
54940	315506	85.73	6.499	1.063	--
54949	315508	63.14	6.626	.563	5
54959	315510	47.69	6.750	.500	2
54960	315512	41.94	6.750	.500	4
54972	315514	47.09	6.750	.500	3
54974	315516	148.49	6.750	.500	3
55152	315536	113.42	6.780	.380	--
55157	315538	67.29	6.876	.563	5
55170	315542	133.29	6.998	1.188	--
55175	315544	81.94	7.250	.625	--
55179	315546	67.82	7.501	.563	3
5.625" (5-5/8") Shaft					
56101	315558	59.60	6.625	.500	3
56102	315559	146.57	6.625	.500	3
56112	315561	229.03	6.750	.750	--
56136	315562	57.77	6.875	.500	3
56137	315564	118.24	6.875	.500	3
56160	315566	74.13	7.125	.500	5

Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type
5.750" (5-3/4") Shaft					
57502	315610	\$42.96	6.375	.250	1
57505	315612	59.93	6.625	.500	3
57506	315614	85.28	6.625	.500	2
57510	315616	56.21	6.750	.500	3
57522	315622	148.78	6.750	.500	3
57519	315618	73.64	6.876	.563	5
57521	315620	49.19	7.000	.500	3
57523	315624	159.02	7.000	.500	3
57531	315626	68.45	7.000	.500	5
57571	315629	46.75	7.003	.250	--
57578	315630	78.73	7.126	.563	5
57584	315634	72.89	7.502	.563	5
5.875" (5-7/8") Shaft					
58709	315650	112.75	6.875	.500	3
58710	315654	124.57	7.000	.500	2
58716	315658	59.35	7.125	.500	3
58717	315660	164.14	7.125	.500	3
58741	315662	59.29	7.125	.500	5
58760	315664	76.45	7.500	.500	3
5.938" (5-1/16") Shaft					
59300	315684	111.75	7.000	.500	2
6.000" (6") Shaft					
59999	315695	55.65	6.750	.500	4
60000	315700	53.02	6.750	.500	2
60006	315704	66.46	7.002	.500	5
60009	315705	109.63	7.250	.500	2
60012	3157055	73.93	7.126	.563	5
60016	315706	62.12	7.500	.500	4
60026	315708	195.96	7.500	.500	5
60028	315712	53.56	7.500	.500	5
60075	315716	65.35	7.500	.250	1
6.063" (6-1/16") Shaft					
60650	315718	137.63	7.500	.500	2
6.125" (6-1/8") Shaft					
61210	315728	60.85	7.125	.625	3
61212	315729	150.57	7.125	.550	--
61215	315730	111.99	7.125	.500	2
61230	315731	112.97	7.250	.500	2
61235	315732	135.56	7.375	.500	2
61248	315736	83.21	7.502	.563	5
61255	315738	70.57	7.625	.625	3
61256	315740	98.50	7.625	.625	3
6.188" (6-3/16") Shaft					
61840	315760	88.69	7.500	.563	3
6.204" Shaft					
62000	315772	92.13	7.330	.500	2
6.250" (6-1/4") Shaft					
62480	315776	114.98	7.250	.500	2
62482	315783	73.00	7.252	.500	3
62495	315784	72.31	7.500	.500	3
62497	315786	144.39	7.500	.500	3
62530	315796	149.65	7.500	.500	--
62535	315798	68.25	7.750	.500	3
62572	315802	70.28	7.875	.625	3
6.375" (6-3/8") Shaft					
63700	315828	72.77	7.375	.625	3
63717	315829	124.84	7.500	.500	2
63734	315834	71.66	7.875	.563	5
63733	315832	78.53	7.875	.625	3


Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Width Inches	Seal Type
6.438" (6-7/16") Shaft					
64330	315850	\$112.37	7.500	.500	2
6.500" (6-1/2") Shaft					
64993	315880	47.42	7.500	.500	4
64994	315882	56.97	7.500	.500	3
64998	315884	169.58	7.500	.500	3
65021	315894	67.33	8.000	.500	2
65037	315898	74.58	8.000	.500	5
6.625" (6-5/8") Shaft					
66217	315912	127.18	7.625	.500	2
66219	315913	112.31	7.750	.500	2
66222	315914	124.10	7.875	.500	2
66230	315915	146.51	8.000	.500	2
66241	315916	80.24	8.125	.500	3
6.750" (6-3/4") Shaft					
67510	315936	116.25	7.750	.500	2
67515	315938	75.34	8.000	.500	3
67533	315942	83.43	8.250	.500	3
67600	315950	144.32	8.750	.500	2
6.875" (6-7/8") Shaft					
68730	315959	131.32	8.250	.500	2
68745	315960	71.04	8.375	.500	3
68760	315961	124.75	8.500	.500	2
7.000" (7") Shaft					
70016	315972	63.70	8.000	.625	3
70028	315976	73.00	8.250	.625	3
70034	315978	103.65	8.375	.625	5
70052	315982	85.19	8.500	.625	3
70053	315984	83.77	8.500	.625	5
70054	315986	229.83	8.500	.625	5
70080	315988	70.81	8.500	.500	4
7.125" (7-1/8") Shaft					
71220	315994	126.44	8.250	.500	--
71245	316004	80.38	8.625	.625	3
7.250" (7-1/4") Shaft					
72515	316016	67.29	8.250	.625	2
72539	316018	85.97	8.750	.625	5
72542	316020	152.24	8.750	.750	3
72570	316022	114.47	9.055	.625	5
7.375" (7-3/8") Shaft					
73720	316036	128.31	8.375	.500	2
73730	316040	129.61	8.500	.500	2
73745	316046	84.06	8.875	.625	3
7.453" (7-28/64") Shaft					
74540	316068	138.26	8.500	.750	2
7.500" (7-1/2") Shaft					
75030	316092	80.49	8.500	.625	3
75046	316094	136.47	8.750	.500	2
75050	316096	91.21	9.000	.625	3
75052	316098	93.93	9.000	.625	5
75069	316106	161.58	9.250	.500	2
7.625" (7-5/8") Shaft					
76215	316110	87.29	8.625	.563	3
76225	316112	141.91	8.875	.500	2
76255	3161				

R36 CHICAGO RAWHIDE SCOTSEAL and SCOTSEAL PLUS, and NATIONAL OIL BATH SEALS


Date: 2000

Package of 1


Generic is Decimal I.D. x O.D. Family is Decimal I.D. or Shaft Size



CR Scotseal Plus®




CR Scotseal®



NATIONAL


Shaft Size	Housing Diam.	Seal O.D.	Width Inches	REQUIRES NO TOOL			REQUIRES TOOL			REQUIRES TOOL			Axle Type	Application
				Scotseal PLUS Part Number	Our Sequence Number	Per Each	Scotseal Part Number	Our Sequence Number	Per Each	National Part Number	Our Sequence Number	Per Each		
3.438	4.757	4.770	.700				34387	319794	\$26.92	370047A	262074	\$31.88	Drive	Ford Navistar Rockwell Eaton
3.500	4.547	4.552	.862							370132A	262116	33.42	Front	Ford Rockwell
3.500	4.842	4.854	.903				35066	319808	29.55	370001A	262000	34.67	Front	Ford Navistar Rockwell Kenworth Peterbilt Freightliner Volvo-White
3.625	5.000	5.014	.830							370011A	262020	40.31	Front	GMC Mack
3.875	5.691	5.704	.892							370023A	262040	43.11	Drive	Ford Navistar Rockwell Eaton Volvo-White
4.000	5.122	5.137	.953							370033A	262058	35.43	Front	Mack
	Bearing Spacer									w/AR-12				
4.000	5.626	5.639	.688							370066A	262090	36.63	Front	Rockwell
4.000	5.754	5.767	.995							370349A	262162	36.03	Trailer	Dana Spicer Rockwell Eaton Std. Forge
										370036A	262062	32.58		
4.250	6.009	6.025	.971							376590A	262164	34.37	Trailer	Fruehauf Rockwell
										370065A	262088	33.89		
4.250	6.254	6.267	1.245							370031A	262056	42.63	Drive	Mack
4.375	5.751	5.764	.995							370338A	262160	35.83	Trailer	Rockwell Eaton
										370037A	262064	35.83		
4.375	5.905	5.910	1.000							370182A	262138	44.42	Front	Ford Navistar Kenworth Rockwell Volvo-White Mack GMC
										370048A	262076	44.22		
4.375	6.254	6.264	.920							370019A	262032	42.25	Drive	Eaton Ford GMC Navistar Rockwell Volvo-White
4.500	5.375	5.389	.975							370124A	262112	47.49	Front	Navistar
4.500	5.751	5.764	.767							370022A	262038	41.87	Drive	Mack
4.500	5.876	5.890	1.009							370131A	262114	49.35	Front	Navistar
4.500	6.254	6.264	.750							370021A	262036	48.87	Drive	Eaton Ford GMC Navistar Mack Rockwell
4.625	6.001	6.014	.912							370025A	262044	33.93	Trailer	Dana Spicer Rockwell Eaton Std. Forge
4.767	6.308	6.326	1.420	47692	319944	\$39.62				370003A	262004	46.46	Drive	Ford Navistar Rockwell Eaton Kenworth Peterbilt Freightliner Volvo-White
4.766	6.254	6.264	.795							370005A	262008	53.55	Drive	Mack GMC



Pkg. Qty. 5 Qty. Disc:2 pkgs.10%;5 pkgs.15%;10 pkgs.20%;25 pkgs.25%

Generic is Decimal I.D. x O.D. Family is Decimal I.D. or Shaft Size


Oil Seal Number	Our Sequence Number	Per Each	Seal O.D.	Width Inches	Seal Type	Oil Seal Number	Our Sequence Number	Per Each	Seal O.D.	Width Inches	Seal Type	Oil Seal Number	Our Sequence Number	Per Each	Seal O.D.	Width Inches	Seal Type
.375" (3/8") Shaft						9876	130235	\$1.57	1.499	.250	2	12350	130500	\$2.31	1.687	.313	4
3687	1300268	\$1.52	.749	.250	2	9878	130245	1.20	1.499	.250	4	12360	130505	2.05	1.750	.250	4
030812	1300269	2.11	.819	.250	2	9879	1302455	4.64	1.499	.250	4	12361	130510	1.30	1.752	.188	1
.500" (1/2") Shaft						9894	130248	1.74	1.561	.250	2	12363	130515	1.65	1.752	.250	2
4931	1300392	1.69	.875	.250	2	9900	130250	1.30	1.561	.250	1	12364	130520	1.59	1.752	.250	4
4940	1300395	1.47	.875	.313	P	9903	130255	1.60	1.575	.250	1	12369	130531	1.72	1.752	.250	1
5062	1300401	2.28	1.124	.250	4	9932	130258	1.45	1.624	.250	1	12379	130532	2.70	1.874	.250	1
5133	1300410	1.30	1.250	.250	2	9934	130259	2.01	1.624	.250	2	12383	130534	4.67	1.874	.250	4
.625" (5/8") Shaft						9935	130260	6.48	1.624	.250	4	12384	130535	2.55	1.874	.250	2
6141	130050	1.23	.999	.250	4	9997	130270	1.35	1.752	.250	2	12386	130536	1.80	1.874	.250	4
6152	130054	1.71	1.000	.125	1	9998	130275	1.77	1.752	.250	4	12398	130538	1.67	1.968	.438	1
6203	130060	1.30	1.124	.250	2	10034	130287	1.59	1.781	.469	1	12399	130539	2.01	1.968	.469	1
6204	130065	1.62	1.124	.250	4	10035	130290	1.28	1.781	.469	1	12404	130540	1.71	1.979	.406	1
6213	130067	3.17	1.124	.250	2	10050	1302906	2.14	1.828	.250	4	12407	130545	2.17	1.979	.250	1
6215	130069	3.68	1.124	.250	4	10075	130295	1.52	1.874	.250	2	12411	130550	1.31	1.979	.406	1
6316	130072	1.87	1.250	.250	4	10112	130298	1.68	1.938	.250	1	12428	130558	1.92	1.983	.250	4
6372	1300724	1.76	1.375	.250	4	10114	130300	2.82	1.983	.313	4	12437	130565	1.68	1.983	.250	1
6373	1300725	2.05	1.375	.250	4	10123	130305	1.59	2.000	.250	2	12445	130567	5.75	2.000	.250	2
.687" (11/16") Shaft						10124	130310	2.15	2.000	.250	4	12446	1305671	6.26	2.000	.250	4
6763	1300764	1.30	1.187	.188	2	10158	130325	1.47	2.062	.250	2	12456	130570	1.71	2.000	.250	2
6816	130077	1.55	1.375	.313	2	101872	130296	1.77	1.874	.250	4	12458	130585	1.92	2.000	.250	4
.750" (3/4") Shaft						10515	130340	1.51	1.499	.250	2	12481	130590	1.20	2.000	.250	1
7413	130078	1.55	1.062	.188	1	1.063" (1-1/16") Shaft						12508	130596	2.36	2.062	.250	1
7415	1300783	4.62	1.124	.156	1	10653	130347	2.60	1.752	.250	2	12530	130599	2.84	2.062	.438	3
7421	1300789	1.08	1.187	.250	1	10681	130348	1.57	1.828	.250	2	12531	130600	5.80	2.062	.250	4
7439	130085	1.20	1.250	.188	2	10740	130360	3.37	2.000	.250	2	12545	130610	1.67	2.125	.250	2
7440	130095	1.13	1.250	.250	2	1.125" (1-1/8") Shaft						12551	130615	1.68	2.125	.250	4
7443	130100	1.89	1.250	.250	4	11050	130363	1.45	1.375	.125	1	12565	130620	1.38	2.125	.250	1
7449	130106	1.47	1.250	.375	P	11060	1303645	1.52	1.499	.188	1	12577	130623	2.63	2.250	.250	2
7464	130115	1.18	1.250	.250	1	11061	130365	1.35	1.499	.188	2	12609	130630	4.30	2.328	.500	P
7465	130116	2.01	1.250	.313	4	11067	130366	1.93	1.561	.250	2	12614	130650	2.75	2.374	.313	4
7513	130130	1.90	1.375	.375	4	11081	130367	4.95	1.562	.250	1	12621	130655	2.13	2.437	.250	2
7573	130136	1.74	1.499	.250	4	11082	130368	5.16	1.565	.250	2	12631	130670	2.04	2.441	.250	2
7591	130138	1.52	1.575	.250	2	11086	130370	1.25	1.575	.250	4	12637	130671	3.76	2.502	.313	2
7627	130140	1.08	1.628	.250	2	11123	130375	1.38	1.624	.250	2	12678	130672	3.32	3.156	.500	3
7628	1301402	1.52	1.624	.250	4	11124	130380	1.28	1.624	.250	4	1.313" (1-5/16") Shaft					
7636	1301411	1.99	1.752	.250	2	11130	130390	1.77	1.624	.250	1	13021	130680	3.56	1.828	.375	2
7638	1301412	5.75	1.752	.250	4	11144	130395	13.14	1.752	.250	2	13050	130681	1.72	2.062	.313	2
7693	130142	1.84	2.047	.313	2	11161	130400	2.15	1.781	.250	1	13092	1306822	2.43	2.125	.313	2
.812" (13/16") Shaft						11164	130405	1.92	1.781	.469	1	1.375" (1-3/8") Shaft					
8088	130158	1.77	1.499	.250	2	11170	130409	1.69	1.828	.250	TB	13203TA	130718	1.86	2.000	.313	5
.875" (7/8") Shaft						11171	130410	1.96	1.828	.250	4	13529	1306893	1.56	1.750	.197	1
8620	130163	1.50	1.125	.125	1	11174TB	130415	1.47	1.781	.469	1	13533	1306898	1.50	1.834	.188	1
8624	130164	1.52	1.250	.188	2	11191	130416	1.45	1.828	.250	1	13534	130690	1.89	1.874	.250	2
8627	130166	1.23	1.251	.188	1	11223	130417	2.19	1.874	.250	4	13535	130691	5.53	1.874	.313	4
8646	1301698	4.17	1.375	.250	2	11269	130420	2.06	1.938	.563	1	13537	130692	1.83	1.828	.313	2
8648	130170	1.20	1.375	.250	2	11334	130438	1.72	2.000	.250	1	13545	130696	2.93	1.874	.250	1
8660	130175	1.40	1.375	.250	4	11340	130440	1.87	2.000	.250	2	13548	130700	1.56	1.874	.250	1
8665	130176	4.76	1.375	.250	P	11343	130450	2.41	2.000	.375	4	13556	130709	1.38	1.938	.250	1
8677	130177	1.11	1.375	.188	1	11366	130453	1.65	2.062	.313	2	13557	130710	2.64	1.983	.313	2
8702	130179	1.77	1.499	.250	4	11372	130454	2.09	2.125	.313	2	13569	130720	1.74	2.000	.313	4
8741	130182	4.04	1.499	.250	1	11392	130460	2.09	2.441	.250	2	13571	130721	1.79	2.000	.313	3
8748	130183	1.40	1.502	.313	4	471692	130411	2.60	1.752	.250	4	13573	1307212	2.75	2.000	.313	1
8763	130185	1.65	1.575	.250	2	1.188" (1-3/16") Shaft						13585	1307222	1.77	2.062	.313	2
8796	1301855	2.53	1.624	.250	2	11734	1304634	3.36	1.752	.250	2	13602	1307229	2.65	2.106	.313	4
8870	130186	8.37	2.000	.250	2	11800	1304652	1.89	2.000	.250	2	13614	1307231	2.90	2.106	.313	2
1.000" (1") Shaft						11801	130467	6.07	2.000	.250	4	13649	130729	2.10	2.125	.313	3
9814	130193	1.40	1.375	.250	P	11907	1304682	2.16	2.125	.313	2	13650	130730	2.50	2.125	.313	4
9815	130195	1.15	1.250	.125	1	11923	1304688	1.89	2.437	.250	2	13676	130750	2.01	2.250	.313	4
9818	130198	0.96	1.312	.125	1	11930	130469	2.28	2.441	.250	2	13711	1307532	2.49	2.328	.406	1
9820	130201	0.96	1.375	.188	1	1.219" Shaft						13739	130756	2.80	2.374	.313	4
9826	130206	1.35	1.375	.250	2	12124	130470	0.86	1.979	.406	1	13758	130770	5.53	2.374	.250	1
983																	



Pkg. Qty. 5 Qty. Disc:2 pkgs.10%;5 pkgs.15%;10 pkgs.20%;25 pkgs.25%

Generic is Decimal I.D. x O.D. Family is Decimal I.D. or Shaft Size

Oil Seal Number	Our Sequence Number	Per Each	Seal O.D.	Width Inches	Seal Type	Oil Seal Number	Our Sequence Number	Per Each	Seal O.D.	Width Inches	Seal Type	Oil Seal Number	Our Sequence Number	Per Each	Seal O.D.	Width Inches	Seal Type
1.438" (1-7/16") Shaft						1.688" (1-11/16") Shaft						1.8734 (1-15/16") Shaft					
14283	1308161	\$3.39	2.374	.313	4	16657	131130	\$2.27	2.328	.313	4	18734	131345	\$1.92	2.875	.313	4
14359	130817	2.38	2.437	.250	1	16667	131140	2.46	2.328	.500	1	18750	131347	2.80	2.875	.250	1
14363	1308172	2.06	2.437	.313	2	16679	1311402	1.84	2.437	.313	2	18772	131349	2.19	2.965	.234	1
1.500" (1-1/2") Shaft						1.719" Shaft						1.938" (1-15/16") Shaft					
14807	1308216	1.79	1.874	.250	2	17146	131146	1.86	2.561	.500	1	19210	131369	3.27	2.437	.250	2
14810	130822	1.23	1.874	.250	1	17231	131160	6.44	2.250	.313	2	19213	1313692	1.87	2.675	.250	P
14816	130826	2.38	1.938	.250	1	17234	1311605	12.55	2.250	.313	2	19214	1313693	2.28	2.500	.380	--
14832	130830	2.52	1.983	.313	2	17240	131161	2.43	2.250	.188	1	19219	1313695	2.14	2.502	.281	2
14840	130835	1.69	1.983	.188	1	17271	131165	2.58	2.374	.313	4	19221	1313696	3.36	2.502	.281	1
14844	130837	7.20	1.997	.250	P	17277	131171	5.45	2.374	.250	1	19226	1313697	2.28	2.623	.313	2
14846	130840	1.89	2.000	.313	4	17284	131174	2.81	2.437	.313	2	19229	1313698	2.59	2.623	.313	4
14855	130848	2.01	2.000	.313	2	17285	131175	2.26	2.437	.313	4	19237	131370	3.63	2.686	.313	4
14857	130850	1.71	2.000	.250	1	17310	131178	2.26	2.437	.250	1	19273	131373	3.41	2.762	.500	4
14864	130857	2.01	2.062	.313	2	17315	131180	2.16	2.441	.313	2	19350	131377	2.28	2.997	.313	4
14875	130869	1.94	2.125	.313	2	17340	131184	3.59	2.441	.250	1	19360	131385	2.73	3.000	.313	4
14876	130870	2.29	2.125	.313	4	17381	131189	8.82	2.502	.313	4	19380	131387	3.19	3.061	.313	2
14903	130871	2.31	2.222	.313	2	17386	131190	2.01	2.502	.313	2	19400	1313875	2.53	3.125	.500	2
14938	130872	1.99	2.250	.313	2	17387	1311901	3.23	2.502	.313	4	19449	131390	3.75	3.543	.313	2
14939	130873	2.10	2.250	.313	4	17392	1311907	3.36	2.502	.250	1	1.945" Shaft					
14960	1308736	2.68	2.250	.250	1	17399	1311914	3.46	2.502	.375	2	19510	131395	3.49	2.892	.294	7
14968	1308741	3.05	2.260	.406	2	17404	131192	1.98	2.561	.313	2	2.000" (2") Shaft					
14972	130875	1.92	2.328	.500	1	17406	131194	3.51	2.562	.500	1	19743	1313968	2.53	2.622	.424	--
14974	130878	1.86	2.328	.500	1	17413	131200	3.26	2.565	.313	4	19745	131397	5.80	2.502	.313	2
14975	130882	1.01	2.328	.390	1	17415	131205	2.65	2.561	.250	1	19753	1313979	3.06	2.562	.234	1
14977	130883	3.22	2.328	.500	P	17442	131210	2.55	2.623	.313	2	19754	131398	2.14	2.502	.250	1
15004	130889	2.16	2.374	.313	2	17443	131215	3.42	2.623	.313	4	19757	131403	2.62	2.565	.500	1
15005	130890	1.77	2.374	.313	4	17461	131225	2.43	2.623	.250	1	19760	131408	3.19	2.623	.313	2
15032	130894	1.96	2.374	.250	1	17484	131229	2.77	2.686	.313	2	19762	131410	2.26	2.623	.313	4
15039	130895	2.90	2.374	.500	3	17523	1312311	3.44	2.750	.313	4	19763	131415	2.16	2.623	.250	1
15076	130896	2.16	2.437	.313	2	17544	1312312	2.14	2.750	.250	1	19778	1314172	2.44	2.686	.375	2
15080	130897	1.98	2.437	.250	1	17557	1312313	2.16	2.750	.313	2	19786	131418	4.06	2.716	.375	4
15141	130900	1.60	2.502	.313	2	17599	131232	2.77	2.750	.484	1	19820	1314191	6.09	2.752	.188	1
15142	130901	2.65	2.502	.313	4	17605	1312323	2.90	2.758	.313	2	19832	131420	2.70	2.750	.313	4
15174	130904	6.54	2.462	.290	7	17607	1312325	2.26	2.717	.438	4	19834	131422	3.10	2.750	.250	1
15176	130906	2.59	2.561	.313	2	17617	131233	2.79	2.718	.359	1	19886	1314227	2.75	2.875	.313	2
15190	130920	1.18	2.623	.250	1	17618	131250	3.51	2.718	.359	1	19887	1314228	3.98	2.875	.313	4
15194	130921	4.21	2.623	.313	2	17620	1312502	4.91	2.786	.294	7	19940	1314245	2.75	2.965	.313	1
15204	130930	2.28	2.716	.438	2	17624	1312504	2.50	2.810	.313	4	19965	1314255	4.15	2.997	.250	1
15209	130940	3.75	2.716	.250	1	17653	1312509	4.37	2.875	.313	2	19970	131426	5.45	2.997	.375	5
15214	130942	4.37	2.750	.313	2	17695	131257	3.81	2.997	.313	2	19993	1314275	2.81	3.000	.313	4
15230	130943	4.79	2.758	.313	2	17699	131260	3.36	3.000	.313	4	20044	131430	1.34	3.061	.250	1
15234	1309433	3.78	2.835	.313	2	17716	1312612	2.41	3.061	.313	2	20045	131431	5.54	3.061	.375	2
15235	1309434	3.32	2.875	.313	2	17718	1312614	2.55	3.061	.375	4	20054	131435	7.65	3.061	.500	5
1.563" (1-9/16") Shaft						1.719" Shaft						1.945" Shaft					
15517	130960	2.35	2.125	.313	2	17746	131264	3.99	3.189	.313	2	20070	131437	2.74	3.125	.312	2
15543	1309611	2.22	2.374	.313	4	17756	1312655	3.09	3.543	.438	2	20078	131439	5.15	3.145	.250	1
15620	130965	5.26	2.441	.500	4	1.813" (1-13/16") Shaft						20079	131440	5.97	3.150	.375	2
1.625" (1-5/8") Shaft						18039	131270	2.75	2.437	.313	2	20125	131447	10.92	3.371	.438	5
16054	130979	2.04	2.125	.250	2	18050	131275	2.45	2.562	.438	1	20140	131448	6.70	3.543	.438	3
16055	1309791	1.82	2.125	.250	1	18104	131280	2.58	2.623	.313	2	20144	131450	3.73	3.628	.438	3
16061	1309797	11.47	2.250	.313	2	18127	131290	1.72	2.719	.270	1	20148	131451	4.05	3.623	.250	1
16062	1309798	1.82	2.248	.313	4	1.875" (1-7/8") Shaft						20586	131454	6.16	2.997	.438	3
16064	130980	5.04	2.328	.438	TL	18543	1312947	2.77	2.401	.275	1	20608	131455	2.77	3.000	.313	1
16069	130993	1.56	2.328	.438	1	18545	1312949	2.53	2.471	.313	4	20643	131456	4.62	3.061	.313	3
16072	130995	2.31	2.374	.313	3	18558	131301	2.08	2.502	.250	1	20669	1314566	6.75	3.149	.250	1
16079	1309951	5.53	2.374	.500	3	18562	131302	3.63	2.562	.313	2	20702	1314575	3.68	3.189	.375	2
16084	1309952	2.02	2.374	.313	2	18565	131304	2.28	2.502	.313	2	20735	1314581	6.24	3.250	.294	7
16118	130996	1.93	2.437	.313	4	18263	131311	4.50	2.623	.313	4	2.094" (2-3/32") Shaft					
16189	1309971	5.01	2.441	.625	6	18581	131310	2.93	2.623	.313	4	20952	131485	2.82	2.718	.359	1
16201	1309973	2.91	2.441	.313	4	18640	131328	3.00	2.721	.266	2	2.094" (2-3/32") Shaft					
16245	1309979	2.38	2.502	.313	2	18657	1313299	2.83	2.750	.313	2	20952	131485	2.82	2.718	.359	1
16246	130998	2.24	2.502	.313	4	18658	131330	2.50	2.750	.313	4	2.094" (2-3/32") Shaft					
16284	131000	2.68	2.562	.250	1	18659	131335	5.89	2.750	.250	1	20952	131485	2.82	2.718	.359	1
16286	131010	5.27	2.462	.250	7	1.875" (1-7/8") Shaft						2.094" (2-3/32") Shaft					
16289	131045	1.38	2.562	.438	1	18543	1312947	2.77	2.401	.275	1	20952	131485	2.82	2.718	.359	1
16314	131097	2.11	2.623	.313	2	18545	1312949	2.53	2.471	.313	4	2.094" (2-3/32") Shaft					
16315	131100	2.28	2.623	.313	4	18558	131301	2.08	2.502	.250	1	20952	131485	2.82	2.718	.359	1
16322	131101	3.09	2.623	.250	1	18562	131302	3.63	2.562	.313	2	2.094" (2-3/32") Shaft					
16337	131103	3.90	2.686	.313	2	18565	131304	2.28	2.502	.313	2	20952	131485	2.82	2.718	.359	1
16362	131107	3.02	2.750	.250	1	18263	131311	4.50	2.623	.313	4	2.094" (2-3/32") Shaft					
16364	1311075	3.38	2.750	.250	2	18581	131310	2.93	2.623	.313</							



Pkg. Qty. 5 Qty. Disc:2 pkgs.10%;5 pkgs.15%;10 pkgs.20%;25 pkgs.25%

Generic is Decimal I.D. x O.D. Family is Decimal I.D. or Shaft Size

Oil Seal Number	Our Sequence Number	Per Each	Seal O.D.	Width Inches	Seal Type	Oil Seal Number	Our Sequence Number	Per Each	Seal O.D.	Width Inches	Seal Type	Oil Seal Number	Our Sequence Number	Per Each	Seal O.D.	Width Inches	Seal Type
2.125" (2-1/8") Shaft						2.438" (2-7/16") Shaft						3.125" (3-1/8") Shaft					
213062	131459	\$2.01	3.061	.250	--	23755	131611	\$3.54	3.481	.438	5	29968	131810	\$8.53	4.003	.250	1
21061	1314857	2.41	2.750	.500	4	23756	1316111	3.73	3.481	.438	5	30060	131814	7.05	4.331	.438	3
21100	1314864	2.75	2.875	.438	4	23770	131612	4.45	3.500	.375	4	30087	131830	6.54	4.500	.438	5
21101	1314865	2.55	2.875	.250	1	23779	131613	3.54	3.500	.375	3	30095	131831	5.60	4.500	.438	3
21103	1314867	4.52	2.875	.375	2	23815	131626	2.70	3.543	.250	1	3.250" (3-1/4") Shaft					
21108	131487	3.27	2.875	.438	5	23839	131628	5.35	3.623	.438	3	31228	131838	7.05	4.249	.438	5
21121	131488	3.00	2.891	.250	1	23844	131630	4.62	3.876	.438	3	31267	131839	11.30	4.501	.438	3
21134	131489	2.53	2.997	.438	3	2.500" (2-1/2") Shaft						3.375" (3-3/8") Shaft					
21159	131490	4.25	3.000	.250	1	24263	131632	5.28	3.251	.438	3	32395	131853	3.46	4.249	.375	4
21163	1314905	2.46	3.000	.275	2	24287	1316335	8.44	3.350	.375	4	32397	1318535	6.43	4.249	.438	5
21171	131491	17.02	3.000	.438	3	24320	131634	3.09	3.371	.438	3	32441	131855	8.19	4.500	.313	7
21172	1314921	3.78	3.000	.375	3	24370	1316345	4.42	3.500	.438	3	32582	131860	16.35	4.999	.438	3
21208	131496	3.17	3.061	.250	1	2.625" (2-5/8") Shaft						3.500" (3-1/2") Shaft					
21211	131508	4.32	3.061	.500	4	24863	131641	5.94	3.000	.250	1	34889	1318721	9.26	4.501	.438	5
21213	131509	6.61	3.061	.500	5	24881	131643	3.51	3.189	.375	3	34985	1318737	14.17	4.626	.438	3
21265	131511	3.17	3.189	.250	1	24889	1316435	5.16	3.245	.438	3	3.750" (3-3/4") Shaft					
21267	131512	3.05	3.189	.375	4	24898	131644	3.86	3.251	.375	4	37533	1318866	6.80	5.251	.438	4
21302	131525	3.17	3.251	.438	3	24904	1316446	4.87	3.251	.250	1	3.875" (3-7/8") Shaft					
21336	131533	3.49	3.350	.438	3	24931	131647	5.11	3.350	.438	3	38731	1318905	9.36	5.251	.438	5
21352	131535	3.29	3.371	.375	4	24951	131648	5.40	3.428	.375	4	4.000" (4") Shaft					
21353	1315351	4.15	3.371	.438	3	24954	1316485	3.34	3.371	.438	3	39922	131892	13.18	4.999	.375	2
2.188" (2-3/16") Shaft						24982	1316507	8.88	3.500	.438	4	4.125" (4-1/8") Shaft					
21759	1315355	4.09	3.000	.375	4	24986	131651	4.27	3.500	.438	3	41125	131895	9.33	4.999	.438	3
21840	1315358	2.75	3.251	.438	3	24988	1316512	6.76	3.500	.438	5	4.250" (4-1/4") Shaft					
21890	1315359	3.27	3.350	.438	3	25007	131653	3.68	3.500	.250	1	42528	131897	10.61	5.501	.438	3
2.250" (2-1/4") Shaft						25043	131655	4.15	3.543	.438	3	4.375" (4-3/8") Shaft					
22325	1315363	2.23	2.875	.250	1	25075	131658	7.15	3.623	.375	4	43771	131900	10.07	6.001	.500	3
22338	1315364	5.40	2.997	.438	3	25091	131660	3.39	3.751	.438	3	4.750" (4-3/4") Shaft					
22340	1315366	3.46	2.997	.438	5	25108	131662	3.13	4.003	.375	4	47395	131902	8.15	5.751	.500	3
22351	1315368	3.29	2.997	.250	1	2.750" (2-3/4") Shaft						5.000" (5-1/2") Shaft					
22353	131537	2.75	3.000	.375	2	26153	131669	13.04	3.371	.438	5	54931	131903	9.60	6.500	.500	3
22354	131538	2.19	3.000	.375	4	26186	131671	4.52	3.500	.375	4	5.500" (5-1/2") Shaft					
22359	131570	3.72	3.000	.438	5	26211	131674	7.74	3.623	.438	5	57521	131904	13.65	7.000	.625	3
22361	131571	13.09	3.000	.375	4	26220	131675	6.88	3.623	.375	4	5.500" (5-1/2") Shaft					
22368	131575	2.83	3.000	.250	1	26238	131676	3.19	3.623	.375	4	58741	1319049	16.11	7.125	.500	3
22382	131576	2.25	3.061	.375	2	26260	131720	3.66	3.623	.250	1	QUALITY GOODS PROMPT SERVICE RIGHT PRICE					
22390	131578	6.92	3.061	.438	3	26284	131721	5.25	3.751	.375	4	We sell the service and satisfaction our merchandise will give. We will not handle lines falling short of this standard.					
22392	131580	1.36	3.061	.250	1	26310	1317225	4.15	3.813	.415	TL	Prices subject to change without notice					
22400	131581	2.90	3.125	.375	4	26346	1317235	5.23	3.936	.438	3						
22430	131590	2.77	2.250	.270	7	26359	131724	4.69	4.370	.438	5						
22440	1315909	4.42	3.251	.375	2	26368	1317245	5.75	4.448	.438	3						
22441	131591	3.02	3.251	.375	4	2.875" (2-7/8") Shaft											
22446	1315913	3.54	3.251	.438	3	27268	1317275	2.53	3.500	.375	2						
22448	1315915	3.17	3.251	.438	5	27269	1317276	3.41	3.500	.375	4						
22468	131592	3.44	3.251	.250	1	27271	1317278	5.94	3.500	.250	1						
22483	1315929	5.67	3.310	.375	1	27334	1317292	3.78	3.623	.438	3						
223263	131593	12.03	3.264	.312	4	27362	1317295	3.60	3.751	.438	4						
22492	131595	5.53	3.350	.438	3	27368	1317298	3.60	3.751	.438	3						
22493	131596	4.03	3.350	.438	5	27370	131730	5.40	3.751	.438	5						
22532	131597	4.63	3.371	.438	5	27394	131732	3.09	3.751	.250	1						
22550	1315978	2.61	3.371	.375	1	27426	131733	6.34	3.765	.438	3						
22582	1315987	4.89	3.500	.438	4	27452	1317335	6.90	3.876	.438	5						
22626	131599	3.73	3.751	.438	3	27467	131734	3.81	3.876	.438	4						
22644	1315992	4.81	3.876	.438	3	27470	1317345	8.59	3.876	.438	3						
22647	1315994	6.29	4.003	.438	3	27471	1317346	5.77	3.876	.438	5						
2.297" Shaft						2.750" (2-3/4") Shaft						3.000" (3") Shaft					
22870	131600	5.25	3.148	.359	1	28687	1317475	11.92	3.751	.438	5	29865	131776	2.92	3.751	.375	2
2.313" (2-5/16") Shaft						28751	1317495	3.02	3.876	.250	1	29866	1317761	6.38	3.751	.375	4
23061	1316015	3.11	3.125	.375	2	28761	131750	5.95	4.003	.438	5	29907	1317781	12.01	4.003	.375	4
23093	131602	4.79	3.251	.438	3	28800	131751	7.68	4.003	.250	1	29951	131800	5.77	4.003	.438	3
23167	1316026	3.83	3.371	.438	2	28817	131752	5.80	4.125	.375	3	29952	131801	5.46	4.003	.438	5
2.375" (2-3/8") Shaft						28848	131754	11.66	4.501	.438	3						
23640	131604	2.97	3.000	.250	1	28464TA	131749	5.86	4.623	.438	5						
23644	1316043	3.22	3.061	.438	3												
23654	131605	6.00	3.125	.438	5												
23710	131608	5.88	3.350	.438	5												
23725	131609	12.08	3.350	.250	1												
23742	1316098	5.58	3.371	.438	3												
23744	131610	4.93	3.471	.250	7												

Continued in next column

Continued in next column

Package of 1 Generic is Decimal I.D. x O.D. Family is Decimal I.D. or Shaft Size
Qty. Disc: 5 pcs. 5%; 10 pcs. 10%; 25 pcs. 12%; 50 pcs. 14%; 100 pcs. 20%. Seal O.D. is approximately .004 larger than its bore diameter of housing for press fit.



Open Group 2 Medium Duty, With Spring Single Lip For Oil & Grease



With Washer Group 3 Medium Duty, With Spring Single Lip For Oil & Grease



Open Group 4 Medium Duty, With Spring Double Lip For Oil or Grease With Dirt Wiper



With Washer Group 5 Medium Duty, With Spring Double Lip For Oil or Grease With Dirt Wiper

Table with columns: Oil Seal Number, Our Sequence Number, Per Each, Housing Diam., Wide Inches, Seal Type. Rows include various seal specifications such as .250" (1/4") Shaft, .312" (5/16") Shaft, .375" (3/8") Shaft, .437" (7/16") Shaft, .468" (15/32") Shaft, .500" (1/2") Shaft, .531" (17/32") Shaft, .562" (9/16") Shaft, .593" (19/32") Shaft, .625" (5/8") Shaft, .656" (21/32") Shaft, .669" (17mm) Shaft, .687" (11/16") Shaft, .690" Shaft, .718" (23/32") Shaft, .750" (3/4") Shaft, .781" (25/32") Shaft, .812" (13/16") Shaft, .843" (27/32") Shaft, .875" (7/8") Shaft, .906" (29/32") Shaft, .937" (15/16") Shaft, .968" (31/32") Shaft, .968" (31/32") Shaft (Cont'd), .984" (25mm) Shaft, 1.000" (1") Shaft, 1.031" (1-1/32") Shaft, 1.062" (1-1/16") Shaft, 1.125" (1-1/8") Shaft.

Package of 1 Generic is Decimal I.D. x O.D. Family is Decimal I.D. or Shaft Size
 Qty. Disc: 5 pcs. 5%; 10 pcs. 10%; 25 pcs. 12%; 50 pcs. 14%; 100 pcs. 20%. Seal O.D. is approximately .004 larger than its bore diameter of housing for press fit.



Open Group 2
Medium Duty,
With Spring
Single Lip
For Oil & Grease



With Washer Group 3
Medium Duty,
With Spring
Single Lip
For Oil & Grease



Open Group 4
Medium Duty,
With Spring
Double Lip
For Oil or Grease
With Dirt Wiper



With Washer Group 5
Medium Duty,
With Spring
Double Lip
For Oil or Grease
With Dirt Wiper

Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Wide Inches	Seal Type	Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Wide Inches	Seal Type	Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Wide Inches	Seal Type
1.156" (1-5/32") Shaft						1.322" Shaft						1.500" (1-1/2") Shaft (Cont'd)					
474260	845481	\$7.83	1.686	.250	4	484058	845781	\$18.48	2.227	.375	2	450984	844240	\$11.33	2.716	.468	3
471736	845058	5.40	1.874	.250	4	1.326" Shaft						473440	845380	11.44	2.750	.312	4
471764	845075	5.64	2.000	.250	4	484054	845780	22.36	2.061	.375	2	474281	845505	10.23	2.758	.312	4
473427	845366	7.40	2.062	.375	4	1.375" (1-3/8") Shaft						450523	844140	10.26	2.875	.468	3
450362	844040	10.46	2.125	.437	3	340853	842362	6.69	1.750	.187	1	450326	844002	14.94	2.996	.500	3
472239	845171	13.60	2.834	.375	4	323138	842240	5.28	1.828	.250	4	471958	845132	12.22	3.000	.375	4
1.170" Shaft						40395S	841462	5.95	1.874	.250	1	472446	845193	12.11	3.150	.500	4
451182	844260	17.88	2.031	.375	3	472354	845185	6.62	1.874	.250	4	1.531" (1-17/32") Shaft					
1.187" (1-3/16") Shaft						484156V	845787	13.24	1.874	.240	2	452222	844282	16.57	2.374	.375	3
481213	845581	3.88	1.687	.250	2	482163N	845678	6.76	1.983	.312	2	1.562" (1-9/16") Shaft					
473203	845252	6.38	1.752	.250	4	40522S	841482	6.60	2.000	.250	1	8421S	841150	11.66	2.062	.250	2
473425	845362	6.80	1.828	.375	4	472258	845172	5.60	2.000	.312	4	473517	845438	8.70	2.125	.375	4
472475	845198	6.73	1.874	.250	4	472258V	845173	16.57	2.000	.312	4	472213	845168	6.91	2.250	.312	4
473426	845364	6.89	1.983	.375	4	470774	844884	6.89	2.062	.375	4	472299	845176	8.81	2.374	.312	4
471765	845070	6.51	2.000	.250	4	472287	845174	9.25	2.106	.312	4	471821	845092	9.41	2.437	.375	4
471354	844950	6.64	2.062	.250	4	471192	844912	5.42	2.125	.312	4	471827	845094	8.81	2.441	.375	4
473205	845256	7.00	2.125	.250	4	473214	845266	8.96	2.250	.312	4	473229	845280	8.05	2.502	.312	4
472350	845183	9.21	2.165	.250	4	473215	845268	6.91	2.374	.312	4	450143	843832	10.77	2.561	.500	3
474255	845477	6.73	2.250	.250	4	6241S	840614	6.33	2.437	.250	2	470682	844874	11.30	2.623	.312	4
474254	845475	7.94	2.437	.250	4	471276	844936	9.10	2.441	.375	4	471316	844942	11.21	2.686	.375	4
474256	845479	5.71	2.441	.250	4	471835	845102	8.72	2.502	.375	4	473441	845382	10.81	2.750	.375	4
470946	844889	12.60	2.686	.500	4	473258	845314	7.36	2.561	.375	4	450273	843940	10.61	2.758	.500	3
1.218" (1-7/32") Shaft						472843	845224	14.14	2.623	.375	4	473442	845384	9.30	2.875	.375	4
450048	843700	9.65	1.983	.437	3	450776	844216	14.11	2.686	.500	3	473490	845437	10.06	3.150	.312	4
450173	843872	11.10	2.000	.437	3	450456	844098	11.21	2.716	.468	3	1.578" (1-37/64") Shaft					
1.250" (1-1/4") Shaft						473197	845253	9.99	2.835	.312	4	450666	844190	13.47	2.408	.500	3
343186	842414	2.97	1.499	.125	1	471105	844897	11.30	2.875	.468	4	1.593" (1-19/32") Shaft					
251511	842154	4.84	1.625	.250	4	471379	844951	9.97	3.150	.375	4	450065	843724	9.99	2.437	.468	3
474278	845501	5.62	1.686	.250	4	450492	844120	14.65	3.350	.468	3	482253	845690	9.85	2.502	.250	2
473135V	845251	14.92	1.686	.250	4	1.399" Shaft						1.618" Shaft					
240356	842106	7.40	1.686	.187	1	8660S	841196	3.14	2.292	.460	2	8835S	841216	3.90	2.575	.500	2
7412S	840968	5.46	1.750	.250	2	1.437" (1-7/16") Shaft						1.625" (1-5/8") Shaft					
40140S	841414	5.82	1.752	.250	1	3395	840002	7.56	2.061	.312	4	473694	845439	8.67	2.000	.250	4
471413	844956	4.99	1.752	.250	4	473224	845270	8.25	2.125	.312	4	472419	845189	7.05	2.116	.312	4
471413V	844957	20.13	1.752	.250	4	473016	845246	7.36	2.250	.312	4	481181	845575	6.02	2.125	.250	2
471737	845060	5.40	1.874	.250	4	472655	845211	7.76	2.312	.375	4	473230	845282	5.42	2.250	.312	4
204507	8420207	4.57	1.979	.250	1	473225	845272	9.36	2.374	.312	4	204017	8420146	4.21	2.327	.406	1
203029	8420103	6.04	1.979	.406	1	474264	845485	7.78	2.437	.312	4	473231	845284	5.64	2.374	.312	4
7781S	841054	6.02	1.983	.250	1	473226	845274	9.36	2.502	.312	4	473367	845323	5.66	2.437	.312	4
471750	845064	6.24	1.983	.250	4	471862	845110	11.84	2.686	.375	4	471829	845096	8.81	2.441	.375	4
471750V	845065	19.26	1.983	.250	4	471405	844953	11.79	3.000	.500	4	473010	845242	7.02	2.502	.312	4
471766	845072	5.11	2.000	.250	4	1.468" (1-15/32") Shaft						204500	8420198	6.31	2.562	.250	1
471766V	845073	17.48	2.000	.250	4	473438	845376	11.24	2.375	.375	4	4763S	8401602	6.87	2.562	.437	9
200338	841978	9.21	2.000	.290	7	473439	845378	9.52	2.437	.375	4	473232	845286	7.89	2.623	.312	4
473551	845441	9.83	2.047	.375	4	1.500" (1-1/2") Shaft						40568S	841488	9.39	2.625	.250	1
471787	845078	9.61	2.062	.250	4	343099	842400	5.60	1.874	.250	1	481864	845664	7.36	2.686	.375	2
471795	845080	7.42	2.125	.250	4	443018	843633	4.35	1.983	.187	2	474274	845495	10.37	2.750	.312	4
471801	845084	7.09	2.252	.375	4	474276	845497	8.09	1.983	.250	4	450819	844224	13.91	2.835	.468	3
471808	845086	10.10	2.374	.375	4	3677	840040	9.43	1.989	.285	9	473444	845388	11.66	2.875	.375	4
471818	845088	9.97	2.437	.375	4	481163	845574	5.22	2.000	.312	2	414268	842864	13.60	3.000	.312	5
471407	844954	11.04	2.441	.375	4	240319	842104	8.25	2.000	.187	1	1.656" (1-21/32") Shaft					
471833	845100	10.72	2.502	.375	4	472466	845195	7.89	2.048	.375	4	472660	845213	13.76	2.937	.375	4
451845	844274	12.51	2.561	.500	3	480630	845543	5.13	2.062	.250	2	1.687" (1-11/16") Shaft					
450341	844016	14.11	2.713	.468	3	473227	845276	6.27	2.125	.312	4	473317	845322	7.09	2.328	.312	4
470806	844886	9.57	2.835	.468	4	480844	845554	9.45	2.222	.312	2	473233	845288	9.14	2.374	.312	4
472536	845201	14.47	2.877	.250	4	470625	844870	6.24	2.250	.312	4	473445	845390	8.16	2.437	.312	4
453279	844306	14.34	3.155	.500	3	470625V	844871	17.88	2.250	.312	4	473234	845290	7.89	2.502	.312	4
1.281" (1-9/32") Shaft						340136	842298	6.91	2.250	.250	1	470460	844845	8.36	2.561	.500	4
473424	845360	8.76	2.000	.375	4	453065	844296	8.43	2.254	.312	3	473235	845292	13.85	2.623	.312	4
1.301" Shaft						203013	8420086	6.91	2.327	.406	1	200886	842003	12.04	2.686	.290	7
471193	844913	9.01	2.000	.437	4	204013	8420142	5.28	2.327	.406	1	474265	845487	10.77	2.686	.312	4
1.312" (1-5/16") Shaft						40059S	841408	6.38	2.374	.250	1	450765	844214	11.33	2.716	.468	3
473423	845358	8.94	1.874	.375	4	470380	844842	3.50	2.375	.312	4	473236	845294	11.21	2.750	.312	4
473422	845356	6.82	1.983	.375	4	470380V	844843	17.48	2.375	.312	4	470596	844864	13.62	2.835	.468	4
473210	845258	8.32	2.000	.312	4	9613S	841300	3.21	2.377	.470	9	473446	845392	12.08	2.875	.375	4
472826	845222	7.11	2.062	.312	4	40063S	841406	8.05	2.437	.250	1	471981	845134	12.22	3.000	.375	4
473421	845354	8.76	2.106	.375	4	471820	845090	9.39	2.437	.375	4	470687	844876	22.32	3.125	.500	4
473211	845260	7.51	2.125	.312	4	471344	844948	9.01	2.441	.375	4	1.718" (1-					

Package of 1

Qty. Disc: 5 pcs. 5%; 10 pcs. 10%; 25 pcs. 12%; 50 pcs. 14%; 100 pcs. 20%.

Generic is Decimal I.D. x O.D. Family is Decimal I.D. or Shaft Size

Seal O.D. is approximately .004 larger than its bore diameter of housing for press fit.



Open Group 2 Medium Duty, With Spring Single Lip For Oil & Grease



With Washer Group 3 Medium Duty, With Spring Single Lip For Oil & Grease



Open Group 4 Medium Duty, With Spring Double Lip For Oil or Grease With Dirt Wiper



With Washer Group 5 Medium Duty, With Spring Double Lip For Oil or Grease With Dirt Wiper

Table with columns: Oil Seal Number, Our Sequence Number, Per Each, Housing Diam., Wide Inches, Seal Type. It lists various seal models and their specifications across multiple columns.

Package of 1 Generic is Decimal I.D. x O.D. Family is Decimal I.D. or Shaft Size
 Qty. Disc: 5 pcs. 5%; 10 pcs. 10%; 25 pcs. 12%; 50 pcs. 14%; 100 pcs. 20%. Seal O.D. is approximately .004 larger than its bore diameter of housing for press fit.



Open Group 2
Medium Duty, With Spring Single Lip
For Oil & Grease



With Washer Group 3
Medium Duty, With Spring Single Lip
For Oil & Grease



Open Group 4
Medium Duty, With Spring Double Lip
For Oil or Grease With Dirt Wiper



With Washer Group 5
Medium Duty, With Spring Double Lip
For Oil or Grease With Dirt Wiper

Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Wide Inches	Seal Type	Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Wide Inches	Seal Type	Oil Seal Number	Our Sequence Number	Per Each	Housing Diam.	Wide Inches	Seal Type
2.500" (2-1/2") Shaft (Cont'd)						3.000" (3") Shaft						3.625" (3-5/8") Shaft					
415449	843090	\$11.68	3.500	.375	5	417349	843400	\$10.72	3.751	.437	5	417698	843606	\$27.69	4.376	.375	5
415449V	843091	37.44	3.500	.375	5	417350	843402	16.74	3.876	.437	5	415389	843078	19.96	4.499	.468	5
415001	842907	13.07	3.543	.500	5	453182	844304	16.45	3.999	.437	3	416332	843253	20.69	4.625	.437	5
416273	843234	10.06	3.623	.375	5	415995	843158	8.65	4.003	.375	5	415937	843138	25.06	4.751	.500	5
455079	844428	12.64	3.751	.500	3	415995V	843159	44.26	4.003	.375	5	417355	843412	24.90	4.875	.500	5
415082	842972	17.37	3.876	.468	5	417351	843404	17.55	4.125	.437	5	416125	843194	25.53	4.999	.500	5
455655	844708	15.14	4.003	.468	3	417487	843447	17.84	4.249	.437	5	417499	843468	28.85	5.251	.437	5
2.556" Shaft						3.125" (3-1/8") (979,37mm) Shaft						3.687" (3-11/16") Shaft					
476514	845502	13.53	3.937	.375	4	415962	843148	25.06	4.331	.500	5	416919N	843313	27.49	4.501	.500	5
2.562" (2-9/16") Shaft						3.187" (3-3/16") Shaft						3.750" (3-3/4") Shaft					
415302	843046	13.82	3.500	.375	5	417488	843448	21.72	4.376	.500	5	415983N	843150	24.28	4.499	.468	5
415988	843154	16.25	3.623	.375	5	415088	842978	21.27	4.499	.468	5	415379	843074	18.97	4.751	.500	5
417481	843440	16.61	3.750	.375	5	416370	843259	36.77	4.751	.625	5	417205	843354	23.86	4.875	.500	5
455280	844568	17.50	3.876	.468	3	455019	844358	25.55	4.999	.468	3	416339	843254	22.05	4.999	.500	5
2.598" (66mm) Shaft						3.250" (3-1/4") Shaft						3.812" (3-13/16") Shaft					
411330N	842880	17.75	3.481	.500	5	416404	843268	12.89	4.003	.375	5	417504	843478	31.08	4.875	.500	5
477069	845518	14.83	4.000	.500	4	417621	843605	14.85	4.125	.375	5	455032	844380	33.67	4.999	.468	3
2.625" (2-5/8") Shaft						3.250" (3-1/4") Shaft						3.875" (3-7/8") Shaft					
451143	844252	19.64	3.250	.437	3	416288	843240	20.89	4.249	.500	5	417210	843356	23.75	4.751	.375	5
412871	842860	12.55	3.350	.375	5	417171	843342	20.07	4.375	.500	5	417211	843358	24.70	4.875	.500	5
413248	842899	12.95	3.371	.375	5	417172	843344	21.96	4.501	.500	5	416345	843256	20.38	4.999	.500	5
410708	842846	15.25	3.374	.468	5	416297	843246	22.39	4.626	.437	5	415697	843114	31.08	5.125	.500	5
450412	844062	12.89	3.481	.500	3	416024	843170	21.78	4.751	.500	5	417366	843434	24.66	5.250	.500	5
415483	843096	14.72	3.500	.375	5	415021	842924	25.42	4.999	.468	5	415958	843144	28.47	5.376	.500	5
417079	843330	14.16	3.543	.375	5	415394	843082	26.71	5.251	.468	5	417505	843480	36.34	5.501	.500	5
415458	843092	10.77	3.623	.375	5	3.187" (3-3/16") Shaft						3.937" (3-15/16") 100mm Shaft					
415458V	843093	35.85	3.623	.375	5	456105	844738	18.84	4.249	.468	3	455186	844510	24.70	4.876	.625	3
417343	843396	13.85	3.751	.375	5	455336	844600	21.07	4.499	.468	3	415034	842934	19.02	4.999	.468	5
415007	842912	16.83	3.876	.468	5	3.250" (3-1/4") Shaft						455191	844516	26.22	5.251	.468	3
417082	843332	17.17	4.003	.375	5	417433	843435	14.72	4.003	.375	5	415263	843034	27.20	5.376	.500	5
416278	843236	19.60	4.249	.468	5	455566	844694	22.25	4.125	.562	3	417506	843482	27.02	5.501	.500	5
418027	843616	22.92	4.437	.437	5	476470	845498	11.53	4.249	.375	4	4.000" (101.6mm) Shaft					
9773	841304	22.61	4.564	.718	--	417181	843346	19.93	4.376	.500	5	415187	843014	26.60	4.876	.625	5
2.687" (2-11/16") Shaft						418028	843617	18.10	4.500	.375	5	415035	842936	17.03	4.999	.468	5
455434	844646	15.45	3.500	.500	3	417353	843408	21.58	4.626	.500	5	417356	843414	22.99	5.125	.500	5
455151	844484	15.65	3.751	.500	3	415577	843108	28.03	4.723	.468	5	417357	843416	27.05	5.250	.500	5
455008	844336	19.26	3.876	.468	3	456305	844756	24.26	4.751	.484	3	416130	843198	27.51	5.376	.500	5
2.750" (2-3/4") Shaft						415023	842926	26.22	4.999	.468	5	415036	842938	29.30	5.501	.562	5
480491	845539	23.57	3.481	.500	2	3.312" (3-5/16") Shaft						417507	843484	24.37	5.626	.375	5
416664	843294	8.45	3.500	.375	5	455500	844676	17.75	4.125	.562	3	415041	842940	32.78	5.751	.562	5
417484N	843443	22.85	3.543	.375	5	416292	843242	18.55	4.249	.500	5	417509	843486	37.08	5.999	.500	5
415984	843152	15.36	3.623	.375	5	417491	843452	23.19	4.376	.500	5	417223	843360	47.16	6.250	.500	5
417316	843394	13.62	3.751	.375	5	415085	842974	20.38	4.499	.468	5	4.125" (4-1/8") Shaft					
415960	843146	15.34	3.876	.375	5	416313	843248	22.92	4.751	.500	5	455134	844470	23.05	4.999	.468	3
416706	843300	17.95	4.003	.375	5	3.375" (3-3/8") Shaft						417511	843488	28.63	5.126	.500	5
416282	843238	19.96	4.249	.468	5	415442	843087	22.74	4.125	.375	5	415142	843000	30.68	5.251	.468	5
2.812" (2-13/16") Shaft						416294	843244	23.39	4.249	.500	5	417512	843490	28.98	5.501	.500	5
455005	844328	15.90	3.751	.500	3	412473	842859	14.14	4.276	.375	5	415043	842942	35.90	5.751	.562	5
417485	843444	26.89	3.876	.437	5	417191	843348	21.05	4.500	.500	5	4.187" (4-3/16") Shaft					
475384	845478	14.76	4.003	.468	4	417354	843410	22.39	4.626	.500	5	415295	843044	23.86	4.999	.468	5
411348	842877	18.26	4.249	.468	5	455249	844554	25.42	4.688	.500	3	455194	844520	38.51	5.251	.468	3
2.843" (2-27/32") Shaft						415025	842928	27.45	4.999	.468	5	417514	843502	47.58	5.751	.500	5
2081	8398035	7.58	3.939	.495	5	3.437" (3-7/16") Shaft						4.250" (4-1/4") Shaft					
2.875" (2-7/8") Shaft						418029	843618	15.90	4.249	.375	5	472157	845159	16.83	5.251	.375	4
415303	843056	16.54	3.623	.375	5	417492	843454	18.95	4.501	.375	5	415196	843018	27.02	5.376	.500	5
417344	843398	12.22	3.751	.375	5	417493	843456	18.95	4.626	.500	5	416891	843310	26.98	5.500	.500	5
9864S	841310	9.63	3.875	.515	5	455858	844715	21.14	4.756	.562	3	416135	843200	27.05	5.626	.500	5
417158	843338	13.76	3.876	.375	5	455026	844370	25.95	4.999	.468	3	415045	842944	31.01	5.751	.562	5
416921	843314	15.92	4.003	.375	5	455471	844660	26.29	5.250	.468	3	416137	843202	36.90	5.999	.500	5
417134	843336	16.59	4.125	.375	5	3.500" (3-1/2") Shaft						417518	843508	48.47	6.126	.500	5
416285	843239	28.49	4.249	.500	5	416624	843288	18.88	4.376	.500	5	415058	842952	45.37	6.250	.562	5
455144	844474	19.93	4.499	.468	3	345146	842418	11.73	4.499	.250	1	3.937" (3-15/16") Shaft					
2.937" (2-15/16") Shaft						415991	843155	14.83	4.501	.468	5	415498	843100	21.38	4.499	.468	5
416956	843318	13.31	3.751	.375	5	417196	843350	19.24	4.625	.500	5	415711	843116	22.59	4.625	.500	5
417159	843340	18.37	3.876	.375	5	415437	843086	20.40	4.751	.500	5	3.562" (3-9/16") Shaft					
416500	843283	20.96	3.937	.500	5	417198	843352	32.91	4.875	.500	5						
416654	843290	15.61	4.003	.375	5	415027	842930	25.31	4.999	.468	5						
417486	843446	20.18	4.125	.375	5	417495	843460	25.48	5.126	.500	5						
455356	844608	21.05	4.449	.468	3	415559	843104	29.85	5.251	.468	5						

© 2008 by Baum Hydraulics Corporation
 1-800-228-9222
 www.baumhydraulics.com
 Prices subject to change without notice

Package of 1 Generic is Decimal I.D. x O.D. Family is Decimal I.D. or Shaft Size
Qty. Disc: 5 pcs. 5%; 10 pcs. 10%; 25 pcs. 12%; 50 pcs. 14%; 100 pcs. 20%. Seal O.D. is approximately .004 larger than its bore diameter of housing for press fit.



Open Group 2 Medium Duty, With Spring Single Lip For Oil & Grease



With Washer Group 3 Medium Duty, With Spring Single Lip For Oil & Grease



Open Group 4 Medium Duty, With Spring Double Lip For Oil or Grease With Dirt Wiper



With Washer Group 5 Medium Duty, With Spring Double Lip For Oil or Grease With Dirt Wiper


Table with 6 columns: Oil Seal Number, Our Sequence Number, Per Each, Housing Diam., Wide Inches, Seal Type. Contains multiple rows of seal specifications for various sizes (4.312" to 5.250").

Table with 6 columns: Oil Seal Number, Our Sequence Number, Per Each, Housing Diam., Wide Inches, Seal Type. Contains multiple rows of seal specifications for various sizes (5.312" to 6.875").

Table with 6 columns: Oil Seal Number, Our Sequence Number, Per Each, Housing Diam., Wide Inches, Seal Type. Contains multiple rows of seal specifications for various sizes (7.000" to 9.000").

© 2008 by Baum Hydraulics Corporation
1-800-228-9222
www.baumhydraulics.com
Prices subject to change without notice

Oil Seal No. x H x MM	Wide x H x MM	Our Sequence Number	Per Each
--------------------------	------------------	---------------------------	-------------



6MM SHAFT - STYLE 2			
M6x16x7		259001	\$2.97
M6x22x7		259002	2.70

7MM SHAFT - STYLE 2			
M7x16x7		259003	2.90
M7x22x7		259004	2.19

8MM SHAFT - STYLE 2			
M8x16x7		259006	2.41
M8x22x7		259008	2.52
M8x24x7		259009	2.61

9MM SHAFT - STYLE 2			
M9x22x7		259011	2.65
M9x24x7		259012	2.27
M9x26x7		259013	2.94

10MM SHAFT - STYLE 2			
M10x19x7		259014	2.43
M10x22x7		259015	2.52
M10x24x7		259016	2.27
M10x26x7		259018	2.68

11MM SHAFT - STYLE 2			
M11x22x7		259019	2.72
M11x26x7		259021	2.85

12MM SHAFT - STYLE 2			
M12x20x5		259023	2.63
M12x22x7		259024	4.41
M12x24x7		259025	2.47
M12x28x7		259028	3.97
M12x30x7		259029	2.43
M12x32x7		259030	5.08

13MM SHAFT - STYLE 2			
M13x26x7		259033	3.21

14MM SHAFT - STYLE 2			
M14x24x7		259036	2.79
M14x25x5		259037	2.30
M14x28x6		259040	4.30
M14x30x7		259041	4.17
M14x35x7		259043	3.37

15MM SHAFT - STYLE 2			
M15x24x7		259044	2.52
M15x26x7		259047	2.68
M15x32x8		259050	4.79
M15x35x7		259051	3.14

16MM SHAFT - STYLE 2			
M16x28x7		259058	3.66
M16x30x7		259059	4.30
M16x32x7		259060	4.62
M16x35x7		259061	4.84

17MM SHAFT - STYLE 2			
M17x28x7		259065	4.28
M17x30x7		259066	3.43
M17x32x7		259067	3.75
M17x35x7		259068	4.55
M17x40x7		259072	3.30

18MM SHAFT - STYLE 2			
M18x28x6		259074	3.01
M18x30x7		259075	4.24
M18x32x8		259076	4.57
M18x35x7		259077	4.35
M18x40x7		259080	4.46

19MM SHAFT - STYLE 2			
M19x35x10		259083	4.64
M19x40x10		259084	5.37

20MM SHAFT - STYLE 2			
M20x32x7		259088	4.86
M20x35x7		259089	4.28
M20x40x7		259093	3.57
M20x40x10		259094	3.08
M20x47x7		259097	4.24
M20x52x7		259098	5.02

22MM SHAFT - STYLE 2			
M22x32x7		259100	4.15
M22x35x7		259101	2.68
M22x37x7		259103	4.41
M22x40x7		259105	4.24
M22x45x7		259109	5.11
M22x47x7		259110	4.35

Oil Seal No. x H x MM	Wide x H x MM	Our Sequence Number	Per Each
24MM SHAFT - STYLE 2			
M24x35x7		259111	\$3.08
M24x37x7		259112	3.21
M24x40x7		259114	3.37
M24x47x7		259116	4.48

25MM SHAFT - STYLE 2			
M25x35x7		259119	4.95
M25x36x8		259120	5.40
M25x38x7		259122	4.44
M25x40x7		259123	3.14
M25x42x10		259125	3.63
M25x45x8		259126	4.24
M25x47x7		259128	4.10
M25x50x10		259129	6.04
M25x52x7		259130	3.68
M25x62x10		259133	4.84

26MM SHAFT - STYLE 2			
M26x42x10		259137	5.98
M26x47x7		259138	4.86
M26x48x7		259139	6.62

27MM SHAFT - STYLE 2			
M27x37x7		259141	3.59
M27x45x8		259144	5.44
M27x47x10		259145	5.15

28MM SHAFT - STYLE 2			
M28x38x7		259146	3.55
M28x40x7		259147	4.70
M28x42x8		259149	4.04
M28x44x6		259150	6.35
M28x47x7		259152	4.79
M28x52x7		259154	4.24

30MM SHAFT - STYLE 2			
M30x40x7		259155	3.05
M30x42x7		259156	5.48
M30x44x7		259157	8.61
M30x45x5		259158	4.62
M30x47x7		259161	3.61
M30x48x8		259162	5.71
M30x50x7		259163	4.64
M30x52x7		259165	5.66
M30x55x10		259166	5.53
M30x62x7		259168	4.55
M30x72x10		259169	5.71

32MM SHAFT - STYLE 2			
M32x45x7		259173	3.70
M32x46x6		259174	7.02
M32x47x7		259175	5.55
M32x48x8		259176	5.42
M32x52x7		259178	5.73
M32x54x10		259179	8.16
M32x56x10		259180	7.36

33MM SHAFT - STYLE 2			
M33x50x12		259186	7.80

34MM SHAFT - STYLE 2			
M34x52x8		259189	4.48
M34x62x10		259192	8.03

35MM SHAFT - STYLE 2			
M35x45x7		259193	3.77
M35x47x7		259194	4.68
M35x50x8		259196	3.88
M35x52x8		259197	4.01
M35x55x11		259200	5.37
M35x56x10		259201	5.51
M35x58x10		259202	6.98
M35x60x10		259203	5.02
M35x62x7		259204	5.42
M35x64x8		259206	8.09
M35x72x10		259209	6.02

36MM SHAFT - STYLE 2			
M36x47x7		259211	6.27
M36x50x7		259212	4.57
M36x52x7		259213	4.95
M36x58x12		259217	6.71
M36x62x7		259219	6.80

37MM SHAFT - STYLE 2			
M37x52x8		259221	7.78

Oil Seal No. x H x MM	Wide x H x MM	Our Sequence Number	Per Each
--------------------------	------------------	---------------------------	-------------

38MM SHAFT - STYLE 2			
M38x52x8.5		259223	\$4.10
M38x54x7		259225	7.27
M38x55x7		259227	5.35
M38x56x10		259228	7.47
M38x58x8		259229	5.95
M38x60x10		259230	7.29
M38x62x7		259231	6.69

40MM SHAFT - STYLE 2			
M40x52x7		259239	4.33
M40x55x8		259242	4.91
M40x58x10		259245	3.72
M40x60x10		259246	4.93
M40x65x10		259249	7.65
M40x68x12		259250	7.87
M40x72x7		259252	6.11
M40x80x10		259255	6.38

41MM SHAFT - STYLE 2			
M41x55x7		259256	6.56
M41x56x7		259257	5.80

42MM SHAFT - STYLE 2			
M42x55x8		259258	7.09
M42x56x7		259259	11.26
M42x58x7		259260	7.63
M42x60x7		259261	5.75
M42x62x8		259262	7.42
M42x65x10		259263	6.44
M42x72x10		259267	6.27

44MM SHAFT - STYLE 2			
M44x62x8		259273	5.84
M44x65x10		259274	5.69

45MM SHAFT - STYLE 2			
M45x58x7		259277	7.49
M45x60x10		259278	4.24
M45x62x8		259280	4.37
M45x65x8		259281	4.91
M45x68x7		259282	5.26
M45x72x7		259284	7.69
M45x80x10		259289	7.31

47MM SHAFT - STYLE 2			
M47x68x10		259296	9.97

48MM SHAFT - STYLE 2			
M48x62x8		259298	4.04
M48x63x9		259299	8.45
M48x65x10		259300	5.06
M48x68x10		259301	5.80
M48x70x9		259302	4.91
M48x72x7		259303	9.28

50MM SHAFT - STYLE 2			
M50x62x7		259307	6.35
M50x65x8		259308	5.08
M50x68x8		259309	4.62
M50x72x8		259312	5.98
M50x80x8		259314	7.40
M50x90x10		259316	7.42

52MM SHAFT - STYLE 2			
M52x65x9		259318	4.57
M52x68x8		259319	5.46
M52x69x10		259320	6.13
M52x72x8		259322	6.31
M52x75x12		259323	6.27
M52x80x10		259325	15.03

53MM SHAFT - STYLE 2			
M53x68x10		259326	8.41

54MM SHAFT - STYLE 2			
M54x72x10		259328	7.11
M54x82x10		259330	8.63
M54x85x10		259331	7.22

55MM SHAFT - STYLE 2			
M55x68x			



Model Application	Our Sequence Number	Per Kit Each
JOHN DEERE		
A series excluding AN, BW, D, G series; 50 Adj. (TP19164), 60 series (to 34693), 70 series excluding std. (to 11652)	EE0340	FJD109S \$98.60
AN, ANH, BN, BNH; Single Front Wheel MODELS: 50, 60, 70, 70D, 520, 530, 620, 720, 730, 1010, 2012, 3010, 4010, 2510, 3020, 4020, & 4040 w/o seal	EE0345	FJD153S \$64.43
B (to 259370), BR, BO, 50(to 19164) excluding Adj. 50 Roll-O-Matic	EE0350	FJD111S \$60.83
M (43251/up), MT, MI, 40 series w/o seal	EE0355	FJD129S \$42.68
1020 (Exc. HD Axle Models HU & RU), 1520, 2010 (Exc. RU Low Profile), 2020, 2030, (Exc. HD Axle), 2040 (w/T25809 Hub), 2240, 2630, & 2640 (Exc. HD Axle), 820 (Prior S/N 04292A) & 830 (Mannheim w/T25809 Hub)	EE0360	FJD155S \$41.17
2010 (RU Low Profile), M (43251/up), MT, MI & 40 series, 320, 330, 420, 430 series, 435, 440 Wheel Diesels, 1010 series Orchard w/o seal	EE0365	FJD129BS \$42.68
4010 (w/38" Fixed Tread), 3010 & 3020 (w/38" Fixed Tread) 50 (Adj. Tread 19165/up), 60 (34694/up), 70 (Excluding Std., 11653/up), 520 (w/48"-80" Adj. 38" Fixed Tread), 620, 630, 720 & 730 (Excluding Roll-O-Matic)	EE0370	FJD151S \$111.77
5010	EE0375	FJD158S \$86.74
820 (s/n 042925/up), 830 (Mannheim Tractor w/R47076 Hub), 2040, 2240 w/o seal	EE0380	FJD160S \$33.68
2030 (w/HD Axle s/n 190559/up), 2840 (w/R49839 hub), 4030, 4230, 4430 (w/Adj. Tread Front Axle & Hub R49839 or R49841)	EE0385	FJD163S \$81.40
4040, 4240, 4440 (Adj. Tread Front Axle w/Hub R49839 or R49841)	EE0390	FJD162S \$83.99
4000 & 4020 s/n 201000/up (Exc. Single Front Wheel), 4020 Prior s/n 200999 (Wide Front Only), 4010 (All Exc. Single Front Wheel), 4030, 4040 & 4230 (Tricycle Reg. & Roll-O-Matic), 4320 (Tricycle & Wide Front), 4430 (Tricycle-Double Knuckle Tricycle), 3010 & 3020 (Roll-O-Matic & Double Knuckle), Adj. Tread Wide Front), 1020, 1520, (w/HD Front Axle HU & RU Models), 2030 (w/HD Front Axle HU & RU - Prior s/n 190558), 2440 (w/HD Front Axle), 2520 (w/Double Knuckle Tricycle, Roll-O-Matic & Adj. Tread Wide Front Axle), 2630 & 2640 (w/HD Front Axle), 2510 Exc. Single Front Wheel	EE0395	FJD157S \$94.26
4520, 4620, 4630, 4640, 4840, 5020 & 6030	EE0400	FJD159S \$147.11
OLIVER WHITE		
Super 55 & 550, Adj. Front Axle to s/n 79335, 66 & Super 66, Standard 66RC & 66RC to s/n 73131 w/o seal	EE0290	FWT131 \$42.68
Super 55 & 550 Adj. Front Axle s/n 793366/up, 66RC & Super 66RC s/n 73231/up, 660 w/o seal	EE0295	FWT143 \$27.09
Super 55 & 550 Fixed Front Axle to s/n 121807; 70RC s/n 207774/up; 77RC, 77 Std. Super 77 Std., 88RC, Super 88RC, 770, 880 w/o seal	EE0335	FWT118 \$141.24
Super 55, 550 Fixed Front Axle s/n 121808/up; 1600, 1650, 1655RC & Utility; 1800RC, 1850RC, 1950RC w/o seal	EE0330	FWT132 \$35.80
77 Ind. Super 77 Ind, Super 88 Std. & RC, Super 99, 770 Ind & Orch., 880 Ind. & Orch; 1600 Wht. & Ind; 1650 Wht. & Ind. 1750 Wht., 1800 Wht. & Ind. 1900 Wht. & Ind. w/o seal	EE0325	FWT128 \$95.61
ZAS, ZAU, ZBU w/o seal	EE0320	FWT142 \$73.71
ZAE, ZBE, UBE, UBED w/o seal	EE0315	FWT141 \$106.25
GB, GBD, GTC, GVI, GBT, GBTD, UTS, UTSD, G705, G707, G708 w/o seal	EE0310	FWT144 \$93.03
M5, M602, & M670 Type E, U & Std., Jet Star 3 Jet Star & 4 Star, w/5000 s/n Axle, U-302 Exc., Narrow, UBU, UBUD, Big MO, 500 & 600, G1000 Std. w/o seal	EE0305	FWT149 \$67.38
M504, M604 w/o seal	EE0300	FWT150 \$144.24

Model Application	Our Sequence Number	Per Kit Each
DAVID BROWN & CASE		
Fits Model 700 w/o seal	EE0120	FB100 \$27.09
Fits 880, 990, 3800, 4600 (2 Required) w/o seal	EE0125	FB125 \$35.67
1200 w/o seal	EE0130	FB150 \$104.72
200B, 210B, 211B	EE0135	FC200 \$36.56
300B, 400B, Adj. Axle	EE0140	FC300 \$41.49
400 Hi Clearance 1957-56	EE0145	FC400 \$80.04
430, 530 Utility	EE0150	FC500 \$36.56
730, 830, 840 Hi Clearance	EE0155	FC600 \$90.88
770 Dual, 870, 900, 940, 930 1030, 1070AK w/o seal	EE0160	FC700 \$61.83
1090AK, 1170AK, 1270AS 1570AK w/o seal	EE0165	FC800 \$68.20
INTERNATIONAL HARVESTER - (IHC)		
A, B, C, Supers A & C, 100, 130 200, 300 w/o seal	EE0090	FIHC10 \$50.64
H; 4 Series & Supers, M.6 Series Supers, MD Super; MD; 300, 350	EE0095	FIHC113 \$84.25
140, 240, 330, 340, 404, F504, 2504 w/o seal	EE0100	FIHC105 \$27.09
HV, Super HV, MV, MDV, Super MDV 6V, Super 6V, 400, 450 w/o seal	EE0105	FIHC112 \$122.72
460 Except Hi-Clear, INT'L, 504 606 & 2606 Std., Front Axle	EE0110	FIHC119 \$49.98
460 Hi-Clear, 560, 606 & 2606HD Front Axle, 706, 806 2706, 2806, 856, 886, 966, 1026, 1066, 1086, 1206, 1256, 1456, 1466, 1486, 1566, 1586, 3088, 3288, 3488, 3688, 5088, 5288, 5488, H100, H186, 1456D, 1468, 1568, 21026, 21456D, 2756, 2825, 2856, 460, 560, 706, 756, 766, 806, 826, 998 w/2.250" shaft	EE0116	FIHC121 \$45.15
MASSEY FERFUSON		
TE20, T020, T030, T035, MF35, FE35	EE0195	FMF30 \$53.81
MF65 Std. MF40, MF50	EE0200	FMF50 \$53.81
MF135, MF235, MF150, MF165, MF175, MF180 MF245, MF255, MF265, MF275, MF1080	EE0205	FMF100 \$36.78
MF85, MF90, Super 90	EE0210	FMF90 \$48.57
MF1100, MF1130, MF1105, MF1135, MF1150	EE0215	FMF110 \$103.23
ALLIS CHALMERS		
B, C, CA; D10 (to 3500 & 9001 up) D12 (to 3000 & 9001 up) w/o seal	EE0170	FAC10 \$49.67
WC, WD, WC45, D14, D15, D17, 19 190, 180, 170 w/o seal	EE0175	FAC40 \$60.32
WC, WD, WD45; D10 (3501 thru 9000) D12 (3001 thru 9000); D14, D15, D17 (thru 42000) w/o seal	EE0180	FAC45 \$60.32
D17 (42001 up) 6 Bolt Hub, D19, 190, 180, 170	EE0185	FAC55 \$87.27
D21 w/o seal	EE0190	FAC21 \$63.08



Model Application		Our Sequence Number	Per Kit Each
ALLIS-CHALMERS			
A, B, R -26001	Front Wheel	EE0430	ACWF10 \$75.55
C, C11, CH, CR	Front Wheel	EE0435	ACWF11 \$148.42
C-CR-2001	Rear Wheel	EE0460	ACWR11 \$71.58
GH	Rear Wheel	EE0470	ACWR13 \$93.29
T2, T3	Front Wheel	EE0440	ACWF14 \$107.94
	Rear Wheel	EE0475	ACWR14 \$57.49
A, R	Front Wheel	EE0445	ACWF15 \$123.01
	1056-57 Rear Wheel	EE0480	ACWR15 \$59.14
	Prior-26001 Rear Wheel	EE0485	ACWR16 \$70.09
AH	Front Wheel	EE0450	ACWF17 \$123.01
B	Front Wheel	EE0455	ACWF18 \$132.01
	Rear Wheel	EE0490	ACWR18 \$70.09
J. I. CASE			
120, 150	Front Wheel	EE0510	CCWF10 \$275.78
310, 302	Rear Wheel	EE0545	CCWR10 \$168.07
600, 660, 700	Front Wheel	EE0515	CCWF11 \$59.39
	Rear Wheel, Except Heavy Duty	EE0550	CCWR11 \$43.93
	Rear Wheel, Heavy Duty	EE0555	CCWR11H \$30.20
900, 960	Front Wheel	EE0560	CCWF12 \$101.23
800	Front Wheel	EE0520	CCWF13 \$132.01
1000, 1000G	Front Wheel	EE0525	CCWF14 \$132.01
1010	Front Wheel	EE0530	CCWF15 \$137.14
120R, 150R	Front Wheel	EE0535	CCWF16 \$234.13
	Rear Wheel	EE0575	CCWR16 \$93.03
600 (Special), 700 (Special), 900 (Special)	Front Wheel	EE0540	CCWF17 \$59.39
	Rear Wheel, Except Heavy Duty	EE0580	CCWR17 \$30.20
JOHN DEERE			
95	Front Wheel	EE0605	DCWF10 \$115.63
	Rear Wheel	EE0650	DCWR10 \$35.80
95H	Rear Wheel	EE0655	DCWR11 \$39.31
3300	Front Wheel	EE0610	DCWF12 \$70.43
	Rear Wheel	EE0660	DCWR12 \$35.80
4400	Front Wheel	EE0615	DCWF13 \$102.86
	Rear Wheel	EE0665	DCWR13 \$35.80
6600	Front Wheel	EE0620	DCWF14 \$201.72
	-254050 Rear Wheel	EE0670	DCWR14 \$54.25
	254051- Rear Wheel	EE0675	DCWR15 \$84.41
6602	Front Wheel	EE0625	DCWF16 \$161.39
7700	Front Wheel	EE0630	DCWF17 \$201.72



Model Application		Our Sequence Number	Per Kit Each
JOHN DEERE (Cont'd)			
4420	Front Wheel	EE0635	DCWF18 \$201.72
	Rear Wheel	EE0680	DCWR18 \$55.08
8820	Front Wheel, Except Crawler	EE0640	DCWF19 \$279.52
3320	Front Wheel	EE0645	DCWF20 \$70.43
	Rear Wheel	EE0685	DCWR21 \$35.80
MASSEY FERGUSON			
MF Super 35, MH35	Front Wheel	EE1020	MCWF10 \$54.36
MF205	Rear Wheel	EE1045	MCWR11 \$52.04
MF750	Rear Wheel	EE1050	MCWR12 \$61.87
80, 82, 92	Rear Wheel	EE1055	MCWR13 \$77.27
60	Rear Wheel	EE1060	MCWR14 \$82.97
70	Front Wheel	EE1025	MCWF15 \$107.20
72	Rear Wheel	EE1065	MCWR16 \$57.11
75	Front Wheel	EE1030	MCWF17 \$102.48
	Rear Wheel	EE1070	MCWR17 \$52.00
MF205	Rear Wheel	EE1075	MCWR18 \$38.91
222	Front Wheel	EE1035	MCWF19 \$86.22
	Rear Wheel	EE1080	MCWR19 \$60.03
300	Rear Wheel, (Grain)	EE1085	MCWR20 \$38.91
	Rear Wheel, (Rice)	EE1090	MCWR21 \$51.40
410, 510	Front Wheel	EE1040	MCWF22 \$109.83
	Rear Wheel	EE1095	MCWR22 \$51.40
750, 760	Rear Wheel	EE1100	MCWR24 \$61.87
NEW HOLLAND			
TR70-Serial Number 197551	Front Wheel	EE1120	NCWF10 \$186.82
75, 85	Rear Wheel	EE1125	NCWR10 \$35.67
TR95-Power Steering	Rear Wheel	EE1130	NCWR11 \$138.73
TR95-Standard Steering	Rear Wheel	EE1135	NCWR12 \$96.37
NEW IDEA			
702, 702D	Front Wheel	EE0960	ICWF10 \$143.42
	To 1966 Rear Wheel	EE0975	ICWR10 \$82.14
	From 1967 Rear Wheel	EE0980	ICWR11 \$67.42
701	Front Wheel	EE0965	ICWF12 \$77.17
	To 1966 Rear Wheel	EE0985	ICWR13 \$57.15
	From 1967 Rear Wheel	EE0990	ICWR14 \$42.43
703, 704, 705, 708, 709	Front Wheel	EE0970	ICWF15 \$176.58
WHITE			
428	Front Wheel	EE1200	WCWF10 \$107.94
	Rear Wheel	EE1210	WCWR10 \$66.81
8650	Rear Wheel	EE1215	WCWR11 \$52.84



Model Application	Wheel Bearing Kit	Our Sequence Number	Per Kit Each
DAKON			
4044 (4-Ton)	FWD4	EE1250	\$34.20
6066 (6-Ton)	FWD6	EE1285	40.11
8088A (8-Ton)	FWD8	EE1280	37.89
1010 (10-Ton)	FWD10	EE1275	46.61
1212 (12-Ton)	FWD12	EE1270	66.45
ELECTRIC WHEEL			
5016, 5026, 5026A, 5026C, 5026B	EW10	EE0005	\$39.13
5010A, 5010B	EW15	EE0010	66.45
5023, 5030	EW20	EE0015	34.20
5024, 5024A	EW25	EE0020	34.20
5026E	EW30	EE0025	37.89
5026D	EW35	EE0030	47.40
6020	EW40	EE0035	46.61
660, 760, 795	EW45	EE0040	87.32
5010	EW50	EE0045	66.45
5003	EW55	EE0050	34.20
5015, 5025	EW60	EE0055	36.78
5025A, 5025B	EW65	EE0060	40.11
550, 650	EW70	EE0065	63.48
5035	EW75	EE1260	40.11
6020	EW80	EE1265	46.61
IHC			
52, 6, 80 (Farm)	FWIH10	EE0700	\$73.17
7 (Tilt Bed)	FWIH15	EE0705	30.16
B, BA (Platform)	FWIH20	EE0710	68.99
22, 23 (Farm)	FWIH25	EE0715	40.60
100 (Tractor)	FWIH30	EE0720	40.65
140 (Tractor) From 1962	FWIH35	EE0725	46.52
310 (Farm)	FWIH40	EE0730	34.20
315, 320	FWIH45	EE0735	39.13
330	FWIH50	EE0740	40.11
325 (Farm)	FWIH55	EE0745	47.40
335, 400 (Farm)	FWIH60	EE0750	69.93
333	FWIH65 w/o Seal	EE0755	35.80
375	FWIH70	EE0760	46.24
385	FWIH75	EE0765	40.90
JOHN DEERE			
Auger 68	FWJD10	EE0770	\$56.43
Auger 400, 500, 910, 1210, 1210A	FWJD15 w/o Seal	EE0775	128.78
Hi Dump 75, 76	FWJD25	EE0780	56.99
953 -1964	FWJD30	EE0785	75.86
953 1964-	FWJD35	EE0790	45.75
963 w/Brakes	FWJD40	EE0795	75.86
963 -1964 w/o Brakes	FWJD45	EE0800	75.86
963 1964- w/o Brakes	FWJD50	EE0805	45.75

Model Application	Wheel Bearing Kit	Our Sequence Number	Per Kit Each
JOHN DEERE (Cont'd)			
1064	FWJD55	EE0810	\$41.81
1065, 1065A	FWJD60	EE0815	65.45
965	FWJD65 w/o Seal	EE0820	63.12
1075, 1275	FWJD70	EE0825	62.90
1510	FWJD75 w/o Seal	EE0830	81.89
KEWANEE			
41	FWK10 w/o Seal	EE0850	\$27.09
43, 44	FWK15	EE0855	58.80
45	FWK20	EE0860	63.80
LUNDELL			
600	Prior 1966 1966 - 1970 1971	FWL10 FWL15 FWL20 w/o Seal	EE0865 EE0835 EE0840
			\$35.67 52.83 77.95
800	Prior 1963 1963 - 1970 1971	FWL25 FWL30 FWL35 w/o Seal	EE0845 EE0867 EE0869
			62.51 52.83 77.95
MASSEY FERGUSON			
MF5	FWMF10	EE0870	\$51.04
MF6, MF65	FWMF15	EE0875	39.49
MF8	FWMF20	EE0880	66.45
MF75	FWMF25	EE0885	47.87
NEW HOLLAND			
1036, 1037	FWNH10	EE0890	\$87.32
234	FWNH15	EE0895	64.24
1063	FWNH20	EE0900	55.28
1035 (Stack Cruiser)	FWNH25 w/o Seal	EE0905	52.42
1003 (Auto, Bale Stackliner)	FWNH30	EE0910	68.01
1048, 1049 (Auto, Bale, Front Wheel)	FWNH35 w/o Seal	EE0915	74.88
1065 (Front Wheel)	FWNH40	EE0920	52.42
1048, 1049, 1065 (Rear Wheel)	FWNH45 w/o Seal	EE0925	147.00
PARKER			
1180, 1174	FWP11	EE1255	\$50.64
WESTENDORF WAGON			
8 Ton	FW8	EE0070	\$98.91
10 Ton	FW10	EE0075	66.45
12 Ton	FW12	EE0080	115.18
WHITE			
95	FWW10 w/o Seal	EE0930	\$106.27
626	FWW15 w/o Seal	EE0935	58.38
5024	FWW20 w/o Seal	EE0940	27.09
5026	FWW25 w/o Seal	EE0945	32.56